BIDDING DOCUMENT

Procurement of Goods

Single-Stage: One-Envelope Bidding Procedure

IT Data Center/Other Equipment (Regional Offices)

Issued on: 26 June 2024

Invitation for Bids No.: OP1/OCB-002

OCB No.: OP1/OCB-002

Purchaser: Bureau of Local Government Finance (BLGF)

Country: Philippines

Preface

This Bidding Document for Procurement of Goods has been prepared by BLGF and is based on the Standard Bidding Document for the Procurement of Goods issued by the Asian Development Bank dated December 2021.

This document reflects the structure and the provisions of the Master Procurement Document for the Procurement of Goods, except where specific considerations within the Asian Development Bank have required a change.

Table of Contents

PARII-	PART I - Blading Procedures					
Section 1.	Instructions to Bidders	1-1				
Section 2.	Bid Data Sheet	2-1				
Section 3.	Evaluation and Qualification Criteria	3-1				
Section 4.	Bidding Forms	4-1				
Section 5.	Eligible Countries	5-1				
PART II - Section 6.	- Supply Requirements Schedule of Supply	6-1				
PART III	- Conditions of Contract and Contract Fo	orms				
Section 7.	General Conditions of Contract					
Section 8.	Special Conditions of Contract	8-1				
Section 9.	Contract Forms	9-1				

Section 1: Instructions to Bidders

Table of Clauses

1. Scope of Bid 2. Source of Funds 3. Fraud and Corruption 4. Eligible Bidders 5. Eligible Goods and Related Services B. Contents of Bidding Document 6. Sections of the Bidding Document 7. Clarification of Bidding Document 8. Amendment of Bidding Document 9. Cost of Bidding 10. Language of Bid 11. Documents Comprising the Bid 12. Bid Submission Sheet and Price Schedules 13. Alternative Bids 14. Bid Prices and Discounts 15. Currencies of Bid 16. Documents Establishing the Eligibility of the Bidder 17. Documents Establishing the Eligibility of the Goods and Related Services to the Biddin Document 18. Documents Establishing the Conformity of the Bidder 19. Documents Establishing the Conformity of the Bidder 19. Documents Establishing the Qualifications of the Bidder 19. Documents Establishing the Qualifications of the Bidder 20. Period of Validity of Bids 21. Bid Security/Bid-Securing Declaration 22. Format and Signing of Bid	1-7 1-7 1-6 .1-11 1-12 1-12 1-8
Fraud and Corruption Ligible Bidders Eligible Goods and Related Services Contents of Bidding Document Sections of the Bidding Document Clarification of Bidding Document Amendment of Bidding Document Cost of Bidding Document Language of Bid Documents Comprising the Bid Language of Bid Language of Bid Language of Bid Locuments Comprising the Bid Locuments Bids Locuments Bids Locuments Bids Locuments Bids Locuments Bids Locuments Establishing the Eligibility of the Bidder Documents Establishing the Eligibility of the Goods and Related Services Documents Establishing the Conformity of the Goods and Related Services to the Bidding Document Documents Establishing the Qualifications of the Bidder Period of Validity of Bids Lide Security/Bid-Securing Declaration Format and Signing of Bid Locument And Signing of Bi	1-7 1-6 .1-11 1-12 .1-12 1-8 1-9
4. Eligible Bidders Eligible Goods and Related Services B. Contents of Bidding Document Sections of the Bidding Document Clarification of Bidding Document Amendment of Bidding Document C. Preparation of Bids Cost of Bidding Language of Bid Documents Comprising the Bid Bid Submission Sheet and Price Schedules Alternative Bids Language of Bid Documents Establishing the Eligibility of the Bidder Documents Establishing the Eligibility of the Goods and Related Services Document Documents Establishing the Qualifications of the Bidder Period of Validity of Bids Period of Validity of Bids Bid Security/Bid-Securing Declaration Format and Signing of Bid	1-6 .1-11 1-12 .1-12 1-8 1-9
B. Contents of Bidding Document Sections of the Bidding Document Clarification of Bidding Document Amendment of Bidding Document Cost of Bidding Language of Bid Documents Comprising the Bid Bid Submission Sheet and Price Schedules Alternative Bids Bid Prices and Discounts Currencies of Bid Documents Establishing the Eligibility of the Bidder Documents Establishing the Conformity of the Goods and Related Services to the Biddin Document Documents Establishing the Qualifications of the Bidder Documents Establishing the Qualifications of the Bidder Period of Validity of Bids Bid Security/Bid-Securing Declaration Format and Signing of Bid	.1-11 1-12 .1-12 1-8 1-9
B. Contents of Bidding Document. Sections of the Bidding Document. Clarification of Bidding Document. Amendment of Bidding Document. C. Preparation of Bids. Cost of Bidding. Language of Bid. Documents Comprising the Bid. Bid Submission Sheet and Price Schedules. Alternative Bids. Alternative Bids. Locuments Establishing the Eligibility of the Bidder. Documents Establishing the Eligibility of the Goods and Related Services. Documents. Documents Establishing the Conformity of the Bidder. Document. Documents. Bid Security/Bid-Securing Declaration. Format and Signing of Bid. Period of Validity of Bids. Establishing the Qualifications of the Bidder. Format and Signing of Bid.	1-12 .1-12 1-8 1-9
Sections of the Bidding Document Clarification of Bidding Document Amendment of Bidding Document Cc. Preparation of Bids Cost of Bidding Language of Bid Locuments Comprising the Bid Bid Submission Sheet and Price Schedules Alternative Bids Alternative Bids Currencies of Bid Documents Establishing the Eligibility of the Bidder Documents Establishing the Eligibility of the Goods and Related Services to the Bidding Document Documents Establishing the Conformity of the Bidder Document Documents Establishing the Qualifications of the Bidder Period of Validity of Bids Bid Security/Bid-Securing Declaration Format and Signing of Bid	. 1-12 1-8 1-9
C. Preparation of Bidding Document	1-8 1-9
C. Preparation of Bids Cost of Bidding Language of Bid Documents Comprising the Bid Alternative Bids Alternative Bids Currencies of Bid Documents Establishing the Eligibility of the Bidder Documents Establishing the Eligibility of the Goods and Related Services Documents Establishing the Conformity of the Bidder Documents Establishing the Conformity of the Bidder Document Documents Establishing the Qualifications of the Bidder Period of Validity of Bids Bid Security/Bid-Securing Declaration Format and Signing of Bid	1-9
C. Preparation of Bids 9. Cost of Bidding 10. Language of Bid 11. Documents Comprising the Bid 12. Bid Submission Sheet and Price Schedules 13. Alternative Bids 14. Bid Prices and Discounts 15. Currencies of Bid 16. Documents Establishing the Eligibility of the Bidder 17. Documents Establishing the Eligibility of the Goods and Related Services 18. Documents Establishing the Conformity of the Goods and Related Services to the Biddi Document 19. Documents Establishing the Qualifications of the Bidder 20. Period of Validity of Bids 21. Bid Security/Bid-Securing Declaration Format and Signing of Bid	
Cost of Bidding Language of Bid Documents Comprising the Bid Bid Submission Sheet and Price Schedules Alternative Bids Currencies of Bid Documents Establishing the Eligibility of the Bidder Documents Establishing the Eligibility of the Goods and Related Services Documents Establishing the Conformity of the Goods and Related Services to the Biddi Document Document Documents Establishing the Qualifications of the Bidder Period of Validity of Bids Bid Security/Bid-Securing Declaration Format and Signing of Bid	1-12
Language of Bid Documents Comprising the Bid Bid Submission Sheet and Price Schedules Alternative Bids Bid Prices and Discounts Currencies of Bid Documents Establishing the Eligibility of the Bidder Documents Establishing the Eligibility of the Goods and Related Services Documents Establishing the Conformity of the Goods and Related Services to the Biddi Document Document Documents Establishing the Qualifications of the Bidder Period of Validity of Bids Bid Security/Bid-Securing Declaration Format and Signing of Bid	
11. Documents Comprising the Bid	
12. Bid Submission Sheet and Price Schedules 13. Alternative Bids 14. Bid Prices and Discounts 15. Currencies of Bid 16. Documents Establishing the Eligibility of the Bidder 17. Documents Establishing the Eligibility of the Goods and Related Services 18. Documents Establishing the Conformity of the Goods and Related Services to the Biddi Document 19. Documents Establishing the Qualifications of the Bidder 20. Period of Validity of Bids 21. Bid Security/Bid-Securing Declaration 22. Format and Signing of Bid	
Alternative Bids	
14. Bid Prices and Discounts	
15. Currencies of Bid	
16. Documents Establishing the Eligibility of the Bidder 17. Documents Establishing the Eligibility of the Goods and Related Services. 18. Documents Establishing the Conformity of the Goods and Related Services to the Biddi Document 19. Documents Establishing the Qualifications of the Bidder. 20. Period of Validity of Bids. 21. Bid Security/Bid-Securing Declaration 22. Format and Signing of Bid.	
17. Documents Establishing the Eligibility of the Goods and Related Services. 18. Documents Establishing the Conformity of the Goods and Related Services to the Biddi Document. 19. Documents Establishing the Qualifications of the Bidder. 20. Period of Validity of Bids. 21. Bid Security/Bid-Securing Declaration 22. Format and Signing of Bid	
18. Documents Establishing the Conformity of the Goods and Related Services to the Biddi Document 19. Documents Establishing the Qualifications of the Bidder	
Document	
19. Documents Establishing the Qualifications of the Bidder	
20. Period of Validity of Bids	. I-IZ
21. Bid Security/Bid-Securing Declaration	
22. Format and Signing of Bid	
D. Submission and Opening of Bids	1-15
23. Sealing and Marking of Bids	1-15
24. Deadline for Submission of Bids	
25. Late Bids	
26. Withdrawal, Substitution, and Modification of Bids	
27. Bid Opening	
E. Evaluation and Comparison of Bids	1-17
28. Confidentiality	
29. Clarification of Bids	
30. Deviations, Reservations, and Omissions	
31. Determination of Responsiveness	
32. Nonmaterial Nonconformities	
33. Correction of Arithmetical Errors	. 1-19
34. Conversion to Single Currency	. 1-19
35. Domestic Preference	. 1-19
36. Evaluation and Comparison of Bids	. 1-19
37. Abnormally Low Bids	. 1-20
38. Postqualification of the Bidder	
39. Purchaser's Right to Accept Any Bid, and to Reject Any or All Bids	

40.	Notice of Intention for Award of Contract	1-21
F.	Award of Contract	1-21
41.	Award Criteria	1-21
42.	Purchaser's Right to Vary Quantities at Time of Award	1-22
43.	Notification of Award	1-22
44.	Signing of Contract	1-22
45.	Performance Security	1-23
46.	Bidding-Related Complaints	

A. General

1. Scope of Bid

- 1.1 In connection with the Invitation for Bids (IFB) indicated in the Bid Data Sheet (BDS), the Purchaser, as indicated in the BDS, issues this Bidding Document for the supply of Goods and Related Services incidental thereto as specified in Section 6(Schedule of Supply). The name, identification, and number of lots of the opencompetitive bidding (OCB) are provided in the BDS.
- 1.2 Throughout this Bidding Document,
 - the term "in writing" means communicated in written form and delivered against receipt;
 - (b) except where the context requires otherwise, words indicating the singular also include the plural and words indicating the plural also include the singular; and
 - (c) "day" means calendar day.

2. Source of Funds

- 2.1 The Borrower or Recipient (hereinafter called "Borrower") indicated in the BDS has applied for or received financing (hereinafter called "funds") from the Asian Development Bank (hereinafter called "ADB") toward the cost of the project named in the BDS. The Borrower intends to apply a portion of the funds to eligible payments under the contract(s) for which this Bidding Document is issued.
- 2.2 Payments by ADB will be made only at the request of the Borrower and upon approval by ADB in accordance with the terms and conditions of the Financing Agreement between the Borrower and ADB (hereinafter called the Financing Agreement), and will be subject in all respects to the terms and conditions of that Financing Agreement. No party other than the Borrower shall derive any rights from the Financing Agreement or have any claim to the funds.

3. Fraud andCorruption

- 3.1 ADBrequires Borrowers (including beneficiaries of ADB-financed activity) and their personnel, as well as firms and individuals participating in an ADB-financed activity, including but not limited to, Bidders, Suppliers, and Contractors, agents, subcontractors, subconsultants, service providers, subsuppliers, manufacturers (including their respective officers, directors, employees and personnel) under ADB-financed contracts to observe the highest standard of ethics during the procurement and execution of such contractsin accordance with ADB's Anticorruption Policy (1998, as amended from time to time). In pursuance of this policy, ADB
 - (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - "corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;
 - "fraudulent practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
 - (iii) "coercive practice" means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;

- (iv) "collusive practice" means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party;
- (v) "abuse" means theft, waste, or improper use of assets related to ADB-related activity, either committed intentionally or through reckless disregard;
- (vi) "conflict of interest" means any situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations; and
- (vii) "integrity violation" is any act, as defined under ADB's Integrity Principles and Guidelines (2015, as amended from time to time), which violates ADB's Anticorruption Policy, including (i) to (vi) above and the following: obstructive practice, violations of ADB sanctions, retaliation against whistleblowers or witnesses, and other violations of ADB's Anticorruption Policy, including failure to adhere to the highest ethical standard.
- (b) will reject a proposal for award if it determines that the Bidder recommended for award or any of its officers, directors, employees, personnel, subconsultants, subcontractors, service providers, suppliers or manufacturers has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations in competing for the Contract;
- (c) will cancel the portion of the financing allocated to a contract if it determines at any time that representatives of the Borrower or of a beneficiary of ADB-financing engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations during the procurement or the execution of that contract, without the Borrower having taken timely and appropriate action satisfactory to ADB to remedy the situation, including by failing to inform ADB in a timely manner at the time they knew of the integrity violations;
- (d) will impose remedial actions on a firm or an individual, at any time, in accordance with ADB's Anticorruption Policy and Integrity Principles and Guidelines, including declaring ineligible, either indefinitely or for a stated period of time, to participate¹ in ADBfinanced,-administered, or -supported activities or to benefit from an ADB-financed,-administered, or -supported contract, financially or otherwise, if it at any time determines that the firm or individual has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive,or obstructive practices or other integrity violations; and
- (e) will have the right to require that a provision be included in bidding documents and in contracts financed, administered, or supported by ADB, requiring Bidders, suppliers and contractors, consultants, manufacturers, service providers and other third parties engaged or involved in ADB-related activities, and their respective officers, directors, employees and personnel, to permit ADB or its representative to inspect the site and their assets, accounts and records and other documents relating to the bid submission and

_

Whether as a Contractor, Subcontractor, Consultant, Manufacturer or Supplier, or Service Provider; or in any other capacity (different names are used depending on the particular Bidding Document).

contract performance and to have them audited by auditors appointed by ADB.

- 3.2 All Bidders, consultants, contractors, suppliers, manufacturers, service providers, and other third parties engaged or involved in ADB-related activities, and their respective officers, directors, employees and personnel, are obliged to cooperate fully in any investigation when requested by ADB to do so. As determined on a case by case basis by ADB, such cooperation includes, but is not limited to, the following:
 - (a) being available to be interviewed and replying fully and truthfully to all questions asked;
 - (b) providing ADB with any items requested that are within the party's control including, but not limited to, documents and other physical objects;
 - (c) upon written request by ADB, authorizing other related entities to release directly to ADB such information that is specifically and materially related, directly or indirectly, to the said entities or issues which are the subject of the investigation;
 - (d) cooperating with all reasonable requests to search or physically inspect their person and/or work areas, including files, electronic databases, and personal property used on ADB activities, or that utilizes ADB's Information and Communication Technology (ICT) resources or systems (including mobile phones, personal electronic devices, and electronic storage devices such as external disk drives);
 - (e) cooperating in any testing requested by ADB, including but not limited to, fingerprint identification, handwriting analysis, and physical examination and analysis; and
 - (f) preserving and protecting confidentiality of all information discussed with, and as required by, ADB.
- 3.3 All Bidders, consultants, contractors and suppliers shall require their officers, directors, employees, personnel, agents to ensure that, in its contracts with its subconsultants, Subcontractors and other third parties engaged or involved in ADB-related activities, such subconsultants, Subcontractors and other third parties similarly are obliged to cooperate fully in any investigation when requested by ADB to do so.
- 3.4 The Purchaser hereby puts the Bidder on notice that the Bidder or any Joint Venture partner of the Bidder (if any) may not be able to receive any payments under the Contract if the Bidder or any of its Joint Venture partners, as appropriate, is, or is owned (in whole or in part) by a person or entity subject to applicable sanctions.
- 3.5 Furthermore, Bidders shall be aware of the provision stated in Subclause 3.2 and Subclause 35.1 (a)(iii) of the General Conditions of Contract.
- 4. Eligible Bidders 4.1 A Bidder may be a natural person, private entity, or government-owned enterprise subject to ITB 4.5-or any combination of them with a formal intent to enter into an agreement or under an existing agreement in the form of a Joint Venture. In the case of a Joint Venture,
 - (a) all parties to the Joint Venture shall be jointly and severally liable; and
 - (b) the Joint Venture shall nominate a representative who shall have the authority to conduct all businesses for and on behalf of any and all the parties of the Joint Venture during the bidding process

- and, in the event the Joint Venture is awarded the Contract, during contract execution.
- 4.2 A Bidder, and all parties constituting the Bidder, shall have the nationality of an eligible country, in accordance with Section 5(Eligible Countries). A Bidder shall be deemed to have the nationality of a country if the Bidder is a citizen or is constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country. This criterion shall also apply to the determination of the nationality of proposed subcontractors or suppliers for any part of the Contract, including related services.
- 4.3 A Bidder shall not have a conflict of interest. All Bidders found to have a conflict of interest shall be disqualified. A Bidder may be considered to be in a conflict of interest with one or more parties in this bidding process if any of, including but not limited to, the following apply:
 - (a) they have controlling shareholders in common; or
 - (b) they receive or have received any direct or indirect subsidy from any of them; or
 - (c) they have the same legal representative for purposes of this Bid; or
 - (d) they have a relationship with each other, directly or through common third parties, that puts them in a position to have access to material information about or improperly influence the Bid of another Bidder, or influence the decisions of the Purchaser regarding this bidding process; or
 - (e) a Bidder participates in more than one bid in this bidding process, either individually or as a partner in a Joint Venture, except for alternative offers permitted under ITB 13. This will result in the disqualification of all Bids in which it is involved. However, subject to any finding of a conflict of interest in terms of ITB 4.3(a)–(d) above, this does not limit the participation of a Bidder as a subcontractor in another bid or of a firm as a subcontractor in more than one Bid; or
 - (f) a Bidder, Joint Venture partner, associates, parent company or any affiliated entity, participated as a consultant in the preparation of the design or technical specifications of the goods and services that are the subject of the Bid; or
 - (g) a Bidder was affiliated with a firm or entity thathas been hired (or is proposed to be hired) by the Purchaser or Borrower as Project Manager for the contract; or
 - (h) a Bidder would be providing goods, works, or nonconsulting services resulting from or directly related to consulting services for the preparation or implementation of the project specified in the BDS ITB 2.1 that it provided or were provided by any affiliate that directly or indirectly controls, is controlled by, or is under common control with that firm; or
 - (i) A Bidder that has a financial or familial relationship with staff of the Purchaser including project implementing/executing agency, or of a recipient of a part of the loan who: (i) are directly or indirectly involved in the preparation of the bidding documents or specifications of the contract, and/or the bid evaluation process of such contract; or (ii) would be involved in the implementation

or supervision of such contract unless the conflict stemming from such relationship has been resolved in a manner acceptable to ADB throughout the procurement process and execution of the contract.

- 4.4 A firm will not be eligible to participate in any procurement activities under an ADB-financed, -administered, or -supported project while under temporary suspension or debarment by ADB pursuant to its Anticorruption Policy (see ITB 3), whether such debarment was directly imposed by ADB, or enforced by ADB pursuant to the Agreement for Mutual Enforcement of Debarment Decisions. A bid from a temporarily suspended or debarred firm will be rejectedand such bid may be in breach of debarment conditions, thereby subject to further ADB's investigation.
- 4.5 Government-owned enterprises in the Purchaser's country shall be eligible only if they can establish that they (i) are legally and financially autonomous, (ii) operate under commercial law, and (iii) are not dependent agencies of the Purchaser.
- 4.6 A Bidder shall not be under suspension from Bidding by the Purchaser as a result of the execution of a Bid–Securing Declaration.
- 4.7 Bidders shall provide such evidence of their continued eligibility satisfactory to the Purchaser, as the Purchaser shall reasonably request.
- 4.8 Bidders shall be excluded if, by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations, the Borrower's country prohibits any import of goods from, or payments to, a particular country, person or entityin respect of goods or services originating in that country. Where the Borrower's country prohibits payments to a particular person or entity or for particular goods or services by such an act of compliance, that firm shall be excluded.
- 5. Eligible Goods and Related Services
- 5.1 All Goods and Related Services to be supplied under the Contract and financed by ADB, shall have their country of origin in eligible source countriesas defined in ITB 4.2, and all expenditures under the Contract will be limited to such Goods and Related Services.
- 5.2 For purposes of this clause, the term "goods" includes commodities, raw material, machinery, equipment, and industrial plants; and "related services" includes services such as insurance, transportation, installation, commissioning, training, and initial maintenance.
- 5.3 The term "country of origin" means the country where the goods have been mined, grown, cultivated, produced, manufactured, or processed; or through manufacture, processing, or assembly, another commercially recognized article results that differs substantially in its basic characteristics from its imported components.
- 5.4 The nationality of the firm that produces, assembles, distributes, or sells the goods shall not determine their origin.

B. Contents of Bidding Document

6. Sections of the Bidding Document

6.1 The Bidding Document consists of Parts I, II, and III, which include all the sections indicated below, and should be read in conjunction with any addenda issued in accordance with ITB 8.

PART I Bidding Procedures

• Section 1 Instructions to Bidders (ITB)

• Section 2 Bid Data Sheet (BDS)

• Section 3 Evaluation and Qualification Criteria (EQC)

Section 4 Bidding Forms (BDF)Section 5 Eligible Countries (ELC)

PART II Supply Requirements

• Section 6 Schedule of Supply (SS)

PART III Conditions of Contract and Contract Forms

Section 7 General Conditions of Contract (GCC)
 Section 8 Special Conditions of Contract (SCC)

• Section 9 Contract Forms (COF)

- 6.2 The IFB issued by the Purchaser is not part of the Bidding Document.
- 6.3 The Purchaser is not responsible for the completeness of the Bidding Document and its addenda, if they were not obtained directly from the source stated by the Purchaser in the IFB.
- 6.4 The Bidder is expected to examine all instructions, forms, terms, and specifications in the Bidding Document. Failure to furnish all information or documentation required by the Bidding Document, may result in the rejection of the Bid.

7. Clarification of Bidding Document

7.1 A prospective Bidder requiring any clarification on the Bidding Document shall contact the Purchaser in writing at the Purchaser's address indicated in the BDS. The Purchaser will respond in writing to any request for clarification, provided that such request is received no later than 21 days prior to the deadline for submission of Bids. The Purchaser shall forward copies of its response to all Bidders who have acquired the Bidding Documentin accordance with ITB 6.3, including a description of the inquiry but without identifying its source. Should the Purchaser deem it necessary to amend the Bidding Document as a result of a clarification, it shall do so following the procedure under ITB 8 and ITB 24.2.

8. Amendment of Bidding Document

- 8.1 At any time prior to the deadline for submission of the Bids, the Purchaser may amend the Bidding Document by issuing addenda.
- 8.2 Any addendum issued shall be part of the Bidding Document and shall be communicated in writing to all who have obtained the Bidding Document directly from the Purchaserin accordance with ITB 6.3.
- 8.3 To give prospective Bidders reasonable time in which to take an addendum into account in preparing their Bids, the Purchaser may, at its discretion, extend the deadline for the submission of the Bids, pursuant to ITB 24.2.

C. Preparation of Bids

9. Cost of Bidding 9.1 The Bidder shall bear all costs associated with the preparation and submission of its Bid, and the Purchaser shall in no case be responsible

or liable for those costs, regardless of the conduct or outcome of the bidding process.

10. Language of Bid

0.1 The Bid, as well as all correspondence and documents relating to the Bid exchanged by the Bidder and the Purchaser, shall be written in the language specified in the BDS. Supporting documents and printed literature that are part of the Bid may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the BDS, in which case, for purposes of interpretation of the Bid, such translation shall govern.

11. Documents Comprising the Bid

11.1 The Bid shall comprise the following:

- (a) Bid Submission Sheet and the applicable Price Schedules, in accordance with ITB 12, ITB 14, and ITB 15;
- (b) Bid Security or Bid-Securing Declaration, in accordance with ITB 21;
- (c) alternative Bids, if permissible, in accordance with ITB 13;
- (d) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB 22;
- (e) documentary evidence in accordance with ITB 16, establishing the Bidder's eligibility to bid;
- (f) documentary evidence in accordance with ITB 17, that the Goods and Related Services to be supplied by the Bidder are of eligible origin;
- (g) documentary evidence in accordance with ITB 18 and ITB 31, that the Goods and Related Services conform to the Bidding Document;
- (h) documentary evidence in accordance with ITB 19, establishing the Bidder's qualifications to perform the contract if its Bid is accepted; and
- (i) any other document required in the BDS.

12. Bid Submission 12.1 Sheet and Price Schedules

- 12.1 The Bidder shall submit the Bid Submission Sheet using the form furnished in Section 4(Bidding Forms). This form must be completed without any alterations to its format, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested.
- 12.2 The Bidder shall submit the Price Schedules for Goods and Related Services, according to their origin as appropriate, using the forms furnished in Section 4(Bidding Forms) and as required in the BDS.

13. Alternative Bids

13.1 Unless otherwise indicated in the BDS, alternative Bids shall not be considered.

14. Bid Prices and Discounts

- 14.1 The prices and discounts quoted by the Bidder in the Bid Submission Sheet and in the Price Schedules shall conform to the requirements specified below.
- 14.2 All items in the Schedule of Supply must be listed and priced separately in the Price Schedules. If a Price Schedule shows items listed but not priced, their prices shall be assumed to be included in the prices of other items. Items not listed in the Price Schedule shall be assumed not to be included in the Bid, and provided that the Bid is substantially responsive, the corresponding adjustment shall be applied in

- accordance with ITB 32.3. Unit rates and prices for all items in the Schedule of Supply shall be expressed in positive values. If unit rates and prices are expressed in negative values, the bid will be rejected.
- 14.3 The price to be quoted in the Bid Submission Sheet shall be the total price of the Bid excluding any discounts offered. Absence of the total bid price in the Bid Submission Sheet may result in the rejection of the Bid.
- 14.4 The Bidder shall quote discounts and the methodology for their application in the Bid Submission Sheet.
- 14.5 The terms EXW, CIF, CIP, and other similar terms shall be governed by the rules prescribed in the current edition of Incoterms, published by the International Chamber of Commerce, at the date of the Invitation for Bids or as specified in the BDS.
- 14.6 Prices shall be quoted as specified in each Price Schedule included in Section 4(Bidding Forms). The disaggregation of price components is required solely for the purpose of facilitating the comparison of Bids by the Purchaser. This shall not in any way limit the Purchaser's right to contract on any of the terms offered
 - (a) for Goods offered from within the Purchaser's country:
 - (i) the price of the goods quoted EXW (ex works, ex factory, ex warehouse, ex showroom, or off-the-shelf, as applicable), including all customs duties and sales and other taxes already paid or payable on the components and raw material used in the manufacture or assembly of goods quoted ex works or ex factory, or on the previously imported goods of foreign origin quoted ex warehouse, ex showroom, or off-the-shelf;
 - (ii) sales tax and all other taxes applicable in the Purchaser's country and payable on the Goods if the Contract is awarded to the Bidder; and
 - (iii) the total price for the item.
 - (b) for Goods offered from outside the Purchaser's country:
 - the price of the goods quoted CIF(named port of destination), or CIP (border point), or CIP (named place of destination), in the Purchaser's country, as specified in the BDS;
 - (ii) the price of the goods quoted FOB port of shipment (or FCA, as the case may be), if specified in the BDS; and
 - (iii) the total price for the item.
 - (c) for Related Services whenever such are specified in the Schedule of Supply:
 - the local currency cost component of each item comprising the Related Services; and
 - (ii) the foreign currency cost component of each item comprising the Related Services, inclusive of all customs duties, sales and other similar taxes applicable in the Purchaser's country, payable on the Related Services, if the Contract is awarded to the Bidder.

- 14.7 Prices quoted by the Bidder shall be fixed during the Bidder's performance of the Contract and not subject to variation on any account, unless otherwise specified in the BDS. A Bid submitted with an adjustable price quotation shall be treated as nonresponsive and shall be rejected, pursuant to ITB 31. If in accordance with the BDS, prices quoted by the Bidder shall be subject to adjustment during the performance of the Contract in accordance with Clause 15.2 of the General Conditions of Contract in Section 7, a Bid submitted with a fixed price will also be treated as nonresponsive and be rejected.
- 14.8 If so indicated pursuant to ITB 1.1, Bids are being invited for individual contracts (lots) or for any combination of contracts (packages). Unless otherwise indicated in the BDS, prices quoted shall correspond to 100% of the items specified for each lot and to 100% of the quantities specified for each item of a lot. Bidders wishing to offer any price discount for the award of more than one Contract shall specify in their bid the price discount applicable to each package, or alternatively, to individual Contracts within the package. Price discounts shall be submitted in accordance with ITB 14.4, provided the bids for all lots are submitted and opened at the same time.

15. Currencies of Bid

- 15.1 Bid prices shall be quoted in the following currencies:
 - (a) Bidders may express their bid price in any freely convertible currency. If a Bidder wishes to be paid in a combination of amounts in different currencies, it may quote its price accordingly.
 - (b) If some of the expenditures for the Related Services are to be incurred in the borrowing country, such expenditures should be expressed in the Bid and will be payable in the Purchaser's currency.

16. Documents Establishing the Eligibility of the Bidder

- 16.1 To establish their eligibility in accordance with ITB 4, Bidders shall
 - (a) complete the eligibility declarations in the Bid Submission Sheet, included in Section 4(Bidding Forms); and
 - (b) if the Bidder is an existing or intended Joint Venture in accordance with ITB 4.1, submit a copy of the Joint Venture Agreement, or a letter of intent to enter into such an agreement. The respective document shall be signed by all legally authorized signatories of all the parties to the existing or intended Joint Venture, as appropriate.
- 17. Documents
 Establishing
 the Eligibility of
 the Goods and
 Related
 Services
- 17.1 To establish the eligibility of the Goods and Related Services, in accordance with ITB 5, Bidders shall complete the country of origin declarations in the Price Schedule Forms included in Section 4(Bidding Forms).
- 18. Documents
 Establishing
 the Conformity
 of the Goods
 and Related
 Services to the
- 18.1 To establish the conformity of the Goods and Related Services to the Bidding Document, the Bidder shall furnish as part of its Bid documentary evidence that the Goods and Related Services conform to the requirements specified in Section 6(Supply of Supply).
- 18.2 The documentary evidence may be in the form of literature, drawings, or data, and shall consist of a detailed item-by-item description of the essential technical and performance characteristics of the Goods and

Bidding Document

- Related Services, demonstrating substantial responsiveness of the Goods and Related Services to those requirements, and if applicable, a statement of deviations and exceptions to the provisions of Section 6(Schedule of Supply).
- 18.3 Standards for workmanship, process, material, and equipment, as well as references to brand names or catalogue numbers specified by the Purchaser in Section 6(Schedule of Supply), are intended to be descriptive only and not restrictive. The Bidder may offer other standards of quality, brand names, and/or catalogue numbers, provided that it demonstrates, to the Purchaser's satisfaction, that the substitutions ensure substantial equivalence or are superior to those specified in Section 6(Schedule of Supply).

19. Documents Establishing the Qualifications of the Bidder

- 19.1 The documentary evidence of the Bidder's qualifications to perform the contract, if its bid is accepted, shall establish to the Purchaser's satisfaction that the Bidder meets each of the qualification criterion specified in Section 3(Evaluation and Qualification Criteria).
- 19.2 If so required in the BDS, a Bidder that does not manufacture or produce the Goods it offers to supply shall submit the Manufacturer's Authorization using the form included in Section 4(Bidding Forms) to demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to supply these Goods in the Purchaser's country.
- 19.3 If so required in the BDS, a Bidder that does not conduct business within the Purchaser's country shall submit evidence that it will be represented by an agent in the country equipped and able to carry out the Supplier's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

20. Period of Validity of Bids

- 20.1 Bids shall remain valid for the bid validity period specified in the BDS. The bid validity period starts from the date fixed for the bid submission deadline date prescribed by the Purchaser in accordance with ITB 24.1. A Bid valid for a shorter period shall be rejected by the Purchaser as nonresponsive.
- 20.2 In exceptional circumstances, prior to the expiration of the bid validity period, the Purchaser may request Bidders to extend the period of validity of their Bids. The request and the responses shall be made in writing. If a Bid Security is requested in accordance with ITB 21, it shall also be extended 28 days beyond the deadline of the extended bid validity period. A Bidder may refuse the request without forfeiting its Bid Security. A Bidder granting the request shall not be required or permitted to modify its Bid.

21. Bid Security/ Bid-Securing Declaration

- 21.1 Unless otherwise specified in the BDS, the Bidder shall furnish as part of its Bid, in original form, either a Bid-Securing Declaration or a bid security as specified in the BDS. In the case of a bid security, the amount and currency shall be as specified in the BDS.
- 21.2 If a Bid-Securing Declaration is required pursuant to ITB 21.1, it shall use the form included in Section 4 (Bidding Forms). The Purchaser will declare a Bidder ineligible to be awarded a Contract for a specified period of time, as indicated in the BDS, if a Bid-Securing Declaration is executed.

- 21.3 If a bid security is specified pursuant to ITB 21.1, the bid security shall be, at the Bidder's option, in any of the following forms:
 - (a) an unconditional bank guarantee(hard copy of the bank guarantee or in the form of SWIFT message MT760), or
 - (b) an irrevocable letter of credit, or
 - (c) a cashier's or certified check.

all from a reputable source from an eligible country as described in Section 5 (Eligible Countries). In the case of a bank guarantee, the bid security shall be submitted either using the Bid Security Form included in Section 4(Bidding Forms), or another form acceptable to the Purchaser. The form must include the complete name of the Bidder. The bid security shall be valid for 28 days beyond the original validity period of the bid, or beyond any period of extension if requested under ITB 20.2.

- 21.4 Unless otherwise specified in the BDS, any bid not accompanied by a substantially compliant bid security or Bid-Securing Declaration, if one is required in accordance with ITB 21.1, shall be rejected by the Purchaser as nonresponsive.
- 21.5 If a bid security is specified pursuant to ITB 21.1, the bid security of unsuccessful Bidders shall be returned promptly upon the successful Bidder's furnishing of the performance security pursuant to ITB 45.
- 21.6 If a bid security is specified pursuant to ITB 21.1, the bid security of the successful Bidder shall be returned promptly once the successful Bidder has signed the Contract Agreement and furnished the required performance security.
- 21.7 The bid security may be forfeited or the Bid-Securing Declaration executed, if
 - (a) notwithstanding ITB 26.3, a Bidder withdraws its bid during the period of bid validity specified by the Bidder on the Bid Submission Sheet, except as provided in ITB 20.2; or
 - (b) the successful Bidder fails to
 - (i) sign the Contract Agreement in accordance with ITB 44;
 - (ii) furnish a performance security in accordance with ITB 45; or
 - (iii) accept the arithmetical corrections of its bid in accordance with ITB 33.
- 21.8 If the bid security is required as per ITB 21.1, the bid security of a Joint Venture shall be in the name of the Joint Venture that submits the Bid. If the Joint Venture has not been legally constituted at the time of bidding, the bid security shall be in the name of any or all of the Joint Venture partners. If the Bid-Securing Declaration is required as per ITB 21.1, the Bid-Securing Declaration of a Joint Venture shall be in the name of the Joint Venture that submits the Bid.If the Joint Venture has not been legally constituted at the time of bidding, the Bid-Securing Declaration shall be in the names of all future partnersas named in the letter of intent mentioned in ITB 4.1.
- 22. Format and Signing of Bid
- 22.1 The Bidder shall prepare one original set of the documents comprising the Bid as described in ITB 11 and clearly mark it "ORIGINAL." Alternative bids, if permitted in accordance with ITB 13, shall be clearly marked "ALTERNATIVE". In addition, the Bidder shall submit copies of

- the bid, in the number specified in the BDS and clearly mark them "COPY." In the event of any discrepancy between the original and the copies, the original shall prevail.
- 22.2 The original and all copies of the Bid shall be typed or written in indelible ink and shall be signed by a person duly authorized to sign on behalf of the Bidder. This authorization shall consist of a written confirmation as specified in the BDS and shall be attached to the Bid. The name and position held by each person signing the authorization must be typed or printed below the signature. If a Bidder submits a deficient authorization, the Bid shall not be rejected in the first instance. The Purchaser shall request the Bidder to submit an acceptable authorization within the number of days as specified in the BDS. Failure to provide an acceptable authorization within the period stated in the Purchaser's request shall cause the rejection of the Bid.If either the Bid Submission Sheet or the Bid-Securing Declaration (if applicable) is not signed, the Bid shall be rejected.
- 22.3 Any amendments such as interlineations, erasures, or overwriting shall be valid only if they are signed or initialed by the person signing the bid.

D. Submission and Opening of Bids

- 23. Sealing and Marking of Bids
- 23.1 Bidders shall submit their Bids as specified in the BDS.Procedures for submission, sealing and marking are as follows:
 - (a) Bidders submitting Bids by mail or by hand shall enclose the original and each copy of the Bid, including alternative Bids, if permitted in accordance with ITB 13, in separate sealed envelopes, duly marking the envelopes as "ORIGINAL", "ALTERNATIVE" and "COPY." These envelopes containing the original and the copies shall then be enclosed in one single envelope. The rest of the procedure shall be in accordance with ITB 23.2 and ITB 23.3.
 - (b) Bidders submitting Bids electronically shall follow the electronic bid submission procedures specified in the BDS.
- 23.2 The inner and outer envelopes shall
 - (a) bear the name and address of the Bidder;
 - (b) be addressed to the Purchaser in accordance with ITB 24.1;
 - (c) bear the specific identification of this bidding process pursuant to ITB 1.1 and any additional identification marks as specified in the BDS; and
 - (d) bear a warning not to open before the time and date for bid opening, in accordance with ITB 27.1.
- 23.3 If all envelopes are not sealed and marked as required, the Purchaser will assume no responsibility for the misplacement or premature opening of the Bid.
- 24. Deadline for Submission of Bids
- 24.1 Bids must be received by the Purchaser at the address and no later than the date and time indicated in the BDS.
- 24.2 The Purchaser may, at its discretion, extend the deadline for the submission of Bids by amending the Bidding Document in accordance with ITB 8, in which case all rights and obligations of the Purchaser and

Bidders previously subject to the deadline shall thereafter be subject to the deadline as extended.

25. Late Bids

- 25.1 The Purchaser shall not consider any Bid that arrives after the deadline for submission of Bids, in accordance with ITB 24. Any Bid received by the Purchaser after the deadline for submission of Bids shall be declared late, rejected, and returned unopened to the Bidder.
- 26. Withdrawal, Substitution, and Modification of Bids
- 26.1 A Bidder may withdraw, substitute, or modify its Bid after it has been submitted by sending a written notice, duly signed by an authorized representative, and shall include a copy of the authorization in accordance with ITB 22.2 (except for withdrawal notices, which do not require copies). The corresponding substitution or modification of the bid must accompany the respective written notice. All notices must be
 - (a) prepared and submitted in accordance with ITB 22 and ITB 23 (except forwithdrawal notices, which do not require copies), and in addition, the respective envelopes shall be clearly marked "WITHDRAWAL," "SUBSTITUTION," "MODIFICATION;" and
 - (b) received by the Purchaser prior to the deadline prescribed for submission of bids, in accordance with ITB 24.
- 26.2 Bids requested to be withdrawn in accordance with ITB 26.1 shall be returned unopened to the Bidders.
- 26.3 No Bid may be withdrawn, substituted, or modified in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Bid Submission Sheet or any extension thereof.

27. Bid Opening

- 27.1 The Purchaser shall open the Bids in public at the address, on the date, and time specified in the BDS in the presence of Bidders' designated representatives and anyone who chooses to attend. Any specific electronic bid opening procedures required if electronic bidding is permitted in accordance with ITB 23.1, shall be as specified in theBDS.
- First, envelopes marked "WITHDRAWAL" shall be opened, read out, 27.2 and recorded, and the envelope containing the corresponding bid shall not be opened, but returned to the Bidder. No bid withdrawal shall be permitted unless the corresponding withdrawal notice contains a valid authorization to request the withdrawal and is read out at bid opening.Next, envelopes marked "SUBSTITUTION" shall be opened, read out, recorded, and exchanged for the corresponding Bid being substituted. The substituted Bid shall not be opened, but returned unopened to the Bidder. No bid substitution shall be permitted unless the corresponding substitution notice contains a valid authorization to request the substitution and is read out and recorded at bid opening. Envelopes marked "MODIFICATION" shall be opened, read out, and recorded with the corresponding Bid. No bid modification shall be permitted unless the corresponding modification notice contains a valid authorization to request the modification and is read out and recorded at bid opening. Only envelopes that are opened, read out, and recorded at bid opening shall be considered further.
- 27.3 All other envelopes shall be opened one at a time, reading out the name of the Bidder and whether there is a modification; the Bid Prices (per lot if applicable), discounts, and alternative offers; the presence of a bid security or a Bid-Securing Declaration, if required; and any other details as the Purchaser may consider appropriate. Only discounts and alternative offers read out and recorded at bid opening shall be

considered for evaluation. Unless otherwise specified in the BDS, all pages of the Bid Submission Sheet and Price Schedules are to be initialed by at least three representatives of the Purchaser attending the bid opening. No Bid shall be rejected at bid opening except for late bids, in accordance with ITB 25.1.

27.4 The Purchaser shall prepare a record of the bid opening that shall include, as a minimum: the name of the Bidder and whether there is a withdrawal, substitution, or modification; the Bid Price, per lot if applicable, any discounts, and alternative offers if they were permitted; and the presence or absence of a bid security or Bid-Securing Declaration, if one was required. The Bidders' representatives who are present shall be requested to sign the record. The omission of a Bidder's signature on the record shall not invalidate the contents and effect of the record. A copy of the record shall be distributed to all Bidders who submitted bids on time, and posted online if electronic bidding was permitted.

E. Evaluation and Comparison of Bids

28. Confidentiality

- 28.1 Information relating to the examination, evaluation, comparison, and postqualification of Bids, and recommendation of contract award, shall not be disclosed to Bidders or any other persons not officially concerned with such process until the publication of Contract award.
- 28.2 Any attempt by a Bidder to influence the Purchaser in the examination, evaluation, comparison, and postqualification of the Bids or Contract award decisions may result in the rejection of its Bid.
- 28.3 Notwithstanding ITB 28.2, from the time of bid opening to the time of Contract award, if any Bidder wishes to contact the Purchaser on any matter related to the bidding process, it should do so in writing.

29. Clarification of Bids

- 29.1 To assist in the examination, evaluation, comparison and post-qualification of the Bids, the Purchaser may, at its discretion, ask any Bidder for a clarification of its Bid. Any clarification submitted by a Bidder with regard to its Bid and that is not in response to a request by the Purchaser shall not be considered. The Purchaser's request for clarification and the response shall be in writing. No change in the prices or substance of the Bid shall be sought, offered, or permitted, except to confirm the correction of arithmetic errors discovered by the Purchaser in the evaluation of the Bids, in accordance with ITB 33.
- 29.2 If a Bidder does not provide clarifications on its Bid by the date and time set in the Purchaser's request for clarification, its bid may be rejected.

30. Deviations, Reservations, and Omissions

- 30.1 During the evaluation of Bids, the following definitions apply:
 - (a) "Deviation" is a departure from the requirements specified in the Bidding Document;
 - (b) "Reservation" is the setting of limiting conditions or withholding from complete acceptance of the requirements specified in the Bidding Document; and
 - (c) "Omission" is the failure to submit part or all of the information or documentation required in the Bidding Document.

31. Determination of 31.1 Responsiveness

31.1 The Purchaser's determination of a bid's responsiveness is to be based on the contents of the bid itself, as defined in ITB11.

- 31.2 A substantially responsive bid is one that meets the requirements of the Bidding Document without material deviation, reservation, or omission. A material deviation, reservation, or omission is one that,
 - (a) if accepted, would
 - affect in any substantial way the scope, quality, or performance of the Goods and Related Services specified in Section 6(Schedule of Supply); or
 - (ii) limits in any substantial way, inconsistent with the Bidding Document, the Purchaser's rights or the Bidder's obligations under the proposed Contract; or
 - (b) if rectified, would unfairly affect the competitive position of other Bidders presenting substantially responsive bids.
- 31.3 The Purchaser shall examine the technical aspects of the Bid in particular, to confirm that all requirements of Section 6(Schedule of Supply) have been met without any material deviation, reservation, or omission.
- 31.4 If a Bid is not substantially responsive to the requirements of the Bidding Document, it shall be rejected by the Purchaser and may not subsequently be made responsive by correction of the material deviation, reservation, or omission.

32. Nonmaterial Nonconformities

- 32.1 Provided that a Bid is substantially responsive, the Purchaser may waive nonconformities in the bid that do not constitute a material deviation, reservation, or omission.
- 32.2 Provided that a Bid is substantially responsive, the Purchaser may request that the Bidder submit the necessary information or documentation, within a reasonable period of time, to rectify nonmaterial nonconformities or omissions in the Bid related to documentation requirements. Requesting information or documentation on such nonconformities shall not be related to any aspect of the price of the Bid. Failure of the Bidder to comply with the request may result in the rejection of its Bid.
- 32.3 Provided that a Bid is substantially responsive, the Purchaser shall rectify quantifiable nonmaterial nonconformities or omissions related to the Bid Price. To this effect, the Bid Price shall be adjusted, for comparison purposes only, to reflect the price of the missing or nonconforming item or component. The adjustment shall be made using the method indicated in Section 3(Evaluation and Qualification Criteria).

33. Correction of Arithmetical Errors

- 33.1 Provided that the Bid is substantially responsive, the Purchaser shall correct arithmetical errors on the following basis:
 - (a) If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Purchaser there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected.

- (b) If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected.
- (c) If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (a) and (b) above.
- 33.2 If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be rejected, and its bid security may be forfeited, or its Bid-Securing Declaration executed.

34. Conversion to Single Currency

- 34.1 For evaluation and comparison purposes, the currency(ies) of the Bid shall be converted into a single currency as specified in the BDS.
- 35. Domestic Preference
- 35.1 Unless otherwise specified in the BDS, domestic preference shall not apply.
- 36. Evaluationand Comparison of Bids
- 36.1 The Purchaser shall use the criteria and methodologies indicated in this clause. No other criteria or methodologies shall be permitted.
- 36.2 To evaluate a Bid, the Purchaser shall consider the following:
 - (a) the bid price as quoted in accordance with ITB 14;
 - (b) price adjustment for correction of arithmetic errors in accordance with ITB 33.1;
 - (c) price adjustment due to discounts offered in accordance with ITB 14.4:
 - (d) adjustment for nonmaterial nonconformities in accordance with ITB 32.3:
 - (e) assessment whether the bid is abnormally low in accordance with ITB 37; and
 - (f) price adjustment due to application of the evaluation criteria specified in Section 3(Evaluation and Qualification Criteria). These criteria may include factors related to the characteristics, performance, and terms and conditions of purchase of the Goods and Related Services which shall be expressed to the extent practicable in monetary terms to facilitate comparison of bids unless otherwise specified in Section 3; and
 - (g) converting the amount resulting from applying (a) to (c) above, if relevant, to a single currency in accordance with ITB 34.
- 36.3 The Purchaser's evaluation of a bid will exclude and not take into account,
 - (a) in the case of Goods offered from within the Purchaser's country, all sales tax and all other taxes, applicable in the Purchaser's country and payable on the Goods if the Contract is awarded to the Bidder:
 - (b) in the case of Goods offered from outside the Purchaser's country, all customs duties, sales tax, and other taxes,

- applicable in the Purchaser's country and payable on the Goods if the Contract is awarded to the Bidder; and
- (c) any allowance for price adjustment during the period of performance of the Contract, if provided in the Bid.
- 36.4 If the Bidding Document allows Bidders to quote separate prices for different lots (contracts), and the award to a single Bidder of multiple lots (contracts), the methodology to determine the lowest evaluated price of the lot (contract) combinations, including any discounts offered in the Bid Submission Sheet, is specified in Section 3 (Evaluation and Qualification Criteria).
- 36.5 The Purchaser shall compare all substantially responsive Bids to determine the lowest evaluated bid, in accordance with ITB 36.2.

37. Abnormally Low Bids

- 37.1 An abnormally low bid is one where the bid price, in combination with other elements of the bid, appears to be so low that it raises concerns as to the capability of the Bidder to perform the contract for the offered bid price.
- 37.2 When the offered bid price appears to be abnormally low, the Purchaser shall undertake a three-step review process as follows:
 - identify abnormally low costs and unit rates by comparing them with the engineer's estimates, other substantially responsive bids, or recently awarded similar contracts;
 - (b) clarify and analyze the bidder's resource inputs and pricing, including overheads, contingencies and profit margins; and
 - (c) decide whether to accept or reject the bid.
- 37.3 With regard to ITB 37.2 (b) above, the Purchaser will seek a written explanation from the bidder of the reasons for the offered bid price, including a detailed analysis of costs and unit prices, by reference to the scope, proposed methodology, schedule, and allocation of risks and responsibilities. This may also include information regarding the economy of the manufacturing process; the services to be provided, or the construction method to be used; the technical solutions to be adopted; and any exceptionally favorable conditions available to the bidder for the goods or services proposed.
- 37.4 After examining the explanation given and the detailed price analyses presented by the bidder, the Purchaser may:
 - (a) accept the bid, if the evidence provided satisfactorily accounts for the low bid price and costs, in which case the bid is not considered abnormally low;
 - (b) accept the bid, but require that the amount of the performance security be increased at the expense of the bidder to a level sufficient to protect the Purchaser against financial loss. The amount of the performance security shall generally be not more than 20% of the contract price; or
 - (c) reject the bid if the evidence provided does not satisfactorily account for the low bid price, and make a similar determination for the next lowest evaluated bid, if required

38. Postqualification of the Bidder

38.1 The Purchaser shall determine to its satisfaction whether the Bidder that is selected as having submitted the lowest evaluated and substantially responsive Bid is qualified to perform the Contract satisfactorily.

- 38.2 The determination shall be based upon an examination of the documentary evidence of the Bidder's qualifications submitted by the Bidder, pursuant to ITB 19.Unless permitted in the BDS, the determination shall not take into consideration the qualifications of other firms such as the Bidder's subsidiaries, parent entities, or affiliates.
- 38.3 An affirmative determination shall be a prerequisite for award of the Contract to the Bidder. The Purchaser reserves the right to reject the bid of any bidder found to be in circumstances described in GCC 35.2. A negative determination shall result in disqualification of the Bid, in which event the Purchaser shall proceed to the next lowest evaluated Bid to make a similar determination of that Bidder's capabilities to perform satisfactorily.
- 39. Purchaser's
 Right to Accept
 Any Bid, and to
 Reject Any or
 All Bids
- 39.1 The Purchaser reserves the right to accept or reject any Bid, and to annul the bidding process and reject all Bids at any time prior to Contract award, without thereby incurring any liability to the Bidders. In case of annulment, all Bids submitted and specifically, bid securities, shall be promptly returned to the Bidders.
- 40. Notice of Intention for Award of Contract
- 40.1 If Standstill provisions apply as specified in the BDS, the standstill period shall be defined in the BDS to specify the duration subsequent to notification of intention for award of contract (before making the actual contract award) within which any unsuccessful bidder can challenge the proposed award.

F. Award of Contract

- 41. Award Criteria
- 41.1 The Purchaser shall award the Contract to the Bidder whose offer has been determined,in line with ITB 36 to ITB 38 above, to be the lowest evaluated Bid and is substantially responsive to the Bidding Document, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.
- 42. Purchaser's
 Right to Vary
 Quantities at
 Time of Award
- 42.1 At the time the Contract is awarded, the Purchaser reserves the right to increase or decrease the quantity of Goods and Related Services originally specified in Section 6(Schedule of Supply), provided this does not exceed the percentages indicated in the BDS, and without any change in the unit prices or other terms and conditions of the Bid and the Bidding Document.
- 43. Notification of Award
- 43.1 Prior to the expiration of the period of bid validity and upon expiry of the standstill period specified in ITB 40.1, or upon satisfactory resolution of a complaint filed within standstill period, if applicable, the Purchaser shall transmit the Notification of Award using the form included in Section 9 (Contract Forms) to the successful Bidder, in writing, that its Bid has been accepted. At the same time, the Purchaser also notify all other Bidders of the results of the bidding.
- 43.2 Unless standstill period applies, upon notification of award, unsuccessful Bidders may request in writing to the Purchaser for a debriefing seeking explanations on the grounds on which their Bids were not selected. The Purchaser shall promptly respond in writing and/or in a debriefing meeting to any unsuccessful Bidder who, after publication of contract award, requests a debriefing.

- 43.3 Until a formal Contract is prepared and executed, the notification of award shall constitute a binding Contract.
- 43.4 Within 2 weeks of the award of contract or expiry of the standstill period, where such period applies, or, if a complaint has been filed within the standstill period, upon receipt of ADB's confirmation of satisfactory resolution of the complaint, the Borrower shall publish in an English language newspaper or well-known freely accessible website the results identifying the Bid and lot or package numbers as applicable and the following information:
 - (a) name of each Bidder who submitted a Bid;
 - (b) bid prices as read out at bid opening;
 - (c) name and evaluated prices of each Bid that was evaluated;
 - (d) name of Bidders whose Bids were rejected and the reasons for their rejection; and
 - (e) (e) name of the winning Bidder, and the price it offered, as well as the duration and summary scope of the contract awarded.

44. Signing of Contract

- 44.1 Promptly after notification, the Purchaser shall send to the successful Bidder the Contract Agreement.
- 44.2 Within 28 days of receipt of the Contract Agreement, the successful Bidder shall sign, date, and return it to the Purchaser.

45. Performance Security

- 45.1 Within 28 days of the receipt of notification of award from the Purchaser, the successful Bidder shall furnish the Performance Security in accordance with the GCC, subject to ITB 37, using for that purpose the Performance Security Form included in Section 9(Contract Forms), or another form acceptable to the Purchaser.If the bank issuing performance security is located outside the Purchaser's country, it shall be counter-guaranteed or encashable by a bank in the Purchaser's country.
- 45.2 Failure of the successful Bidder to submit the abovementioned performance security or sign the Contract Agreement shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security or execution of the Bid-Securing Declaration. In that event, the Purchaser may award the Contract to the next lowest evaluated Bidder whose offer is substantially responsive and is determined by the Purchaser to be qualified to perform the Contract satisfactorily.

46. Bidding-Related Complaints

46.1 The procedures for dealing with Bidding-Related Complaints arising out of this bidding process are specified in the BDS.

Section 2: Bid Data Sheet

A. General					
ITB 1.1	The number of the Invitation for Bids (IFB) is: OP1/OCB-002				
ITB 1.1	The Purchaser is: BLGF				
ITB 1.1	The name of the open competitive bidding (OCB) is: OP1/OCB-002 The identification number of the OCB is: OP1/OCB-002 The number and identification of lots comprising this OCB is 63 Lots – <u>IT</u> <u>Equipment for Central and Regional Offices</u>				
ITB 2.1	The Borrower is: BLGF				
ITB 2.1	The name of the Project is: Local Governance Reform Project				
B. Contents	of Bidding Document				
B. Contents of Bidding Document For clarification purposes only, the Purchaser's address is: Attention: Ricardo L. Bobis, Jr. / Grace Louie M. Boongalong LGRP Deputy Project Director / Acting Chief, Admin Divisio Bureau of Local Government Finance 8 th Floor, EDPC Bldg., BSP Complex Roxas Boulevard, 1004 Manila Telephone:(63 2)5318 2506, 5318 2507 5318 2520 Email: bid@blqf.gov.ph Requests for clarification should be received by the Purchaser no later to fourteen (14) days before the deadline for submission of bids. A Pre-Bid meeting shall take place. Date: 28 June 2024 Time: 2:00 PM Place: BLGF, 8F, EDPC Bldg., BSP Complex, Roxas Blvd., Manila Prospective Bidders may attend Pre-Bid meetingthrough siteattendance.For security and access, interested bidders must expit their interest to participate in the pre-bid conference by sending an emabid@blqf.gov.ph at least four (4) working days from the date of the pre-conference.					
C. Preparat	C. Preparation of Bids				
ITB 10.1	The language of the Bid is: English				
ITB 11.1 (i)	The Bidder shall submit with its Bid the following additional documents: (a) Bid Submission Sheet and the applicable Price Schedules, in accordance with ITB 12, ITB 14, and ITB 15; (b) Bid Security Declaration in accordance with ITB 21;				
	(b) Bid Security Declaration, in accordance with ITB 21;				

	(c) written confirmation authorizing the signatory of the Bid to commit the Bidder, in accordance with ITB 22;		
	(d) documentary evidence in accordance with ITB 16, establishing the Bidder's eligibility to bid;		
	(e) documentary evidence in accordance with ITB 17, that the Goods and Related Services to be supplied by the Bidder are of eligible origin;		
	(f) documentary evidence in accordance with ITB 18 and ITB 31, that the Goods and Related Services conform to the Bidding Document;		
	(g) documentary evidence in accordance with ITB 19, establishing the Bidder's qualifications to perform the contract if its Bid is accepted; and any other document required in the BDS.		
ITB 12.2	The units and rates in figures entered into the Price Schedules should be typewritten or if written by hand, must be in print form. Price Schedules not presented accordingly may be considered nonresponsive.		
ITB 13.1	Alternative Bids shall not be permitted		
ITB 14.5	The Incoterms edition is: DPU Delivery at Place Unloaded ²		
ITB 14.6 (b) (i)	For Goods offered from outside the Purchaser's country, the Bidder shall quote prices using the following Incoterms: DPU Delivery at Place Unloaded		
ITB 14.6 (b) (ii)	In addition to the above, the Bidder shall quote prices for Goods offered from outside the Purchaser's country using the following Incoterms: DPU Delivery at Place Unloaded ³		
ITB 14.7	The prices quoted by the Bidder shall not be adjustable.		
ITB 14.8	Prices quoted for each lot shall correspond to one hundred percent (100%) of the items specified for each lot.		
	Prices quoted for each item of a lot shall correspond to one hundred percent (100%) of the quantities specified for this item of a lot.		
ITB 19.2	The Bidder is required to submit documentation to substantiate that it is an authorized dealer, distributor or reseller of the goods being procured.		
ITB 19.3	The Bidder shall berequired to include with its bid, evidence that it will be represented by an Agent in the Purchaser's country, in the case of International Suppliers		
ITB 20.1	The bid validity period shall be one hundred twenty (120)days.		
ITB 21.1	The Bidder shall furnish a Bid-Securing Declaration.		

_

²DPU – This Incoterms requires that the Seller delivers the goods unloaded at the named place. The Seller covers all the cost of transport (insurance, export fees, carriage, unloading from main carrier at destination port, and destination port charges) and assumes all risks until arrival at destination place. The Seller is also responsible for inland trucking, personnel and equipment for unloading at the final delivery location.

³DPU – This Incoterms requires that the Seller delivers the goods unloaded at the named place. The Seller

³DPU – This Incoterms requires that the Seller delivers the goods unloaded at the named place. The Seller covers all the cost of transport (insurance, export fees, carriage, unloading from main carrier at destination port, and destination port charges) and assumes all risks until arrival at destination place. The Seller is also responsible for inland trucking, personnel and equipment for unloading at the final delivery location.

ITB 21.2	The ineligibility period will be for at least two (2) years	
ITB 21.4	Subject to the succeeding sentences, any bid not accompanied by Bid-Securing Declaration shall be rejected by the Purchaser as nonresponsive. If a Bidder submits a Bid-Securing Declaration that (i) deviates in form, content, and/or period of validity or (ii) does not provide sufficient identification of the Bidder (including, without limitation, failure to indicate the name of the Joint Venture or, where the Joint Venture has not yet been constituted, the names of all future Joint Venture Partners), the Purchaser shall request the Bidder to submit a compliant Bid-Securing Declaration within seven (7)days of receiving such a request. Failure to provide a compliant Bid-Securing Declaration within the prescribed period of receiving such a request shall cause the rejection of the Bid.	
ITB 22.1	In addition to the original Bid, the number of copies is: two (2) copies	
ITB 22.2	The written confirmation of Authorization to sign on behalf of the Bidder shat consist of(a) written confirmation shall be attached to the Bid; and (b) name and position held by each person signing the authorization must be typed or printed below the signature.	
ITB 22.2	The Bidder shall submit an acceptable authorization within seven (7) c alendar days after submission of bids .	
D. Submiss	ion and Opening of Bids	
ITB 23.1	Bidders shall submit their Bids by mail or by hand.	
ITB 23.1 (b)	Electronic bidding submission procedures shall be:Not Applicable	
ITB 23.2 (c)	The additional identification marks are:	
	In separate sealed envelopes, duly marking the envelopes as "ORIGINAL," and "COPY." These envelopes containing the original and the copies shall then be enclosed in one single envelope.	
ITB 24.1	For bid submission purposes only, the Purchaser's address is:	
	Attention:Bureau of Local Government Finance (BLGF)	
	Address: EDPC Building, BSP Complex, Roxas Boulevard	
	Floor/Room number: 8th Floor	
	Zip Code: 1004	
	City: Manila Country:Philippines	
ITB 24.1	The deadline for bid submission is:	
	Date:25 July 2024	
	Time: 2:00pm (Manila time)	
ITB 27.1	The bid opening shall take place at:	
	Street address: BLGF Office, Department of Finance, Roxas Boulevard	
	Floor/Room number: Conference 3, 8th Floor, BLGF Office	
	City: Manila	
	Date:25 July 2024	

	Time: 3:00pm (Manila time)				
	Time. 3.00pm (maima ume)				
ITB 27.1	The electronic bid opening procedure shall be as follows:Not Applicable				
ITB 27.3	The Letter of Bid and Price Schedules shall be initialed by members of the Special Bids and Awards Committee (SBAC) of the Purchaser attending Bid opening.				
E. Evaluation	E. Evaluation and Comparison of Bids				
ITB 34.1	The currency that shall be used for bid evaluation and comparison purposes to convert all bid prices expressed in various currencies into a single currency is: Philipine Peso				
	The source of the selling exchange rate shall be the Bangko Sentral ng Pilipinas.				
	The date for the selling exchange rate shall be the date of the deadline for submission of the bid.				
ITB 35.1	Domestic preference shall not apply.				
ITB 38.2	The qualifications of other firms such as the Bidder's subsidiaries, parent entities, or affiliates shall not be permitted.				
ITB 40.1	Standstill provisions shall not apply.				
F. Award of	Contract				
ITB 42.1	The maximum percentage by which quantities may be increased is: fifteen percent (15%)				
	The máximum percentage by which quantities may be decreased is: fifteen percent (15%)				
ITB 46.1	The procedures for Bidding-Related Complaints are referenced in the Procurement Regulations for ADB Borrowers (Appendix 7). The Bidder should submit its complaint following these procedures, in writing, to:				
	For the attention: Consolacion Q. Agcaoili				
	Title/position: Executive Director				
	Purchaser: BLGF				
	E-mail address: executivedirector@blgf.gov.ph				
	Fax number: Not applicable				

Section 3: Evaluation and Qualification Criteria

Table of Criteria

1.	Eval	uation CriteriaError! Bookmark not c	defined. -3
	1.1	Fechnical Criteria	3-3
	1.2	Domestic Preference	3-3
		conomic Criteria	
	•	.3.1Adjustment for Scope	3-3
		1.3.1.1 Local Handling and Inland Transportation	
		1.3.1.2 Minor Omissions or Missing Items	
		.3.2 Adjustment for Deviations from the Terms of Payment	
		.3.3 Adjustment for Deviations in the Delivery and Completion Schedule	
		I.3.4 Operating and Maintenance Costs	
		.3.5 Spare Parts	
		.3.6 Performance and Productivity of the Goods	
	1.4 [Multiple Lots (Contracts)	3-4
2.	Qua	ification CriteriaError! Bookmark not o	defined. -5
	Con	ract Type A. Off-the-Shelf Items	
	2.1	Eligibility	
		2.1.1 Nationality	
		2.1.2 Conflict of Interest	
		2.1.3 ADB Eligibility	
		2.1.4 Government-Owned Enterprise	
		2.1.5 United Nations Eligibility	3-5
	2.2	Experience and Technical Capacity	
		2.2.1 Contractual Experience	3-6
	2.3	Financial Situation	3-7
		2.3.1 Historical Financial Performance	3-7
		2.3.2 Size of Operation (Average Annual Turnover) (Optional)	3-7
	Con	ract Type B. Custom-Designed, High-Value, and Technically Complex I	Items 3-8
	2.1	Eligibility	3-8
		2.1.1 Nationality	3-8
		2.1.2 Conflict of Interest	3-8
		2.1.3 ADB Eligibility	3-8
		2.1.4 Government-Owned Enterprise	
		2.1.5 United Nations Eligibility	3-8
	2.2	Historical Contract Nonperformance	3-9
		2.2.1 History of Nonperforming Contracts	3-9
		2.2.2 Suspension Based on Execution of Bid-Securing Declaration	
		2.2.3 Pending Litigation	
		Employee and Employee 10 and 15	• • •
	2.3	Experience and Technical Capacity	
		2.3.1 Contractual Experience	
		2.3.2 Technical Experience	
		2.3.3 Production Capacity	3-12

2.4	Financial Situation	3-13
	2.4.1 Historical Financial Performance	3-13
	2.4.2 Size of Operation (Average Annual Turnover)	3-13
	2.4.3 Cash Flow Capacity	3-14

1. Evaluation Criteria

1.1 Technical Criteria

The cost of all quantifiable deviations or deficiencies from the technical requirements as specified in Section 6 (Schedule of Supply) shall be evaluated. The Purchaser will make its own assessment of the cost of these deviations or deficiencies for the purpose of ensuring fair comparison of Bids.

1.2 Domestic Preference

If domestic preference is provided for under ITB 35.1, the following procedure shall apply:**Not Applicable**

1.3 Economic Criteria

1.3.1 Adjustment for Scope

1.3.1.1 Local Handling and Inland Transportation

Costs for inland transportation, insurance, and other incidental costs for delivery of the goods from the **DPU**premises, or port of entry, or border point to Project Site as defined in Section 6 (Schedule of Supply), shall be quoted in the Price Schedule for Related Services to Be Offered from Outside and Within the Purchaser's Country provided In Section 4 (Bidding Forms). These costs will be taken into account during bid evaluation. If a Bidder fails to include such costs in its Bid, then these costs will be estimated by the Purchaser on the basis of published tariffs by the rail or road transport agencies, insurance companies, or other appropriate sources, and added to **DPU** price.

1.3.1.2 Minor Omissions or Missing Items

Pursuant to ITB 32.3, the cost of all quantifiable nonmaterial nonconformities or omissions from the contractual and commercial conditions shall be evaluated. The Purchaser will make its own assessment of the cost of any nonmaterial nonconformities and omissions for the purpose of ensuring fair comparison of Bids.

1.3.2 Adjustment for Deviations from the Terms of Payment

Deviations from the Terms of Payment as specified in SCC 16.1 are not permitted.

1.3.3 Adjustment for Deviations in the Delivery and Completion Schedule

The Goods covered by this bidding process are required to be delivered in accordance with, and completed within, the Delivery and Completion Schedule specified in Section 6 (Schedule of Supply). No credit will be given for earlier completion. Bids offering late contract performance schedules will be accepted but the Bids shall be adjusted in the evaluation by adding to the Bid Price at the rate of zero point five percent0.5% of the Bid Price for each day of delay. Bids offering delivery schedules beyond fifteen (15) days of the date specified in Section 6 (Schedule of Supply), shall be rejected.

1.3.4 Operation and Maintenance (O&M) Costs Not Applicable

1.3.5 Spare Parts Not Applicable

1.3.6 Performance and Productivity of the Goods Not Applicable

1.4 Multiple Lots (Contracts)

IT Products and Services are grouped in lots. The Purchaser will evaluate and compare Bids on the basis of a lot, or a combination of lots, or as a total of lots to arrive at the least cost combination for the Purchaser by taking into account discounts offered by Bidders in case of award of multiple contracts.

If a Bidder as defined in ITB 4.1 submits successful Bids for multiple lots (lowest evaluated substantially responsive Bids), the evaluation will also include an assessment of the Bidder's capacity to meet the aggregated qualifying requirements relating to: **capacity to deliver the items to the delivery sites indicated in the schedule of Supply (Section 6).**

2. Qualification Criteria

Contract Type A: Off-the-Shelf Items

2.1 Eligibility

Criteria	С	ompliance Requirements			Documents
	Cinale	Joint Venture			Submission
Requirement	Single Entity	All Partners Combined	Each Partner	One Partner	Requirements

2.1.1 Nationality

Nationality in accordance with ITB 4.2. Must meet requirement req
--

2.1.2 Conflict of Interest

No conflicts of interest in accordance with ITB 4.3.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Bid Submission Sheet

2.1.3 ADB Eligibility

Not having been declared ineligible by ADB, as described in ITB 4.4.	Must meet requirement	Must meet requirement	Not applicable	Bid Submission Sheet
--	-----------------------	-----------------------	-------------------	-------------------------

2.1.4 Government-Owned Enterprise

Bidder required to meet conditions of ITB 4.5.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Bid Submission Sheet; Forms ELI – 1 and ELI - 2
--	-----------------------	-----------------------	-----------------------	-------------------	---

2.1.5 United Nations Eligibility

Not having been excluded by an act of compliance with a United Nations Security Council resolution in accordance with ITB 4.8.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Bid Submission Sheet
11B 4.8.					

2.2 Experience and Technical Capacity

2.2.1 Contractual Experience

Criteria	Compliance Requirements				Documents
	Single Entity	J	oint Ventur	е	Submission
Requirement		All Partners Combined	Each Partner	One Partner	Requirements
Successful completion as main supplier within the last five (5) years, of at least three (3) contracts each valued at three million pesos (Php 3M) with nature, and complexity similar to the scope of requirements described in Section 6 (Schedule of Requirements).	Must meet requirement	Must meet requirement	Not applicable	Not applicable	Form EXP – 1 ^a

^aIn addition to the submission of Form EXP-1, the Bidder shall provide the Signed Contract Agreement.

2.3 Financial Situation

2.3.1 Historical Financial Performance

Criteria	С	Documents			
Requirement	Single	Single Joint Venture			Submission
	Entity	All Partners Combined	Each Partner	One Partner	Requirements
Submission of audited financial statements or, if not required by the law of the Bidder's country, other financial statements acceptable to the Purchaser, for the last three (3) years to demonstrate the current soundness of the Bidder's financial position. As a minimum, the Bidder's net worth for the last year calculated as the difference between total assets and total liabilities should be positive.	Must meet requirement	Not applicable	Must meet requirement	Not applicable	Form FIN – 1

2.3.2 Size of Operation (Average Annual Turnover): Optional

Criteria	Compliance Requirements				Documents
	Single	J	Submission		
Requirement	Single Entity	All Partners Combined	Each Partner	One Partner	Requirements
Minimum average annual turnover of six million pesos (Php 6M)calculated as total payments received by the Bidder for contracts completed	Must meet requirement	Must meet requirement	Must meet of the requirement	Must meet of the requirement	Form FIN – 2

Criteria	С	Documents			
	Single	J	oint Ventur	Submission	
Requirement	Entity	All Partners Combined	Each Partner	One Partner	- Submission Requirements
or under execution over the last three (3)years.					

2.2 Historical Contract Nonperformance

2.2.1 History of Nonperforming Contracts

Criteria	Compliance Requirements				Documents
Requirement	Single	J	oint Venture	Cubmission	
	Entity	All Partners Combined	Each Partner	One Partner	Submission Requirements
Nonperformance of a contract ^a did not occur as a result of contractor default since 1 January 2021	Must meet requirement	Must meet requirement	Must meet requirement ^b	Not Applicable	Form CON-1

^aNonperformance, as decided by the Purchaser, shall include all contracts where (a) nonperformance was not challenged by the contractor, including through referral to the dispute resolution mechanism under the respective contract, and (b) contracts that were so challenged but fully settled against the contractor. Nonperformance shall not include contracts where Purchasers decision was overruled by the dispute resolution mechanism. Nonperformance must be based on all information on fully settled disputes or litigation, i.e. dispute or litigation that has been resolved in accordance with the dispute resolution mechanism under the respective contract and where all appeal instances available to the Bidder have been exhausted.

2.2.2 Suspension Based on Execution of Bid-Securing Declaration

Criteria	Compliance Requirements				Documents
	Single	J	oint Ventur	Cubmission	
Requirement	Entity	All Partners Combined	Each Partner	One Partner	Submission Requirements
Not under suspension based on execution of a Bid-Securing Declaration pursuant to ITB 4.6.	Must meet requirement	Must meet requirement	Must meet requirement	Not applicable	Bid Submission Sheet

^bThis requirement also applies to contracts executed by the Bidder as Joint Venturepartner.

2.2.3 Pending Litigation

Pending litigation and arbitration criterion shallapply.

Criteria	С	Compliance Requirements				
	Single	J	oint Ventur	е	Submission	
Requirement	Fntity A	All Partners Combined	Each Partner	One Partner	Requirements	
All pending litigation, arbitration or other material events impacting the net worth and/or liquidity of the bidder, if any, shall be treated as resolved against the Bidder and so shall in total not represent more than 5% percent of the Bidder's net worth calculated as the difference between total assets and total liabilities.	Must meet requirement	Not applicable	Must meet requirement	Not applicable	Form CON-1	

2.3 Experience and Technical Capacity

2.3.1 Contractual Experience

Criteria	Compliance Requirements				Documents
	Single	J	oint Venture		Submission
Requirement	Entity	All Partners Combined	Each Partner	One Partner	Requirements
Successful completion as main supplier within the last five (5) years, of at least three (3) contracts each valued at Php 3M with nature, and complexity similar to the scope of requirements described in Section 6 (Schedule of Requirements).	Must meet requirement	Must meet requirement	Not applicable	Not applicable	Form EXP – 1 ^a

^aIn addition to the submission of Form EXP-1, the Bidder shall provide the Signed Contract Agreement.

2.3.2 Technical Experience

Criteria	С	Documents			
	Single	J	oint Venture		Submission Requirements
Requirement	Entity	All Partners Combined	Each Partner	One Partner	
The Bidder shall demonstrate that the IT products offered have	Must meet requirement	Must meet requirement	Not applicable	Not applicable	Form EXP – 2 ^a
(i) been in production for at least five (5) years, and					

(ii)	been sold a minimum of 15,000 units of similar type and specification over the last three (3) years;			
	been in operation for a minimum of five (5) years.			
` '	Capacity to deliver anywhere in the Philippines			

^aIn addition to the submission of Form EXP-2, the Bidder shall provide the Signed Contract Agreement. **2.3.3**

Production Capacity

Criteria	Compliance Requirements				Documents
	Single	J		Submission	
Requirement	Entity	All Partners Combined	Each Partner	One Partner	Requirements
The Bidder or manufacturer shall demonstrate that it can supply the type, size, and quantity of the goods as required by Purchaser in accordance with the Delivery and Completion Schedule in Section 6 (Schedule of Supply).		Must meet requirement	Not applicable	Not applicable	Form EXP – 3

^aBidder or Manufacturer shall provide evidence of production output.

2.4 Financial Situation

2.4.1 Historical Financial Performance

Criteria	С	Compliance Requirements				
	Single	J	oint Ventur	е	Submission	
Requirement	Entity	All Partners Combined	Each Partner	One Partner	Requirements	
Submission of audited financial statements or, if not required by the law of the Bidder's country, other financial statements acceptable to the Purchaser, for the last three (3) years to demonstrate the current soundness of the Bidder's financial position. As a minimum, the Bidder's net worth for the last year calculated as the difference between total assets and total liabilities should be positive.	Must meet requirement	Not applicable	Must meet requirement	Not applicable	Form FIN - 1	

2.4.2 Size of Operation (Average Annual Turnover)

Criteria	Compliance Requirements				Documents
	Single	J	loint Ventur	е	Submission
Requirement	Entity	All Partners Combined	Each Partner	One Partner	Requirements
Minimum average annual turnover of six million pesosPhp 6Mcalculated as total payments received by the Bidder for contracts completed or under execution over the last three (3)years	Must meet requirement	Must meet requirement	Must meet of the requirement	Must meet of the requirement	Form FIN - 2

2.4.3 Cash Flow Capacity

Criteria	С	Documents			
Cin		J	loint Ventur	е	Submission
Requirement	Single Entity	All Partners Combined	Each Partner	One Partner	Requirements
Availability of or access to liquid assets, lines of credit, and other finances sufficient to meet cash flow requirement which is six million pesos (Php 6M)	Must meet requirement	Must meet requirement	Must meet of the requirement	Must meet of the requirement	Form FIN - 3

Section 4: Bidding Forms

Table of Forms

Bid Submission Sheet	4-43
Price Schedule for Goods to Be Offered from Within the Purchaser's Country	4-47
Price Schedule for Goods to Be Offered from Outside the Purchaser's Country	4-48
Price Schedule for Related Services to Be Offered from Outside and Within the Purchaser's Country	
Bid Security	4-9
Bid-Securing Declaration	4-10
Manufacturer's Authorization	4-11
Affiliate Company Guarantee	4-12
Bidder's Qualification	4-13
Form ELI – 1: Bidder's Information Sheet	4-14
Form ELI - 2: Joint Venture Information Sheet	4-15
Form CON - 1: Historical Contract Nonperformance	4-16
Form EXP - 1: Contractual Experience	4-17
Form EXP - 2: Technical Experience	4-18
Form EXP - 3: Production Capacity	4-19
Form FIN - 1: Historical Financial Performance	4-20
Form FIN - 2: Size of Operation (Average Annual Turnover)	4-21
Form FIN - 3: Cash Flow Capacity	4-22

Bid Submission Sheet

٠	7	ote	į

The Bidder must accomplish the Bid Submission Sheet on its letterhead clearly showing the Bidder's complete name and address.

Date:	
Open Competitive Bidding (OCB) No.:	
Invitation for Bid (IFB) No.:	
Alternative No.:	

To: [insert complete name of the Purchaser]

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda issued in accordance with Instructions to Bidders (ITB) 8.
- (b) We acknowledge that we have read and understand ADB's Anticorruption Policy (1998) and Integrity Principles and Guidelines (2015), both as amended from time to time.
- (c) We offer to supply in conformity with the Bidding Documents and in accordance with the delivery schedule specified in Section 6(Schedule of Supply), the following Goods and Related Services: [insert a brief description of the goods and related services]
- (d) The total price of our Bid, excluding any discounts offered in item (d) below, is

[amount of foreign currency in words], [amount in figures], and [amount of local currency in words], [amount in figures]

The total bid price from the price schedules should be entered by the bidder inside this box. Absence of the total bid price in the Bid Submission Sheet may result in the rejection of the bid.

(e) The discounts offered and the methodology for their application are as follows:

Discounts: If our Bid is accepted, the following discounts shall apply: [specify in detail each discount offered and the specific item of the Schedule of Supply to which it applies]

Methodology of Application of the Discounts: The discounts shall be applied using the following method: [specify in detail the method that shall be used to apply the discounts]

- (f) Our Bid shall be valid for a period of [insert validity period as specified in ITB 20.1 of the BDS.] days starts from the date fixed for the bid submission deadline in accordance with ITB 24.1, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.
- (g) If our Bid is accepted, we commit to obtain a Performance Security in accordance with the Bidding Documents.
- (h) Our firm, including any subcontractors or suppliers for any part of the Contract, have nationalities from eligible countries in accordance with ITB 4.2.
- (i) We, our directors, key officers, key personnel, including any subcontractors, consultants, subconsultants, manufacturers, service providers or suppliers for any part of the contract, do not have any conflict of interest in accordance with ITB 4.3.

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

Bidding Docu	ment for	Procurement of Goods	Single-Stage: One-Envelope
(EBRD), I of the Ag Institution the form p become	Inter-American Development B reement, other international fin is and signature of a Letter of provided (Annex B to the Agreer	oment Bank, European Bank for Re ank (IADB), and the World Bank Gr nancial institutions may join upon t Adherence by the international fina ment). Upon adherence, such intern purposes of the Agreement. Bi	roup. According to paragraph 9 the consent of all Participating incial institution substantially in ational financial institution shall
(ií) Pe sa (iii) Re	nction[start and end date]:	pension, debarment, ineligibility, pension, debarment, ineligibility	
intern develo Ventu perso	ational sanctions by any opment bank and other don re partner, their respective nnel, associate, parent cor	arred, declared ineligible, or sub country, any international org or agency, please state details direct or indirect shareholders, mpany, affiliate, subsidiaries, S ervice providers and/or Suppliers	ganization, any multilateral (as applicable to each Joint directors, key officers, key Subcontractors, consultants,
officer Subco for an subject	rs, key personnel, associated ontractors, consultants, sub- y part of the Contract, are rest to any national and/or	our respective direct and indirect es, parent company, affiliates or consultants, manufacturers, ser not temporarily suspended, deba international sanctions by any elopment bank and other donor	r subsidiaries, including any rvice providers or Suppliers arred, declared ineligible, or country, any international
	ame of the multilateral develop eason for the ongoing invest	opment bank: igation/allegations:	
	er ongoing investigation and multilateral development be	d/or sanction proceedings by thank, please state details:	e Asian Development Bank
officer Subco for an	rs, key personnel, associate ontractors, consultants, sub- y part of the contract, are no	our respective direct and indirect es, parent company, affiliates or consultants, manufacturers, ser ot under ongoing investigation ar or any multilateral development b	subsidiaries, including any rvice providers or Suppliers nd/or sanctions proceedings
officer Subco for an is sub Bank; Agree	rs, key personnel, associated ontractors, consultants, sub- y part of the contract, are no pject to a temporary susper or a debarment imposed	our respective direct and indirect es, parent company, affiliates or consultants, manufacturers, ser ot subject to, or not controlled by asion or a debarment imposed by the Asian Development Bant of Debarment Decisions betw ks. ⁴	r subsidiaries, including any rvice providers or Suppliers any entity or individual that by the Asian Development ank in accordance with the
more		dder, either individually or as pa process in accordance with ITB 4 ding Documents.	
	rties involved in the conflict etails about the conflict of int		
If ther	e is any conflict of interest, μ	please state details:	

(n) Our firm, Joint Venture partners, associates, parent company, affiliates or subsidiaries', including any Subcontractors, consultants, subconsultants, manufacturers, service providers, Suppliers, key officers, directors and key personnel have never been charged or convicted with any criminal offense (including felonies but excluding misdemeanors) or infractions and/or violations of ordinance; nor charged or found liable in any civil or administrative proceedings in the last 10 years; or undergoing investigation for such, or subject to any criminal, civil or administrative orders, monitorship or enforcement actions. If so charged, convicted/found liable, under ongoing investigation, or subject to orders, monitorship or enforcement actions, please state details: (i) Nature of the offense, violation, proceedings, investigation, and/or monitorship or enforcement actions: (ii) Court, area of jurisdiction and/or the enforcement agency: (iii) Resolution [i.e. dismissed; settled; or convicted/duration of penalty]: (iv) Other relevant details[please specify]: (o) Our firm, Joint Venture partners, our respective direct and indirect shareholders, directors, key officers, key personnel, associates, affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers, can make and receive electronic fund transfer payments through the international banking system or otherwise discharge the Purchaser's obligation upon initiation of wire transfer. If unable to make or receive funds through the international banking system or otherwise discharge the Purchaser's obligation upon initiation of wire transfer, please state the details: (i) Nature of the restriction: (ii) Jurisdiction of the restriction: (iii) Other relevant details: (p) Our firm, Joint Venture partners, associates, parent company, affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers, key officers, directors and key personnel are not from a country which is prohibited to export goods or services to, or receive any payments from the Purchaser's country and/or are not prohibited to receive payments for particular goods or services by the Purchaser's country by an act of compliance with a decision of the United Nations Security Council taken under Chapter VII of the Charter of the United Nations. (q) We understand that it is our obligation to notify the Purchaser of any changes in connection with the matters described in paragraphs (i), (k), (l), (m), (n), (o), (p) and (t) of this Bid Submission Sheet. (r) [We are not a government-owned enterprise] / [We are a government-owned enterprise but meet the requirements of ITB 4.5].5 (s) We have not been suspended nor declared ineligible by the Purchaser based on execution of a Bid-Securing Declaration in accordance with ITB 4.6. (t) We have paid, or intend to pay, either directly or indirectly, the following commissions, gratuities, or fees with respect to the bidding process or execution of the Contract:6 Name of Recipient Address Reason Amount Use one of the two options as appropriate. If none has been paid or is to be paid, indicate "None."

Bidding Document for ___ Procurement of Goods Single-Stage: One-Envelope

9-46 Section 9: Contract Forms

(u) We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed.

- (v) We understand that you are not bound to accept the lowest evaluated Bid or any other Bid that you may receive.
- (w) At any time following submission of our Bid, We shall permit, and shall cause our Joint Venture partners, directors, key officers, key personnel, associates, parent company, affiliates or subsidiaries, including any Subcontractors, consultants, subconsultants, manufacturers, service providers or Suppliers for any part of the contract to permit ADB or its representative to inspect our site, assets, accounts and records and other documents relating to the bid submission and to have them audited by auditors appointed by ADB.We understand that failure of this obligation may constitute obstructive practice that may result in debarment and/or contract termination.
- (x) Regardless of whether the contract will be awarded to us, we shall preserve all accounts, records and other documents related to bid submission for at least 3 years from the date of submission of the bid or the period prescribed in applicable law, whichever is longer.
- (y) If we are awarded the contract, we shall preserve all accounts, records and other documents related to the procurement and execution of the contract for at least 5 years after completing the works contemplated in the relevant contracts or the period prescribed in applicable law, whichever is longer.
- (z) We certify on behalf of the Bidder, that the information provided in the bid has been fully reviewed, given in good faith, and to the best of our knowledge is true and complete. We understand that it is our obligation to inform the Purchaser of any changes to the information as and when it becomes known to us. We understand that any misrepresentation that knowingly or recklessly misleads, or attempts to mislead may lead to the automatic rejection of the Bid or cancellation of the contract, if awarded, and may result in remedial actions, in accordance with ADB's Anticorruption Policy(1998, as amended to date) and Integrity Principles and Guidelines (2017, as amended from time to time).

Name	
In the capacity of	
Signed	
Duly authorized to sign the Bid for and on behal	if of
Date	

Price Schedule for Goods to Be Offered from Within the Purchaser's Country

Name of Bidder			_ IFB Number	Page of				
Item	Description	Country of Origin	Domestic Value Added in Percent	Quantity and Unit of Measurement	Unit Price EXW	Total EXW Price per item	Sales and Other Taxes Per Item	Total P per Ite includi Taxe
1	2	3	4	5	6	7 = 5 x 6	8	9 = 7 -
				To	tal Amount			
	Domestic and profi Incoterm Currency Price sha compone and sales Payable	c Value Adde ts from the st in accordance in accordance in include all ents and raw is and other ta in the Purcha	d comprises of cage of mining the with ITB 14 ce with ITB 15 coustoms duties materials used axes already paser's country		e domestic cont until final assen ther taxes alrea are or assembly imported items	ady paid or pay of the item or t	able on the the customs du	
Ouly aut Oate	horized to si	gn the Bid	for and on	behalf of				
Ridding Do	ocument for		Dr	ocurement of Goo	ide	Single	-Stage: One-Er	velone

9-48 Section 9: Contract Forms

Price Schedule for Goods to Be Offered from Outside the Purchaser's Country

Name of Bidder		IFB	IFB Number			_ Page of	
Item	Description	Country of Origin	Quantity and Unit of Measurement	Unit Price CIF () or	Unit Price FOB () or	Total Price CIF or CIP per Item	Total Price FOB or FC per Item
1	2	3	4	CIP () 5	FCA ()	7 = 4 x 5	8 = 4 x 6
					Total Amount		
Notes:							
Columns			ordance with ITB 14 ordance with ITB 15				
Column 6	co ba	ompanies or o asis of the CIF	ed if the Purchaser ther designated sou For CIP price, but th rangement for transp	rces. Identificatione le Purchaser ma	on of the lowest every sign the contract	valuated bid mus	st be on the
Name _							
In the c	apacity of						
Signed							
Duly au	thorized to s	ign the Bid	for and on beha	lf of			
Date							

Single-Stage: One-Envelope

Procurement of Goods

Price Schedule for Related Services to Be Offered from Outside and Within the Purchaser's Country

Nar	ne of Bidder			IFB N	umber	Page	e of	
-		1			= .			
Item	Item Description Co		Quantity	ty Unit Price (b)		Total Price per Item (a) (b)		
No.	2 333	of Origin	and Unit	Foreign	Local Currency	Foreign	Local Currency	
			of Measure-	Currency		Currency		
			ment					
1	2	3	4	5(a)	5(b)	$6(a) = 4 \times 5(a)$	$6(b) = 4 \times 5(b)$	
					T. (.) A			
					Total Amount			
Note	es:							
Colu	mns 5 and 6:	Currencies i	n accordance	with ITB 15				
		Prices are to	be auoted in	clusive of all cu	stoms duties, sales	and other similar t	taxes applicable	
		in the Purch	aser's countr	y and payable o	on the Related Servi	ces, if the Contra	ct is awarded to	
		the Bidder						
Name								
In the o	capacity of _							
Signed								
Duly a	uthorized to s	sign the B	id for and c	on behalf of _				
Date _								
Ridding I	Document for			Procurement of	Goods	Single_Sto	age: One-Envelope	
Diaming I				TOCUI CITICITE OF	Juuda	Sirigie-Sta	ige. One-Envelope	

9-50 Section 9: Contract Forms

Bid Security Bank Guarantee

[insert bank's name, and address of issuing branch or office]⁷

Beneficiary: [insert name and address of the Purchaser] **Date:** [insert date (as day, month, and year)]

BidSecurity No.: [insert number]

We have been informed that [insert name of the bidder] (hereinafter called "the Bidder") has submitted to you its bid dated [insert date (as day, month, and year)] (hereinafter called "the Bid") for the execution of [insert name of contract] under Invitation for Bids No. [insert IFB number] ("the IFB").

Furthermore, we understand that, according to your conditions, bids must be supported by a bid guarantee.

At the request of the Bidder, we [insert name of bank] hereby irrevocably undertake to pay you any sum or sums not exceeding in total an amount of [insert amount in words][insert amount in figures]upon receipt by us of your first demand in writing accompanied by a written statement, stating that the Bidder is in breach of its obligation(s) under the bid conditions, because the Bidder

- (a) has withdrawn its Bid during the period of bid validity specified by the Bidder in the Bid Submission Sheet; or
- (b) does not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB"); or
- (c) having been notified of the acceptance of its Bid by the Purchaser during the period of bid validity, (i) fails or refuses to execute the Contract Agreement; or (ii) fails or refuses to furnish the Performance Security, in accordance with the ITB.

This guarantee will expire (a) if the Bidder is the successful Bidder, upon our receipt of copies of the Contract Agreement signed by the Bidder and the Performance Security issued to you upon the instruction of the Bidder; or (b) if the Bidder is not the successful Bidder, upon the earlier of (i) our receipt of a copy of your notification to the Bidder of the name of the successful Bidder, or (ii) 28 days after the expiration of the Bidder's bid.

Consequently, any demand for payment under this guarantee must be received by us at the office indicated above on or before that date.

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revisions, ICC Publication No. 758.8

[Authorized signature(s) and bank's seal (where appropriate)]

Bidding Document for _____ Procurement of Goods Single-Stage: One-Envelope

All italicized text is for use in preparing this form and shall be deleted from the final document.

Or the Purchaser may use "Uniform Rules for Demand Guarantees (URDG), ICC Publication No. 458" as appropriate.

Bid-Securing Declaration

Date: [insert date (as day, month, and year)]
Bid No.: [insert number of bidding process]
Alternative No.: [insert identification No if this is a bid for an alternative]

To: [insert complete name of the Purchaser]

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding in any contract with the Borrower for the period of time of [insert number of years indicated in ITB 21.2 of the BDS] starting on the date that we receive a notification from the Purchaser that our Bid-Securing Declaration is executed, if we are in breach of our obligation(s) under the bid conditions, because we

- (a) have withdrawn our Bid during the period of bid validity specified in the Bid Submission Sheet; or
- (b) do not accept the correction of errors in accordance with the Instructions to Bidders (hereinafter "the ITB"); or
- (b) having been notified of the acceptance of our Bid by the Purchaser during the period of bid validity, (i) fail or refuse to execute the Contract Agreement, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the ITB.

We understand this Bid-Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder; or (ii) 28 days after the expiration of our Bid.

Signed: [insert sig	nature of person whose name ar	nd capacity are shown]
In the capacity of	[[insert legal capacity of person	signing the Bid-Secu	ring Declaration]
Name: [insert com	plete name of person signing the	e Bid-Securing Declar	ation]
Duly authorized t	o sign the bid for and on be	ehalf of [insert comp	plete name of the bidder]
Dated on	day of	,	[insert date of signing]
Corporate Seal (where appropriate)		

Bidding Document for _____ Procurement of Goods Single-Stage: One-Envelope

9-52 Section 9: Contract Forms

Manufacturer's Authorization

Date: [insert date (as day, month, and year) of bid submission] OCB No.: [insert number of bidding process]
To:[insert complete name of the Purchaser]
WHEREAS
We[insert complete name of the manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of manufacturer's factories], do hereby authorize[insert complete name of the bidder] to submit a bid the purpose of which is to provide the following goods, manufactured by us [insert name and/or brief description of the goods], and to subsequently negotiate and sign the Contract.
We hereby extend our full guarantee and warranty in accordance with Clause 28 of the General Conditions, with respect to the goods offered by the above firm.
Signed: [insert signature(s) of authorized representative(s) of the manufacturer]
Name:[insert complete name(s) of authorized representative(s) of the manufacturer]
Title:[insert title]
Duly authorized to sign this Authorization on behalf of [insert complete name of the manufacturer]
Dated on day of,[insert date of signing]
Note
All italicized text is for use in preparing this form and shall be deleted from the final document.
The bidder shall require the manufacturer to fill out this form in accordance with the instructions indicated. This letter of authorization should be signed by a person with the proper authority to sign documents that are binding on the manufacturer. The bidder shall include it in its bid, if so indicated in the Bid Data Sheet (BDS).

Single-Stage: One-Envelope

Procurement of Goods

Bidding Document for _

AFFILIATE COMPANY GUARANTEE				
Name	of	Contract	t/Contract	No.:
Name	and	address	of	Purchaser:
[together with succ	essors and assigns].			
for the above-ref	erenced Contract in res	ntractor] (hereinafter called sponse to your invitation, a affiliate company guarante	and that the condition	
company] irrevoca duration of the expertise and re	bly and unconditionally Contract, we will mak sources required for th	r, awarding the Contract to guarantee to you, as a price available to the Contracter Contractor's satisfactory contractor, to ensuring a satisfactory.	imary obligation, the octor our financial, y performance of t	nat (i) throughout the technical capacity, he Contract; and (ii)
indemnify the Pu	ırchaser against and fr	obligations and liabilities rom all damages, losses a ailure for which the Contrac	nd expenses (inclu	uding legal fees and
If the Contract d you demonstrate shall be void and obligations and	oes not come into full e that you do not inten ineffective. This guara liabilities under the Co	ce and effect when the Co force and effect within a y nd to enter into the Contra antee shall continue in full fo ontract have been dischard bility hereunder shall be di	rear of the date of act with the Contra orce and effect unt ged, when this gu	this guarantee, or if actor, this guarantee il all the Contractor's arantee shall expire
and the Contrac variation, the du guaranteed here any allowance of variation or susp Contract or to the	tor from time to time. ue performance of whe cunder. Our obligation of time or other indulged pension of the works to	olemental to the Contract a We hereby authorize them ich and compliance with as and liabilities under this ence whatsoever by the Po be executed under the Contractor or the Purchaser,	n to agree on any which by the Cor guarantee shall n urchaser to the C contract, or by any	such amendment or stractor are likewise ot be discharged by ontractor, or by any amendments to the
Contract and any in the Contract].	dispute under this gua	ne law of the same country arantee shall be finally settl benefit of this guarantee act.	ed under the [Rules	or Arbitration provided
Signed by:	(signature)	Signed by: (signat		
	(name)	 (name)		
(pa	osition in parent/subsidiary	y company) (position in par	rent/subsidiary compo	
Date:				
Form filled out an		of the BDS, the Bidder shall ry, parent entity, or affiliate ations.		
Bidding Document	for	Procurement of Goods	Sinal	e-Stage: One-Envelope

9-54 Section 9: Contract Forms

Bidder's Qualification

To establish its qualifications to perform the contract in accordance with Section 3 (Evaluation and Qualification Criteria), the Bidder shall provide the following information requested in the corresponding Information Sheets.

Form ELI - 1: Bidder's Information Sheet

	В	idder's Information		
		Information of the Bidder	If the Bidder is a subsidiary or branch, information of any parent company/companies	
Namas	Full legal name(s)			
Names	Full trading name(s) (if any)			
	Registered address(es)			
Addresses	Trading address(es)			
	Postal address(es) (if different from trading address)			
Type of organization				
Country of constitution/incorporation/registration				
Year of constitution/incorporation/ registration				
Corporate or registration number				
In case of a of each parti	Joint Venture, legal name ner			
Bidder's authorized representative (name, address, telephone number(s), fax number(s) and e-mail address)				
Attached are co	ppies of the following documents:			
	ngle entity, articles of incorporation o n accordance withITB 4.1 and ITB 4.2	r constitution and company incorporation	on/registration of the legal entity	
2.Authorization t	to represent the firm or Joint Venture	named above, in accordance with ITB	22.2	
3.In case of a Joint Venture, a letter of intent to form a Joint Venture or Joint Venture agreement, in accordance with ITB 4.1				

4.In case of a government-owned enterprise, any additional documents not covered under 1 above required to comply with ITB 4.5

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-56 Section 9: Contract Forms

Form ELI - 2: Joint Venture Information Sheet

Each member of the Joint Venture must fill out this form separately.

	Joint '	Venture Information	
Bidder's leg	al name		
		Information of Joint Venture Partner	If any Joint Venture Partner is a subsidiary or branch, information of any parent company/companies
	Full legal name		
Names	Full trading name(s) (if any)		
	Registered address(es)		
Addresses	Trading address(es)		
	Postal address(es) (if different from trading address)		
Type of organization			
Country of constitution/incorporation/ registration			
Year of constitution/incorporation/ registration			
Corporate or registration number			
Joint Venture Partner's authorized representative information (name, address, telephone number(s), fax number(s) ande-mail address)			
Attached are co	unies of the following documents:		

1.Articles of incorporation or constitution and company incorporation/registration of the legal entity named above, in accordance with ITB 4.1 and ITB 4.2

2.Authorization to represent the firm named above, in accordance with ITB 22.2

3.In the case of a government-owned enterprise, documents establishing legal and financial autonomy and compliance with commercial law, in accordance with ITB 4.5

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelop

Form CON - 1: Historical Contract Nonperformance

For Contract type B, each Bidder must fill out this form in accordance with Criteria 2.2.1 and 2.2.3 of Section 3 (Evaluation and Qualification Criteria) to describe any history of nonperforming contracts and pending litigation or arbitration formally commenced against it.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

Joint Venture Partner:	

Table 1: History of Nonperforming Contracts					
Choose one of the following: No nonperforming contracts. Below is a description of nonperforming contracts involving the Bidder (or each Joint Venture partner if Bidder is a Joint Venture).					
Year	Description	Amount of Nonperformed Portion of Contract (\$ equivalent)	Total Contract Amount (\$ equivalent)		
[insert year]	Contract Identification: [indicate complete contract name/number, and any other identification] Name of Purchaser: [insert full name] Address of Purchaser: [insert street/city/country] Reason(s) for nonperformance: [indicate main reason(s)]	[insert amount]	[insert amount]		
Table 2:	Pending Litigation and Arbitration				
_	e of the following:				
□ в	o pending litigation, arbitrationor any other material events impacting the elow is a description of all pending litigation, arbitration involving the Bid et worth and/or liquidity of the bidder (or each Joint Venture partner if Bic	der or any other material ev			
Year	Matter in Dispute	Value of Pending Claim in \$ Equivalent	Value of Pending Claim as a Percentage of Net Worth		
[insert year]	Contract Identification, as applicable: [indicate complete contract name/ number, and any other identification] Name of Purchaser, parties involved in the material events impacting the net worth and/or liquidity of the bidder: [insert full name] Address of Purchaser, parties involved in the material events impacting the net worth and/or liquidity of the bidder: [insert street/city/country] Matter of Dispute: [indicate full description of dispute] Party who initiated the dispute: [indicate "Purchaser" or "Contractor"] Status: [indicate status of dispute]	[insert amount]	[insert amount]		

Note -

Table 2 of this form shall only be included if Criterion 2.2.3(Contract Type B) of Section 3 (Evaluation and Qualification Criteria) is applicable.

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-58 Section 9: Contract Forms

Form EXP - 1: Contractual Experience

Fill out one (1) form per contract. Each contract shall be supported by Signed Contract Agreement.

	Contractual	Experience	
Contract No of .	Contract Identification		
Award Date		Completion Date	
Role in Contract	☐ Manufacturer	☐ Supplier	☐ Subcontractor
Total Contract Amount	\$		
If partner in a joint venture or subcontractor, specify participation of total contract amount	Percent of Total	Amount	
Purchaser's name Address Telephone/Fax Number E-mail			
Description of the Simil Typ	arity in Accordance with e B)of Section 3(Evaluati	Criteria 2.2.1 (Contract T on and Qualification Crite	ype A)or 2.3.1 (Contract eria)
- Note -			

This form shall only be included if either Criterion 2.2.1 (Contract Type A) or 2.3.1 (Contract Type B)of Section 3 (Evaluation and Qualification Criteria) is applicable.

Form EXP - 2: Technical Experience

Fill out one (1) form per contract. Each contract shall be supported by Signed Contract Agreement.

Technical Experience			
Name of Product			
Manufacturer:	Address and Nationality:		
Requirements in Accordance v	vith Criterion 2.3.2 (Contract Type B) of Section 3(Evaluation a Qualification Criteria)	nd	
(i) Product has been in production for at least			
(ii) Product (or equipment) has been sold a minimum of units of similar type and specification over the last three (3) years.			
(iii) Product has been in operation for a minimum of years.			

Note -

This form shall only be included if Criterion 2.3.2 (Contract Type B) of Section 3 (Evaluation and Qualification Criteria) is applicable. Add pages as necessary. The Purchaser reserves the right to verify authenticity of Bidder submissions.

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelop

9-60 Section 9: Contract Forms

Form EXP - 3: Production Capacity

Fill out one (1) form per product and manufacturer.

P	roduction Capacity
Name of Product	
Manufacturer:	Address and Nationality:
	erion 2.3.3 (Contract Type B) of Section 3(Evaluation and ualification Criteria)
Production facility 1 (include location):	
Production facility 2 (include location):	
Production facility 3 (include location):	

- Note -

This form shall only be included if Criterion 2.3.3 (Contract Type B) of Section 3 (Evaluation and Qualification Criteria) is applicable. The Purchaser reserves the right to verify authenticity of Bidder submissions.

Bidding Document for _____ Procurement of Goods Single-Stage: One-Envelope

Form FIN - 1: Historical Financial Performance

Each Bidder must fill out this form.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint Venture Partner's name:

001110	Venture Partner:				
		Finan	cial Data for Previous	_ Years [\$ Equivalent]	
		Year 1:	Year 2:	Year:	
		Informatio	n from Balance Sheet	1	
Total As	sets (TA)				
Total Lia	abilities (TL)				
Net Wor	th = TA-TL				
Current	Assets (CA)				
Current	Liabilities (CL)				
Working	Capital = CA - CL				
Most Re Working	cent ı Capital	To be obtained for most recent year and carried forward to FIN-3 Line 1; in case of Joint Ventures, to the corresponding Joint Venture Partner's FIN-3.			
		Information	from Income Statement		
Total Re	venues				
Profits E	Before Taxes				
Profits A	After Taxes				
Attac	hed are copies of financia years, as indicated abo			s, and income statements) for the las	ŧ
2) 3) 4)	situation of the legal entity affiliates. Historical financial statem Historical financial statem	y or entities comprising ents must be audited ents must be complet ents must correspond	g the Bidder and not the Bidder's by a certified accountant. e, including all notes to the financ to accounting periods already co	ments reflect the standalone financia parent companies, subsidiaries, or ial statements. mpleted and audited (no statements	

This form shall only be included if Criterion 2.3.1 (Contract Type A) or 2.4.1 (Contract Type B) of Section 3 (Evaluation and Qualification Criteria) is applicable.

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelop

9-62 Section 9: Contract Forms

Form FIN - 2: Size of Operation (Average Annual Turnover)

Each Bidder must fill out this form.

The information supplied should be the Annual Turnover of the Bidder or each partner of a Joint Venture for the total certified payments received from the clients for contracts in progress or completed, converted to US dollars at the rate of exchange at the end of the period reported.

In case of a Joint Venture, each Joint Venture Partner must fill out this form separately and provide the Joint VenturePartner's name:

Joint VenturePartner:	
Joint venturePartner:	

Annual Turnover Data for the Last Years						
Year	Amount Currency	Exchange Rate	\$ Equivalent			
	Average					

- Note -

This form shall only be included if Criterion 2.3.2(Contract Type A) or 2.4.2 (Contract Type B) of Section 3 (Evaluation and Qualification Criteria) is applicable.

Form FIN - 3: Cash Flow Capacity

Specify proposed sources of financing, such as working capital, liquid assets, lines of credit, and other financial resources (other than any contractual advance payments) available to meet the cashflow requirements indicated under Criterion 2.4.3 (Contract Type B)of Section 3 (Evaluation and Qualification Criteria).

	Financial Resources	
No.	Source of financing	Amount (\$ equivalent)
1		
2		
3		

1	7	ote -

Bidding Document for _

This form shall only be included if Criterion 2.4.3 (Contract Type B) of Section 3 (Evaluation and Qualification Criteria) is applicable.

9	Liquid assets mean cash and cash equivalents, short-term financial instruments, short-term available-for-sale-securities, marketable securities, trade receivables, short-term financing receivables, and other assets that can be converted into cash within one (1) year.

Procurement of Goods

Single-Stage: One-Envelope

9-64 Section 9: Contract Forms

Section 5: Eligible Countries

This section contains the list of eligible countries.

Regional Members

Afghanistan Australia Azerbaijan Bangladesh Bhutan

Brunei Darrusalam Cambodia Cook Islands

Federal States of Marianas

Georgia

Hong Kong China

India Indonesia Japan Kazhakstan Kiribati Kyrgz Republic

Lao People's Democratic Republic

Malays Maldives Marshall Islands Myanmar Nauru Nepal New Zealand

Niue Pakistan Palau

Papua New Guinea

People's Republic of China

Philippines Republic of Korea Samao

Singapore Solomon Islands Sri Lanka Taipei, China Tajikistan Thailand

Timor-Leste Tonga

Turkmenistan

Tuvalu Uzbekistan Vanuatu Vietnam

Non-Regional Members

Austria Belgium Canada Denmark Finland France Germany Ireland Italy

Luxembourg Netherlands Norway Portugal Spain Sweden Switzerland Turkiye United Kingdom

United States

Section 6: Schedule of Supply

Contents

1.	List of Goods and Related Services	6-66
2.	Delivery and Completion Schedule	6-242
3.	Technical Specifications	6-257
4	Drawings	6-259

9-66 Section 9: Contract Forms

List of Goods and Related Services

	Lot No.: 1 – Central Office Computerization			
Lot Nar	Lot Name: Central Office Computerization Name of IT			
Item No.	Products and Services	Description	Unit of Measurement	Quantity
1	Desktop- Mid Performance	Processor Intel Core i7 14th gen (atleast 20 Cores, 28 threads, up to 5.4 GHz) or higher Operating System: Windows 11 pro or later Office: Office Home & Student 2021 or later Memory: 16GB, 1x16GB, DDR5 or higher Graphics Card: Intel UHD Graphics 770 or higher Storage: 512GB Solid State Drive + 1TB Hdd or higher Keyboard: Wired Multimedia Keyboard Black (English) Mouse: Optical Mouse Ports: USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ- 45 Ethernet port M.2 2230/2280 slot for solid-state drive SATA 3.0 slots for 3.5-inch hard drive/2.5- inch hard drive SATA 3.0 slot for optical drive Monitor: 24" LED-backlit, Full HD (1080p) 1920 x 1080 Power: 180 W Bronze internal Power Supply Unit (PSU)	Unit	50
2	Laptop – Mid Performance	Processor: Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher Graphics: Intel Graphics or higher Display: 14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support Memory: 16GB, 2x8GB, DDR5, 5200 MT/s or higher Storage: 1TB, M.2, PCIe NVMe, SSD Operating System: Windows 11 pro or later Office: Microsoft Office Home and Student 2021 Keyboard: English International Al Backlit Keyboard Ports: USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery and Display	Unit	23

			1	
		Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power-adapter port, SD Card Slot Camera: 720p at 30 fps HD RGB camera Audio and Speakers: Stereo speakers Core TouchPad:Precision touchPad Wireless: Realtek Wi-Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card Primary Battery: 4 Cell, 54 Wh, integrated Power: 65W AC adapter Includes: Wireless Mouse and carrying Bag		
3	Projector	Native Resolution: WXGA (1,280 x 800) / WUXGA (1,920 x 1,200) Aspect Ratio: 16:10 (Native), 4:3/16:9 (Supported) Contrast Ratio: 2,000,000:1 Displayable Color: 1.07 Billion Colors Brightness: 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO) Projection Screen Size: 30" ~ 300" (76.2cm ~ 762cm) Projection Distance: 1m ~ 10m (3.3' ~ 32.8') Laser Diode Lamp Life: 20,000 Hours (Standard), 30,000 Hours (ECO)" Ceiling Mounting Capability: Yes Audio: 15W Speaker Remote Control: IR card type remote control Power Supply: AC input 100~240V, 50/60 Hz Power Consumption: 145W Watts (Standard), 105 Watts (ECO) Noise Level: 27 dBA (ECO) PC Audio (Stereo mini jack) Includes: Standard Projector Screen , Carrying bag	Unit	2

Lot No.	Lot No.: 2 – Central Office Computerization			
Lot Nar	ne: Central Offic	e Conference Equipment		
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Conference Equipment, including installation and configuration	For Main Conference Room 1 Digital Wireless Conference Main Controller Unit 2 Digital Wireless Chairman Unit Gooseneck Mic 18 Digital Wireless Delegate's Unit Gooseneck Mic 40 Rechargeable Battery 2 Charging Batteries	Lot	1

9-68 Section 9: Contract Forms

1 Video Conferencing Camera w/ the ff	
specs: 90 angle, Ultra 4k HD video, wide	
dynamic range, 15x zoom, pan tilt ,	
invertible mount, right sight auto framing	1
1 HDMI Matrix Switcher	1
3 HDMI HDBase Extender	3
2 HDMI/VGA HD Base Transmitter	2
3 HDMI Transmitter/Receiver 1 Usb Audio interface for zoom input/	2
	1
output 1 PLM Motorized Projector Screen	1
(120" Diagonal)	1
Projector	
Ceiling mount WXGA 3LCD PROJECTOR	-
w/ the ff specs: Resolution, Projectors	
Facets: WXGA	
Contrast Ratio, Projectors Facets:	
15,000:1	
Brightness Range Lumens, Projectors	
Facets: 4001	
Features, Projectors Facets: Wifi	
1 Screen Mirroring	
Laser / Lamp, Projectors Facets:lamp	
Projection Technology: RGB liquid crystal	
shutter projection system (3LCD) Brightness: White Light	
Output (Normal/	
Eco): 5,500lm / 3,800lm	
Colour Light Output: 5,500lm	
1 Ceiling mount Projector Bracket	1
2 Smart TV 55" Inch	2
2 TV Bracket for TV	2
4 Ceiling Speaker	4
1 Power Amplifier	1
1 Microphone Mic Mixer	1
1 Graphic Equalizer	
1 Equipment Metal Rack	
2 Wireless Mic	2
1 Headset Wireless Mic	1
1 lot Labor for Installation	1
1 lotCat6, PVC Pipe, Audio Cable, Wall	
Plate for HDMI, and other Materials needed	1
For Small Boom Conference	
For Small Room Conference	
1 Smart TV 65" Inch	
1 TV Bracket	1
1 Video Conference System with	1

expansion mic	
1 lot Cables, Connector, Wall Plate, Expansion Bolt, 35,000.00 35,000.00	
and other Accessories	1
1 lot Labor for Installation	1
For Movable TV System with Stand	
2 Smart TV 65" Inch	2
2 NB TV Stand	2
2 Video Conference System with	
expansion mic	2
1 lot Wires, Cables and Connectors	1
Installation and Configuration:	
Installation and configuration of all	
equipment included in this procurement activity.	
All cabling and electrical wiring works	
related to this procurement.	
All cabling and electrical materials to	
be used shall be of the approved type	
as to location and purpose	

Lot No.: 3 – Central Office Computerization				
Lot Na	me: Printer copie	r color		
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Printer copier color	Copy/print speed:Full Color Laser 25ppm/cpm Function:Print Copy Scan, and automatic document feeder Paper size Max.Min:Max.A3, Std A4, Legal, Letter- Min A6 Paper Capacity:Std.850 Sheets,with 2TRAY 250+500 Sheets With Built-in Cabinet Document Feeder: 100 sheets reversing Control Display panel: 7 inch touch screen LCD or larger Print & Scan Resolution: 600 x 600 dpi/600 x 600 dpi Memory: 5Gb or higher Hard Disk: 512 Gb SSD or higher Printing and scanning: Network Printing and scanning Interfaces Connectivity: Lan,Network ,USB 2.0, Usb 3.0 Scan File format: Tiff, pdf, pdf/A-1, pdf/a 1b, encrypted pdf, compaq pdf, jpeg, Xps, searchable pdf, ,Ms Office(pptx.xlsx, docx, txt(utf-8), rtf Os Compatible: Win 81 and later, / win server 2012, and later	unit	6

9-70 Section 9: Contract Forms

Document filing: Document Filing capacity main and custom folders Features:Can connect into a appliance software such as Archiving system or DMS, Duplex Printing/Copying, Electronic Sorting, Multi-crop & Image Crop Includes: MFP/ ADF/ 2 Tray+ Bypass Tray w/ high stand/ full supplies	
---	--

	Lot No.: 4 – Regional Offices Computerization for Cordillera Administrative Region (CAR)						
Lot Nar	Lot Name: Regional Offices Computerization for CAR						
Item No.	Name of IT Products and Services			Description	Unit of Measurement	Quantity	
1	Desktop – Mid Performance	Processor	:	Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5	
		Operating System	:	Windows 11 pro or later			
		Office	:	Office Home & Student 2021 or later			
		Graphics Card	:	Intel UHD Graphics 770 or higher			
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080			
		Memory	:	16GB, 1x16GB, DDR5 or higher			
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher			
		Keyboard	:	Wired Multimedia Keyboard Black (English)			
		Mouse	:	Optical Mouse			
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port			
				M.2 2230/2280 slot for solid-state drive			
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive			
				SATA 3.0 slot for optical drive			
		Power	:	180 W Bronze internal Power Supply Unit (PSU)			
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12	Unit	2	

			threads, up to 5.0 GHz) or higher	
		Display:	14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support	
		Operating System	: Windows 11 pro or later	
		Graphics Card	: Intel Iris Xe Graphics or higher	
		Memory	: 16GB, 2x8GB,	
		Storage	: 1TB, M.2, PCIe NVMe, SSD	
		Microsoft Office	: Microsoft Office Home and Student 2021	
		Keyboard	: English International AI Backlit Keyboard	
		Ports	: USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10 Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot	
		Camera:	720p at 30 fps HD RGB camera	
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core	
		Touchpad	: Precision touchPad	
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card	
		Primary Battery	: 4 Cell, 54 Wh, integrated	
		Power	· 6665W AC adapter 5W AC adapter	
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card	
		Includes	Wireless Mouse and carrying Bag	
3 Pr	rojector	Native Resolution	WXGA (1,280 x 800) / Unit WUXGA (1,920 x 1,200)	1

9-72 Section 9: Contract Forms

	Aspect Ratio Contrast Ratio:	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
	Displayable Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
	Projection Distance	30" ~ 300" (76.2cm ~ 762cm) 1m ~ 10m (3.3' ~ 32.8')		
	Lamp Life: Ceiling Mounting Capability: Audio	20,000 Hours (Standard), 30,000 Hours (ECO)" Yes 15W IR card type remote control		
	Control: Power Supply Power Consumption	AC input 100~240V, 50/60 Hz 145W Watts (Standard), 105 Watts (ECO)		
	Noise Level: Includes:	27 dBA (ECO) PC Audio (Stereo mini jack) Standard Projector Screen , Carrying bag		
All in 1 printer	Method Ink system	: Ink Tank technology	Unit	1
	Ill in 1 printer	Contrast Ratio: Displayable Color: Brightness: Projection Screen Size: Projection Distance Laser Diode Lamp Life: Ceiling Mounting Capability: Audio Remote Control: Power Supply Power Consumption Noise Level: Includes: Includes:	Ratio: 2,000,000:1 Displayable Color: 1.07 Billion Colors Brightness: 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO) Projection Screen Size: 30" ~ 300" (76.2cm ~ 762cm) Projection Distance Laser Diode 20,000 Hours (Standard), 30,000 Hours (ECO)" Ceiling Yes Mounting Capability: Audio IR card type remote control Power AC input 100~240V, 50/60 Supply Hz Power 145W Watts (Standard), 105 Consumption 27 dBA (ECO) Noise Level: Includes: 27 dBA (ECO) PC Audio (Stereo mini jack) Standard Projector Screen , Carrying bag Method Ink system : Ink Tank technology Nozzle : 80 Nozzles Black, 59	Contrast Ratio: 2,000,000:1 Displayable Color: 1.07 Billion Colors Brightness: 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO) Projection Screen Size: 30" ~ 300" (76.2cm ~ 762cm) Projection Distance Laser Diode 20,000 Hours (Standard), 30,000 Hours (ECO)" Celling Mounting Capability: Audio Remote Control: Power AC input 100~240V, 50/60 Supply Hz Power 145W Watts (Standard), 105 Consumption Vatts (ECO) Noise Level: PC Audio (Stereo mini jack) Includes: 27 dBA (ECO) PC Audio (Stereo mini jack) Standard Projector Screen , Carrying bag Will in 1 printer Printing Method Ink system: Ink Tank technology Nozzle: 80 Nozzles Black, 59

			Technology Ink Technology Dye Ink Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in- One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
			ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
6	Estimated	BLGF Regiona	I Office	Lot	1
	Delivery Cost		Home Builders Building,#75 d, Guisad, Baguio City		

Lot No.	Lot No.: 5 – Regional Offices Computerization for Region 1						
Lot Nar	Lot Name: Regional Offices Computerization for Region 1						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5		
		Operating System	: Windows 11 pro or later				
		Office	: Office Home & Student 2021 or later				

9-74 Section 9: Contract Forms

		Graphics Card	:	Intel UHD Graphics 770 or higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCIe NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-76 Section 9: Contract Forms

	Aspect Ratio	: 616:10 (Native), 4:3/16:9		
	Contrast Ratio:	(Supported) 2,000,000:1		
	Displayable	۷,000,000. ۱		
	Color:	1.07 Billion Colors		
	Brightness:	3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
	Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
	Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
	Laser Diode			
	Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
	Ceiling Mounting Capability:	Yes		
	Audio	15W		
	Remote Control:	IR card type remote control		
	Power Supply	AC input 100~240V, 50/60 Hz		
	Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
	Noise Level: Includes:	27 dBA (ECO) PC Audio (Stereo mini jack) Standard Projector Screen , Carrying bag		
4 All in 1 printer	Printing	: Print head	Unit	1
	Method		-	
		: Ink Tank technology		
	Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in- One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : :	2,000 or higher		
		ID Card : :	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display : :	2.8 inch tft screen or higher		
		Communicat :	TPC/IP, USB host		
		Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
			ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : : Speed	≤1 sec		
7	Estimated	BLGF Regional	l Office	Lot	1
	Delivery Cost		Home Builders Building,#75 d, Guisad, Baguio City		

Lot No.	Lot No.: 6– Regional Offices Computerization for Region 2							
Lot Nar	Lot Name: Regional Offices Computerization for Region 2							
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity			
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher					
		Operating System	: Windows 11 pro or later					
		Office	: Office Home & Student 2021 or later					

9-78 Section 9: Contract Forms

		Graphics Card	:	Intel UHD Graphics 770 or higher
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080
		Memory	:	16GB, 1x16GB, DDR5 or higher
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher
		Keyboard	:	Wired Multimedia Keyboard Black (English)
		Mouse	:	Optical Mouse
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ- 45 Ethernet port
				M.2 2230/2280 slot for solid-state drive
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive
				SATA 3.0 slot for optical drive
		Power	:	180 W Bronze internal Power Supply Unit (PSU)
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support
		Operating System	:	Windows 11 pro or later
		Graphics Card	:	Intel Iris Xe Graphics or higher
		Memory	:	16GB, 2x8GB,
		Storage	:	1TB, M.2, PCIe NVMe, SSD
		Microsoft Office	:	Microsoft Office Home and Student 2021
		Keyboard	:	English International AI Backlit Keyboard
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	. 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	5

9-80 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable Color:	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Brightness:	3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO)		
		Includes:	PC Audio (Stereo mini jack) Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing :	: Print head	Unit	2
	, with a printer	Method	. I IIII IIOau	Offic	2
		Ink system	Ink Tank technology		
		Nozzle : Configurati on	80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in- One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Standard : Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
		Optional : function	ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost		na Pavvuluran, Regional, Center, Carig Sur, City, Cagayan		

Lot No.	Lot No.: 7– Regional Offices Computerization for Region 3							
Lot Nar	Lot Name: Regional Offices Computerization for Region 3							
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity			
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5			
		Operating System	: Windows 11 pro or later					
		Office	: Office Home & Student 2021 or later					

9-82 Section 9: Contract Forms

		Graphics Card	:	Intel UHD Graphics 770 or higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCIe NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	: 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-84 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO) PC Audio (Stereo mini jack)		
		Includes:	Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing	: Print head	Unit	1
	,	Method		-	
		-	: Ink Tank technology		
		Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in-One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Standard : Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
		Optional : function	ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost		capagal Government Center, et, San Fernando City,		

Lot No.	Lot No.: 8 – Regional Offices Computerization for Region 4A (CALABARZON)						
Lot Nar	Lot Name: Regional Offices Computerization for Region 4A (CALABARZON)						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5		
		Operating System	: Windows 11 pro or later				
		Office	: Office Home & Student 2021 or later				

9-86 Section 9: Contract Forms

		Graphics		Intel UHD Graphics 770 or		
		Graphics Card	•	higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ- 45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	•	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCle NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-88 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO) PC Audio (Stereo mini jack)		
		Includes:	Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing	: Print head	Unit	1
	,	Method		-	
		-	: Ink Tank technology		
		Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in-One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
			ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost		celita Building, National . Real, Calamba City		

Lot No.	Lot No.: 9 – Regional Offices Computerization for Region 4B (MIMAROPA)						
Lot Nar	Lot Name: Regional Offices Computerization for Region 4B (MIMAROPA)						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5		
		Operating System	: Windows 11 pro or later				
		Office	: Office Home & Student 2021 or later				

9-90 Section 9: Contract Forms

		Graphics Card	:	Intel UHD Graphics 770 or higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCIe NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-92 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO) PC Audio (Stereo mini jack)		
		Includes:	Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing	: Print head	Unit	1
	,	Method		-	
		-	: Ink Tank technology		
		Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

		1,440 D Home, I One Fu Copy (Resolution 5,760 x PI Category: Home Office All-in- nctions Print, Scan, Dutput Tray y 50 sheets		
5	Biometrics	Face : 1,500 o capacity	higher	Unit	1
		Fingerprint : 2,000 o Capacity	higher		
		ID Card : 2,000 o Capacity	higher		
		Record : 100,000 capacity	or higher		
		Display : 2.8 inch	tft screen or higher		
		Communicat : TPC/IP, ion	USB host		
		Functions Self Query,A switch,1	S,Scheduled bell, Service automatic Status input, photoID Multi verification, but		
		Interface for: Electrical access alarm control	ock, exit button,		
		Optional : ID / MF function ADMS	Cards, Work Ciode,		
		Power : DC 12v Supply	1.5A		
		Verification : ≤1 sec Speed			
7	Estimated	BLGF Regional Office		Lot	1
	Delivery Cost	3rd Floor, MB Building Labac, Batangas City	Barangay Gulod		

Lot No.	Lot No.: 10 – Regional Offices Computerization for Region 5							
Lot Nar	Lot Name: Regional Offices Computerization for Region 5							
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity			
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5			
		Operating System	: Windows 11 pro or later					
		Office	: Office Home & Student 2021 or later					

9-94 Section 9: Contract Forms

		Graphics	-	Intel LIHD Graphics 770 or		
		Graphics Card	•	Intel UHD Graphics 770 or higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ- 45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCIe NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-96 Section 9: Contract Forms

	Aspect Ratio	: 616:10 (Native), 4:3/16:9		
	Contrast Ratio:	(Supported) 2,000,000:1		
	Displayable	۷,000,000. ۱		
	Color:	1.07 Billion Colors		
	Brightness:	3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
	Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
	Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
	Laser Diode			
	Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
	Ceiling Mounting Capability:	Yes		
	Audio	15W		
	Remote Control:	IR card type remote control		
	Power Supply	AC input 100~240V, 50/60 Hz		
	Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
	Noise Level: Includes:	27 dBA (ECO) PC Audio (Stereo mini jack) Standard Projector Screen , Carrying bag		
4 All in 1 printer	Printing	: Print head	Unit	1
	Method		-	
		: Ink Tank technology		
	Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in- One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Standard : Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
		Optional : function	ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost	Regional Gove Legazpi City,	ernment Center, Rawis, 4500 Albay		

Lot No.	Lot No.: 11 – Regional Offices Computerization for Region 6								
Lot Nar	Lot Name: Regional Offices Computerization for Region 6								
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity				
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5				
		Operating System	: Windows 11 pro or later						
		Office	: Office Home & Student 2021 or later						

9-98 Section 9: Contract Forms

		Graphics Card	:	Intel UHD Graphics 770 or higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCIe NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	: 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-100 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO) PC Audio (Stereo mini jack)		
		Includes:	Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing	: Print head	Unit	1
	,	Method		-	
		-	: Ink Tank technology		
		Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in- One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
			ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost	Nos. 228, Bara City	angay General Hughes, Iloilo		

Lot No.	Lot No.: 12– Regional Offices Computerization for Region 7						
Lot Nar	Lot Name: Regional Offices Computerization for Region 7						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5		
		Operating System	: Windows 11 pro or later				
		Office	: Office Home & Student 2021 or later				

9-102 Section 9: Contract Forms

		Graphics	_	Intel UHD Graphics 770 or		
		Graphics Card	•	higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCle NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International Al Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-104 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO) PC Audio (Stereo mini jack)		
		Includes:	Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing	: Print head	Unit	1
	,	Method		-	
		-	Ink Tank technology		
		Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in-One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Standard : Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
		Optional : function	ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost		MAXWELL Hotel Annex scario Street, Kamputhaw,		

Lot No.	Lot No.: 13 – Regional Offices Computerization for Region 8						
Lot Nar	Lot Name: Regional Offices Computerization for Region 8						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5		
		Operating System	: Windows 11 pro or later				
		Office	: Office Home & Student 2021 or later				

9-106 Section 9: Contract Forms

		Graphics Card	:	Intel UHD Graphics 770 or higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCIe NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-108 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO) PC Audio (Stereo mini jack)		
		Includes:	Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing	: Print head	Unit	1
	,	Method		-	
		-	Ink Tank technology		
		Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in-One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Standard : Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
		Optional : function	ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost		lendoza Commercial Sto. Niño Street, Tacloban		

Lot No.	Lot No.: 14 – Regional Offices Computerization for Region 9							
Lot Nar	Lot Name: Regional Offices Computerization for Region 9							
Item No.	Name of IT Products and Services		Description		Quantity			
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5			
		Operating System	: Windows 11 pro or later					
		Office	: Office Home & Student 2021 or later					

9-110 Section 9: Contract Forms

		Graphics	-	Intel UHD Graphics 770 or		
		Graphics Card	•	higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ- 45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	•	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCle NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-112 Section 9: Contract Forms

	Aspect Ratio	: 616:10 (Native), 4:3/16:9		
	Contrast Ratio:	(Supported) 2,000,000:1		
	Displayable	۷,000,000. ۱		
	Color:	1.07 Billion Colors		
		3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
	Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
	Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
	Laser Diode			
	Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
	Ceiling Mounting Capability:	Yes		
	Audio	15W		
	Remote Control:	IR card type remote control		
	Power Supply	AC input 100~240V, 50/60 Hz		
	Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
	Noise Level: Includes:	27 dBA (ECO) PC Audio (Stereo mini jack) Standard Projector Screen , Carrying bag		
4 All in 1 printer	Printing	: Print head	Unit	1
	Method		-	
		: Ink Tank technology		
	Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in- One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
			ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	l Office	Lot	1
	Delivery Cost	Provincial Gove Pagadian City	ernment Complex, Dao,		

Lot No.	Lot No.: 15 – Regional Offices Computerization for Region 10							
Lot Nar	Lot Name: Regional Offices Computerization for Region 10							
Item No.	Name of IT Products and Services		Description		Quantity			
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5			
		Operating System	: Windows 11 pro or later					
		Office	: Office Home & Student 2021 or later					

9-114 Section 9: Contract Forms

		Graphics Card	:	Intel UHD Graphics 770 or higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCIe NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-116 Section 9: Contract Forms

	Aspect Ratio	: 616:10 (Native), 4:3/16:9		
	Contrast	(Supported)		
	Ratio:	2,000,000:1		
	Displayable Color:	1.07 Billion Colors		
	Brightness:	3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
	Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
	Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
	Laser Diode			
	Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
	Ceiling Mounting Capability:	Yes		
	Audio	15W		
	Remote Control:	IR card type remote control		
	Power Supply	AC input 100~240V, 50/60 Hz		
	Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
	Noise Level: Includes:	27 dBA (ECO) PC Audio (Stereo mini jack) Standard Projector Screen , Carrying bag		
4 All in 1 printer	Printing Method	Print head	Unit	1
	Ink system	Ink Tank technology		
	Nozzle Configurati on	80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

		1,44 Hor One Cop	nting Resolution 5,760 x 40 DPI Category: me, Home Office All-in- e Functions Print, Scan, by Output Tray pacity 50 sheets		
5	Biometrics	Face : 1,50 capacity	00 or higher	Unit	1
		Fingerprint : 2,00 Capacity	00 or higher		
		ID Card : 2,00 Capacity	00 or higher		
		Record : 100 capacity	0,000 or higher		
		Display : 2.8	inch tft screen or higher		
		Communicat : TP0 ion	C/IP, USB host		
		Functions Self Que swit can	S,DTS,Scheduled bell, f Service ery,Automatic Status tch,T9 input, photoID nera, Multi verification, o output		
		Interface for: Electric access alar control			
		Optional : ID / function ADI	MF Cards, Work Ciode, MS		
		Power : DC Supply	12v 1.5A		
		Verification : ≤1 s Speed	sec		
7	Estimated	BLGF Regional Of	fice	Lot	1
	Delivery Cost	6th Division corner Cagayan de Oro C	r Tejero Street, Patag, City		

Lot No.	Lot No.: 16– Regional Offices Computerization for Region 11							
Lot Nar	Lot Name: Regional Offices Computerization for Region 11							
Item No.	Name of IT Products and Services		Description		Quantity			
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5			
		Operating System	: Windows 11 pro or later					
		Office	: Office Home & Student 2021 or later					

9-118 Section 9: Contract Forms

		Graphics Card	:	Intel UHD Graphics 770 or higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCIe NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-120 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO) PC Audio (Stereo mini jack)		
		Includes:	Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing	: Print head	Unit	1
	,	Method		-	
		-	: Ink Tank technology		
		Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in- One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Standard : Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
			ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost	JV'S Peak Rea City	alty, Roxas Avenue, Davao		

Lot No.	Lot No.: 17 – Regional Offices Computerization for Region 12							
Lot Nar	Lot Name: Regional Offices Computerization for Region 12							
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity			
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5			
		Operating System	: Windows 11 pro or later					
		Office	: Office Home & Student 2021 or later					

9-122 Section 9: Contract Forms

		Graphics	-	Intel UHD Graphics 770 or		
		Graphics Card	•	higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ- 45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	•	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCle NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-124 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO) PC Audio (Stereo mini jack)		
		Includes:	Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing	: Print head	Unit	1
	,	Method		-	
		-	: Ink Tank technology		
		Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

			Printing Resolution 5,760 x 1,440 DPI Category: Home, Home Office All-in-One Functions Print, Scan, Copy Output Tray Capacity 50 sheets		
5	Biometrics	Face : capacity	1,500 or higher	Unit	1
		Fingerprint : Capacity	2,000 or higher		
		ID Card : Capacity	2,000 or higher		
		Record : capacity	100,000 or higher		
		Display :	2.8 inch tft screen or higher		
		Communicat : ion	TPC/IP, USB host		
		Standard : Functions	SMS,DTS,Scheduled bell, Self Service Query,Automatic Status switch,T9 input, photoID camera, Multi verification, 12v output		
		Interface for: access control	Electriclock, exit button, alarm		
		Optional : function	ID / MF Cards, Work Ciode, ADMS		
		Power : Supply	DC 12v 1.5A		
		Verification : Speed	≤1 sec		
7	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost		al Government Center, Brgy. Koronadal City		

Lot No.	Lot No.: 18– Regional Offices Computerization for Region 13 (CARAGA)							
Lot Nar	Lot Name: Regional Offices Computerization for Region 13 (CARAGA)							
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity			
1	Desktop – Mid Performance	Processor	: Intel Core i7 14700 (33 MB cache, 20 Cores, 28 threads, up to 5.4 GHz) or higher	Unit	5			
		Operating System	: Windows 11 pro or later					
		Office	: Office Home & Student 2021 or later					

9-126 Section 9: Contract Forms

		Graphics Card	:	Intel UHD Graphics 770 or higher		
		Monitor	:	24" LED-backlit, Full HD (1080p) 1920 x 1080		
		Memory	:	16GB, 1x16GB, DDR5 or higher		
		Storage	:	512GB Solid State Drive + 1TB Hdd or higher		
		Keyboard	:	Wired Multimedia Keyboard Black (English)		
		Mouse	:	Optical Mouse		
		Ports	:	USB 3.2 Gen 1 port, USB 2.0 ports, USB 3.2 Gen 1 Type-C port, Global headset jack, SD-card slot, audio line-out port, HDMI 1.4b port, DisplayPort 1.4a, RJ-45 Ethernet port		
				M.2 2230/2280 slot for solid-state drive		
				SATA 3.0 slots for 3.5-inch hard drive/2.5-inch hard drive		
				SATA 3.0 slot for optical drive		
		Power	:	180 W Bronze internal Power Supply Unit (PSU)		
2	Laptop – Mid Performance	Processor	:	Intel Core 5 processor 120U (12MB cache, 10 cores, 12 threads, up to 5.0 GHz) or higher	Unit	2
		Display:		14.0-inch 16:10 FHD+ (1920 x 1200) Anti-Glare Non-Touch 250nits WVA Display with ComfortView Support		
		Operating System	:	Windows 11 pro or later		
		Graphics Card	:	Intel Iris Xe Graphics or higher		
		Memory	:	16GB, 2x8GB,		
		Storage	:	1TB, M.2, PCIe NVMe, SSD		
		Microsoft Office	:	Microsoft Office Home and Student 2021		
		Keyboard	:	English International AI Backlit Keyboard		
		Ports	:	USB 3.2 Gen 1 (5 Gbps) ports,USB 3.2 Gen 2 (10		

			Gbps) Type-C with Power Delivery and Display Port,headset (headphone and microphone combo) port,HDMI 1.4 port, power- adapter port, SD Card Slot		
		Camera:	720p at 30 fps HD RGB camera		
		Audio and Speakers	: Stereo speakers with Waves MaxxAudio Pro and Dolby Atmos Core		
		Touchpad	: Ice Blue:Precision touchPad		
		Wireless	: Intel Wi-Fi 6E AX211, 2x2, 802.11ax, Bluetooth wireless card		
		Primary Battery	: 4 Cell, 54 Wh, integrated		
		Power	· 6665W AC adapter 5W AC adapter		
		Wireless	5W AC adapter Realtek Wi- Fi 6 RTL8852BE, 2x2, 802.11ax, MU-MIMO, Bluetooth, wireless card		
		Includes	Wireless Mouse and carrying Bag		
3	Projector	Native Resolution	WXGA (1,280 x 800) / WUXGA (1,920 x 1,200)	Unit	1

9-128 Section 9: Contract Forms

		Aspect Ratio : Contrast Ratio: Displayable	: 616:10 (Native), 4:3/16:9 (Supported) 2,000,000:1		
		Color: Brightness:	1.07 Billion Colors 3,500 ANSI Lumens (Standard), 2480 ANSI Lumens (ECO)		
		Projection Screen Size:	30" ~ 300" (76.2cm ~ 762cm)		
		Projection Distance	1m ~ 10m (3.3' ~ 32.8')		
		Laser Diode			
		Lamp Life:	20,000 Hours (Standard), 30,000 Hours (ECO)"		
		Ceiling Mounting Capability:	Yes		
		Audio	15W		
		Remote Control:	IR card type remote control		
		Power Supply	AC input 100~240V, 50/60 Hz		
		Power Consump- tion	145W Watts (Standard), 105 Watts (ECO)		
		Noise Level:	27 dBA (ECO) PC Audio (Stereo mini jack)		
		Includes:	Standard Projector Screen , Carrying bag		
4	All in 1 printer	Printing	: Print head	Unit	1
	,	Method		-	
		-	: Ink Tank technology		
		Nozzle Configurati on	: 80 Nozzles Black, 59 Nozzles per Color 3 pl, With Variable-Sized Droplet Technology Ink Technology Dye Ink		

		Printing Resolution 5 1,440 DPI Category: Home, Home Office A One Functions Print, S Copy Output Tray Capacity 50 sheets	All-in-		
5	Biometrics	Face : 1,500 or higher capacity		Unit	1
		Fingerprint : 2,000 or higher Capacity			
		ID Card : 2,000 or higher Capacity			
		Record : 100,000 or higher capacity			
		Display : 2.8 inch tft screen or h	nigher		
		Communicat : TPC/IP, USB host ion			
		Query,Automatic	Service Status hotoID		
		Interface for: Electriclock, exit baccess alarm control	button,		
		Optional : ID / MF Cards, Work function ADMS	Ciode,		
		Power : DC 12v 1.5A Supply			
		Verification : ≤1 sec Speed			
7	Estimated	BLGF Regional Office		Lot	1
	Delivery Cost	2nd Floor, P.S. Arcade, J. P. Rosales Butuan City	s Ave.,		

	Lot No.: 19 – Regional Offices Computerization for Cordillera Administrative Region (CAR) Lot Name: Server for Cordillera Administrative Region (CAR)									
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity					
1	Server	Rear Storage	: No Rear Storage	Unit	5					
		Front Storage	: 8x2.5 Front Storage							
		Trusted Platform Module	: Trusted Platform Module 2.0 V3							
		Backplane	: SAS/SATA Backplane							
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU							

Bidding Document for _____ Procurement of Goods Single-Stage: One-Envelope

9-130 Section 9: Contract Forms

Processor : Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666 Additional : Intel® Xeon® Silver Processor 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666 Processor : Heatsink for 2 CPU Thermal configuration Configuration Memory : Performance Optimized Configuration Type Memory DIMM: 3200MT/s RDIMMs or Type and higher and later Speed Memory : (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more **RAID** : C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more : (3 pcs) 800GB SSD Storage SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more : UEFI BIOS Boot Mode Advanced System with GPT Partition Configurations Power Supply : Dual, Hot-plug, Power Supply Fully Redundant (1+1), 800W, Mixed Mode **Power Cords** : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapter, OCP NIC 3.0 Adapters Bezel : No Bezel for x8 and x10 chassis : Windows Server 2022 Operating System Standard, 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included)

		Licenses	: Windows Server 2022 Standard Edition, Add License,16CORE,NO MEDIA/KEY		
		Client Access Licenses	: (3 pcs) 5-pack of Windows Server 2022/2019 Device CALs (Standard or Datacenter)		
		Enabled Virtualization	: Hyper-V role enabled with pre-installed Standard or Datacenter Ed OS on incl Virtual HDD		
		Rack Rails	: Static Rails for 2/4-post Racks		
		Protect your purchase - View Support offers below	: Basic Next Business Day 36 Months, 36 Month(s)		
		Extended Services	: ProSupport and Next Business Day Onsite Service, 36 Month(s)		
		Installation and configuration	a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity.		
			b. Installation software not requiring subscription other than provided by this procurement and the office.		
2	Network Attached	CPU Model	: AMD Ryzen V1500B or later	Unit	2
	Storage (NAS) 8 HDD	CPU Quantity	: 1 or greater		
		CPU Architecture	: 64-bit		
		CPU Frequency	: 4-core 2.2 GHz or greater		
		Hardware Encryption Engine (AES- NI)	: With		
		,			

9-132 Section 9: Contract Forms

					1	
		System Memory	:	4 GB DDR4 ECC SODIMM or greater		
		Memory Module Pre- installed	:	4 GB (4 GB x 1)		
		Total Memory Slots	:	2		
		Drive Bays	:	8 or greater		
		Hard Drive Installed	:	8 pcs		
		Maximum Drive Bays with Expansion Unit	:	12 (RX418 x 1)		
		Compatible Drive Type	:	3.5" SATA HDD		
		Hot Swappable Drive	:	Yes		
		Total Installed Disk Drives	:	8		
				4 (with Link Aggregation / Failover support)		
		USB 3.2 Gen 1 Port	:	2		
		eSATA Port	:	1		
		Form Factor (RU)	:	2u		
		Warranty	:	2 years		
		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed PoE UniFi Switch	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1

	Networking	•	(48) GbE RJ45 ports		
	interface	•	(10) 02211010 pond		
	PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
	Total non- blocking throughput	:	70 Gbps		
	Switching capacity	:	140 Gbps		
	Supported voltage range	:	100—240V AC		
	Max. power consumption	:	Excluding PoE output: 64W, Including PoE output: 500W		
	Ethernet	:	PoE Speed/Link/Activity		
	Management	:	Can manage existing UniFi Access Point		
	Warranty		2 years		
	Installation and configuration		nstallation and configuration of the device to integrate with the network and ISP.		
Uninterrupted Power Supply	Rating (VA/W)	:	3000VA/2700W or greater	Unit	1
	Nominal Voltage Setting:		230V		
	Voltage Range Without Battery Operation (230V default):	:	166 - 278		
	Frequency Range (Hz):	:	55 - 65		
	Output Voltage:	:	200/208/220/230/240		
	Waveform (Battery Operation):	:	Sine Wave		
	Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
	Warranty:	:	2 Years		
	Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
_		Total non-blocking throughput Switching capacity Supported voltage range Max. power consumption Ethernet Management Warranty Installation and configuration Uninterrupted Power Supply Rating (VA/W) Nominal Voltage Setting: Voltage Range Without Battery Operation (230V default): Frequency Range (Hz): Output Voltage: Waveform (Battery Operation): Recharge Time (internal batteries, typical): Warranty: Installation and	interface PoE interface: Total non-blocking throughput Switching capacity Supported voltage range Max. power consumption Ethernet: Management: Warranty Installation and configuration Uninterrupted Power Supply Rating (VA/W): Nominal voltage Setting: Voltage Range: Without Battery Operation (230V default): Frequency: Range (Hz): Output voltage: Waveform: (Battery Operation): Recharge: Waveform: (Battery Operation): Recharge: Time (internal batteries, typical): Warranty: Installation and	interface PoE interface PoB Speed/Link/Activity PoE Speed/Link/Activity PoE Speed/Link/Activity Management Power Supply Power Supply Power Supply Uninterrupted Power Supply Power Supply Poeration Poperation Poperat	interface PoE interface : (48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-) Total non-

9-134 Section 9: Contract Forms

6	KVM Switch with Console	Display Type	: KVM console / TFT active matrix	Unit	1
		Diagonal Size	: 19" or bigger		
		Built-in Devices	: 8-port KVM switch or greater		
		Native Resolution	: 1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments	 Brightness, contrast, H/V position, color temperature, phase, clock 		
		Form Factor	: 1U		
		Input	: Keyboard, touchpad		
		Max Resolution	: 1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces	: 8 x KVM, 2 x USB or more		
		Cables Included	: 8 x keyboard / mouse / video / USB cable - 6 ft		
		Rack Mounting Kit	: Included		
		Manufacturer Warranty	: At least 2 years		
		Installation and configuration	Installation, configuration, and integration of hardware under in this procurement.		
7	Firewall (non- licensed and hardware)	CPU	: Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W	Unit	1
		Network Ports	: Dual 1GbE RJ45 LAN via Intel® i350-AM2		
		RAM	: Memory: 8 GB ECC DDR4 RDIMM		
		Network	: Supports 10GBASE-T, 1000BASE-T		
		Storage	: 500 GB M.2 SSD		
		Enclosure	: 19" 1U Rack Mount		
		Form Factor	: 1U		
		Power	: 100-240V, 50-60Hz		
			TAC Lite Included		
			Includes: Basic Set-up and Configuration		

		Warranty:	: 1 year		
		Installation and configuration	Installation, configuration, and integration.		
8	High density wireless	Networking interface	: (2) GbE RJ45 ports or greater	Unit	2
	access point	Power method			
	POE (non- licensed)		: Gigabit PoE adapter 48V DC, 0.5A		
		Max. power consumption	: 17W or greater		
		MIMO	: 2.4 GHz, 5 GHz 4x4 or greater		
		Antenna gain	: 3 dBi or higer		
		Mounting	: Wall/ceiling (Included)		
		WiFi standards	: 802.11a/b/g/n/ac/ac		
			: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated	BLGF Regional (Office	Lot	1
	Delivery Cost		ome Builders Building No. ad, Guisad, Baguio City		

9-136 Section 9: Contract Forms

	Lot No.: 20 – Regional Offices Computerization for Region 1 Lot Name: Server for Region 1									
Lot Nar	ne: Server for Re Name of IT	egion 1								
Item No.	Products and Services		Description	Unit of Measurement	Quantity					
1	Server	Rear Storage	: No Rear Storage	Unit	5					
		Front Storage	: 8x2.5 Front Storage							
		Trusted Platform Module	: Trusted Platform Module 2.0 V3							
		Backplane	: SAS/SATA Backplane							
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU							
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666							
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666							
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration							
		Memory Configuration Type	: Performance Optimized							
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later							
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more							
		RAID	: C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more							
		Storage	: (3 pcs) 800GB SSD SAS Mixed Use up to 24Gbps 512e 2.5in Hot- Plug or more							
		Advanced System Configurations	: UEFI BIOS Boot Mode with GPT Partition							
		Power Supply	: Dual, Hot-plug, Power Supply Fully Redundant (1+1), 800W, Mixed Mode							
		Power Cords	: (2 pcs) 15 AMP, 10 Feet (3m), Power Cord							

OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapters Adapter, OCP NIC 3.0 Bezel : No Bezel for x8 and x10 chassis : Windows Server 2022 Operating System Standard, 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) : Windows Server 2022 Licenses Standard Edition, Add License, 16CORE, NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Windows Server Licenses 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled with pre-installed Virtualization Standard or Datacenter Ed OS on incl Virtual **HDD** Rack Rails : Static Rails for 2/4-post Racks Protect your : Basic Next Business purchase -Day 36 Months, 36 View Support Month(s) offers below Extended : ProSupport and Next Services **Business Day Onsite** Service, 36 Month(s) a. Installation. Installation and configuration, configuration integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this

office.

procurement and the

9-138 Section 9: Contract Forms

2	Network Attached	CPU Model	: AMD Ryzen V1500B or Unit later	2
	Storage (NAS) 8 HDD	CPU Quantity	: 1 or greater	
		CPU Architecture	: 64-bit	
		CPU Frequency	: 4-core 2.2 GHz or greater	
		Hardware Encryption Engine (AES- NI)	: With	
		System Memory	: 4 GB DDR4 ECC SODIMM or greater	
		Memory Module Pre- installed	: 4 GB (4 GB x 1)	
		Total Memory Slots	: 2	
		Drive Bays	: 8 or greater	
		Hard Drive Installed	: 8 pcs	
		Maximum Drive Bays with Expansion Unit	: 12 (RX418 x 1)	
		Compatible Drive Type	: 3.5" SATA HDD	
		Hot Swappable Drive	: Yes	
		Total Installed Disk Drives	: 8	
		RJ-45 1GbE LAN Port	: 4 (with Link Aggregation / Failover support)	
		USB 3.2 Gen 1 Port	: 2	
		eSATA Port	: 1	
		Form Factor (RU)	: 2u	
		Warranty	: 2 years	

		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
		Total non- blocking throughput	:	70 Gbps		
		Switching capacity	:	140 Gbps		
		Supported voltage range	:	100—240V AC		
		Max. power consumption	:	Excluding PoE output: 64W, Including PoE output: 500W		
		Ethernet	:	PoE Speed/Link/Activity		
		Management	:	Can manage existing UniFi Access Point		
		Warranty		2 years		
		Installation and configuration		nstallation and configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)	:	3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery	:	166 - 278		

9-140 Section 9: Contract Forms

	<u> </u>			I	1
	Operation (230V default):				
	Frequency Range (Hz):	:	55 - 65		
	Output Voltage:	:	200/208/220/230/240		
	Waveform (Battery Operation):	:	Sine Wave		
	Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
	Warranty:	:	2 Years		
	Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
KVM Switch with Console	Display Type	:	KVM console / TFT active matrix	Unit	1
	Diagonal Size	:	19" or bigger		
	Built-in Devices	:	8-port KVM switch or greater		
	Native Resolution	:	1280 x 1024 at 75 Hz or higher		
	Controls & Adjustments	:	Brightness, contrast, H/V position, color temperature, phase, clock		
	Form Factor	:	1U		
	Input	:	Keyboard, touchpad		
	Max Resolution	:	1280 x 1024 @ 75 Hz or higher		
	Connectivity Interfaces	:	8 x KVM, 2 x USB or more		
	Cables Included	:	8 x keyboard / mouse / video / USB cable - 6 ft		
	Rack Mounting Kit	:	Included		
	Manufacturer Warranty	:	-		
	Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
		(230V default): Frequency Range (Hz): Output Voltage: Waveform (Battery Operation): Recharge Time (internal batteries, typical): Warranty: Installation and configuration CVM Switch with Console Diagonal Size Built-in Devices Native Resolution Controls & Adjustments Form Factor Input Max Resolution Connectivity Interfaces Cables Included Rack Mounting Kit Manufacturer Warranty Installation and	(230V default): Frequency Range (Hz): Output Voltage: Waveform (Battery Operation): Recharge Time (internal batteries, typical): Warranty: Installation and configuration CVM Switch with Console Diagonal Size Built-in Devices Native Resolution Controls & Adjustments Form Factor Input Max Resolution Connectivity Interfaces Cables Included Rack Mounting Kit Manufacturer Warranty Installation and	(230V default): Frequency Range (Hz): Output : 200/208/220/230/240 Voltage: Waveform : Sine Wave (Battery Operation): Recharge : 3 hr @ 90% Time (internal batteries, typical): Warranty: : 2 Years Installation and configuration Installation, configuration, and integration of hardware under in this procurement. CVM Switch with Console Display Type : KVM console / TFT active matrix Diagonal Size : 19" or bigger Built-in : 8-port KVM switch or greater Native : 1280 x 1024 at 75 Hz or higher Controls & : Brightness, contrast, H/V position, color temperature, phase, clock Form Factor : 1U Input : Keyboard, touchpad Max : 1280 x 1024 @ 75 Hz Resolution or higher Connectivity : 8 x KVM, 2 x USB or more Cables : 8 x keyboard / mouse / video / USB cable - 6 ft Rack Mounting : Included Kit Manufacturer : At least 2 years Warranty Installation, and integration of hardware under in this	(230V default): Frequency

7	Firewall (non- licensed and hardware)	CPU	: Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W	Unit	1
		Network Ports	: Dual 1GbE RJ45 LAN via Intel® i350-AM2		
		RAM	: Memory: 8 GB ECC DDR4 RDIMM		
		Network	: Supports 10GBASE-T, 1000BASE-T		
		Storage	: 500 GB M.2 SSD		
		Enclosure	: 19" 1U Rack Mount		
		Form Factor	: 1U		
		Power	: 100-240V, 50-60Hz		
			TAC Lite Included		
			Includes: Basic Set-up and Configuration		
		Warranty:	: 1 year		
		Installation and	-		
		configuration	configuration, and integration.		
8	High density wireless access point POE (non- licensed)	Networking interface	: (2) GbE RJ45 ports or greater	Unit	2
		Power method	: PoE+		
		Power supply	: Gigabit PoE adapter 48V DC, 0.5A		
		Max. power consumption	: 17W or greater		
		МІМО	: 2.4 GHz, 5 GHz 4x4 or greater		
		Antenna gain	: 3 dBi or higer		
		Mounting	: Wall/ceiling (Included)		
		WiFi standards	: 802.11a/b/g/n/ac/ac		
		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		

9-142 Section 9: Contract Forms

	Management	: Can connect to existing UniFi Management Center			
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated Delivery Cost	BLGF Regional Office 2nd Floor, Kenny Plaza Building, South Quezon Avenue, San Fernando City, La Union		Lot	1

Lot No.: 21 – Regional Offices Computerization for Region 2						
Lot Name: Server for Region 2						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity	
1	Server	Rear Storage	: No Rear Storage	Unit	5	
		Front Storage	: 8x2.5 Front Storage			
		Trusted Platform Module	: Trusted Platform Module 2.0 V3			
		Backplane	: SAS/SATA Backplane			
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU			
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666			
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666			
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration			
		Memory Configuration Type	: Performance Optimized			
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later			
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more			
		RAID	: C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more			

Storage (3 pcs) 800GB SSD SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more : UEFI BIOS Boot Mode Advanced with GPT Partition System Configurations Power Supply : Dual, Hot-plug, Power Supply Fully Redundant (1+1), 800W, Mixed Mode **Power Cords** : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapters Adapter, OCP NIC 3.0 Bezel : No Bezel for x8 and x10 chassis Operating : Windows Server 2022 System Standard, 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) Windows Server 2022 Licenses Standard Edition, Add License, 16CORE, NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Licenses Windows Server 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled Virtualization with pre-installed Standard or Datacenter Ed OS on incl Virtual **HDD** Rack Rails : Static Rails for 2/4-post Racks Protect your : Basic Next Business purchase -Day 36 Months, 36 View Support Month(s) offers below Extended : ProSupport and Next Services **Business Day Onsite** Service, 36 Month(s) a. Installation, configuration,

9-144 Section 9: Contract Forms

		Installation and configuration	integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this procurement and the office.		
2	Network Attached	CPU Model	: AMD Ryzen V1500B or later	Unit	2
	Storage (NAS) 8 HDD	CPU Quantity	: 1 or greater		
		CPU Architecture	: 64-bit		
		CPU Frequency	: 4-core 2.2 GHz or greater		
		Hardware Encryption Engine (AES- NI)	: With		
		System Memory	: 4 GB DDR4 ECC SODIMM or greater		
		Memory Module Pre- installed	: 4 GB (4 GB x 1)		
		Total Memory Slots	: 2		
		Drive Bays	: 8 or greater		
		Hard Drive Installed	: 8 pcs		
		Maximum Drive Bays with Expansion Unit	: 12 (RX418 x 1)		
		Compatible Drive Type	: 3.5" SATA HDD		
		Hot Swappable Drive	: Yes		
		Total Installed Disk Drives	: 8		

		RJ-45 1GbE LAN Port	:	4 (with Link Aggregation / Failover support)		
		USB 3.2 Gen 1 Port	:	2		
		eSATA Port	:	1		
		Form Factor (RU)	:	2u		
		Warranty	:	2 years		
		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
		Total non- blocking throughput	:	70 Gbps		
		Switching capacity	:	140 Gbps		
		Supported voltage range	:	100—240V AC		
		Max. power consumption	•	Excluding PoE output: 64W, Including PoE output: 500W		
		Ethernet	:	PoE Speed/Link/Activity		
		Management	:	Can manage existing UniFi Access Point		
		Warranty		2 years		
		-		nstallation and configuration of the		

9-146 Section 9: Contract Forms

		Installation and configuration		device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)	:	3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type	:	KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices	:	8-port KVM switch or greater		
		Native Resolution	:	1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments	:	Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution	:	1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces	:	8 x KVM, 2 x USB or more		
		Cables Included	:	8 x keyboard / mouse / video / USB cable - 6 ft		
		Rack Mounting Kit	:	Included		

		Manufacturer Warranty Installation and configuration	: At least 2 years Installation, configuration, and integration of hardware under in this procurement.		
7	Firewall (non- licensed and hardware)	CPU Network Ports RAM Network Storage Enclosure Form Factor Power	: Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W : Dual 1GbE RJ45 LAN via Intel® i350-AM2 : Memory: 8 GB ECC DDR4 RDIMM : Supports 10GBASE-T, 1000BASE-T : 500 GB M.2 SSD : 19" 1U Rack Mount : 1U : 100-240V, 50-60Hz TAC Lite Included Includes: Basic Set-up and Configuration	Unit	1
		Warranty: Installation and configuration	: 1 year Installation, configuration, and integration.		
8	High density wireless access point POE (non- licensed)	Max. power consumption MIMO Antenna gain Mounting	 : (2) GbE RJ45 ports or greater : PoE+ : Gigabit PoE adapter 48V DC, 0.5A : 17W or greater : 2.4 GHz, 5 GHz 4x4 or greater : 3 dBi or higer : Wall/ceiling (Included) : 802.11a/b/g/n/ac/ac : WEP, WPA-PSK, WPA-Enterprise 	Unit	2

9-148 Section 9: Contract Forms

			(WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated	BLGF Regional (Office	Lot	1
	Delivery Cost	No. 12 Dalan na Government Cer Tuguegarao City			

			zation for Region 3		
Lot Nar	ne: Server for Re	egion 3			
Item No.	Products and Services		Description	Unit of Measurement	Quantity
1	Server	Rear Storage	: No Rear Storage	Unit	5
		Front Storage	: 8x2.5 Front Storage		
		Trusted Platform Module	: Trusted Platform Module 2.0 V3		
		Backplane	: SAS/SATA Backplane		
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU		
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666		
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666		
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration		
		Memory Configuration Type	: Performance Optimized		
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later		
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more		

RAID : C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more Storage : (3 pcs) 800GB SSD SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more Advanced : UEFI BIOS Boot Mode System with GPT Partition Configurations : Dual, Hot-plug, Power Power Supply Supply Fully Redundant (1+1), 800W, Mixed Mode **Power Cords** : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapter, OCP NIC 3.0 Adapters Bezel : No Bezel for x8 and x10 chassis Operating : Windows Server 2022 System Standard. 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) Licenses : Windows Server 2022 Standard Edition, Add License,16CORE,NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Licenses Windows Server 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled Virtualization with pre-installed Standard or Datacenter

purchase -	Day 36 Months, 36
View Support	Month(s)
offers below	

HDD

Racks

Rack Rails

Protect your

Ed OS on incl Virtual

: Static Rails for 2/4-post

: Basic Next Business

9-150 Section 9: Contract Forms

		Extended Services Installation and configuration	: ProSupport and Next Business Day Onsite Service, 36 Month(s) a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this procurement and the office.		
2	Network Attached Storage (NAS) 8 HDD	CPU Quantity CPU Architecture CPU Frequency Hardware Encryption Engine (AES-NI)	: 64-bit : 4-core 2.2 GHz or greater : With	Unit	2
		Memory Memory Module Pre- installed Total Memory Slots Drive Bays Hard Drive Installed Maximum Drive Bays with Expansion Unit Compatible Drive Type	 : 4 GB DDR4 ECC SODIMM or greater : 4 GB (4 GB x 1) : 2 : 8 or greater : 8 pcs : 12 (RX418 x 1) : 3.5" SATA HDD : Yes 		

		Total Installed Disk Drives	:	8		
		RJ-45 1GbE LAN Port		4 (with Link Aggregation / Failover support)		
		USB 3.2 Gen 1 Port	:	2		
		eSATA Port	:	1		
		Form Factor (RU)	:	2u		
		Warranty	:	2 years		
		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
		Total non- blocking throughput	:	70 Gbps		
		Switching capacity	:	140 Gbps		
		Supported voltage range	:	100—240V AC		
		Max. power consumption	:	Excluding PoE output: 64W, Including PoE output: 500W		
		Ethernet	:	PoE Speed/Link/Activity		
		Management	:	Can manage existing UniFi Access Point		
1	l	I		0.40000	I	
				2 years		

9-152 Section 9: Contract Forms

		Warranty Installation and configuration		nstallation and configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)	:	3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type	:	KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices	:	8-port KVM switch or greater		
		Native Resolution	:	1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments	:	Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution	:	1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces	:	8 x KVM, 2 x USB or more		
		Cables Included	:	8 x keyboard / mouse / video / USB cable - 6 ft		

		Rack Mounting	· Included		
		Kit	. moluquu		
		Manufacturer Warranty	: At least 2 years		
		Installation and	Installation, configuration, and		
		configuration	integration of hardware under in this		
	<u></u>	0.711	procurement.		
7	Firewall (non- licensed and hardware)	CPU	: Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W	Unit	1
		Network Ports	: Dual 1GbE RJ45 LAN via Intel® i350-AM2		
		RAM	: Memory: 8 GB ECC DDR4 RDIMM		
		Network	: Supports 10GBASE-T, 1000BASE-T		
		Storage	: 500 GB M.2 SSD		
		Enclosure	: 19" 1U Rack Mount		
		Form Factor	: 1U		
		Power	: 100-240V, 50-60Hz		
			TAC Lite Included		
			Includes: Basic Set-up and Configuration		
		Warranty: Installation and configuration	: 1 year Installation, configuration, and integration.		
8	High density	Networking	: (2) GbE RJ45 ports or	Unit	2
	wireless access point	interface	greater		
	POE (non-		: PoE+		
	licensed)	Power supply	: Gigabit PoE adapter 48V DC, 0.5A		
		Max. power consumption	: 17W or greater		
		МІМО	: 2.4 GHz, 5 GHz 4x4 or greater		
		Antenna gain	: 3 dBi or higer		
		Mounting	: Wall/ceiling (Included)		
		WiFi standards	: 802.11a/b/g/n/ac/ac		

9-154 Section 9: Contract Forms

		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated	BLGF Regional (BLGF Regional Office		1
Delivery Cost		Diosdado Macapagal Government Center, Mahusay Street, San Fernando City, Pampanga			

Lot No.	Lot No.: 23 – Regional Offices Computerization for Region 4A (CALABARZON)							
Lot Nar	Lot Name: Server for Region 4A (CALABARZON)							
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity			
1	Server	Rear Storage	: No Rear Storage	Unit	5			
		Front Storage	: 8x2.5 Front Storage					
		Trusted Platform Module	: Trusted Platform Module 2.0 V3					
		Backplane	: SAS/SATA Backplane					
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU					
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666					
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666					
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration					
		Memory Configuration Type	: Performance Optimized					
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later					

9-155 Section 9: Contract Forms

> Memory (2 pcs) 8GB RDIMM,

3200MT/s, Single Rank

or more

RAID : C1, No RAID for

> HDDs/SSDs (Mixed Drive Types Allowed) or

more

Storage : (3 pcs) 800GB SSD

> SAS Mixed Use up to 24Gbps 512e 2.5in Hot-

Plug or more

Advanced

System

: UEFI BIOS Boot Mode with GPT Partition

Configurations

Power Supply Dual, Hot-plug, Power

> Supply Fully Redundant (1+1), 800W, Mixed

Mode

Power Cords : (2 pcs) 15 AMP, 10

Feet (3m), Power Cord

OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapters Adapter, OCP NIC 3.0

: No Bezel for x8 and x10 Bezel

chassis

: Windows Server 2022 Operating System

Standard,

16CORE,FI,No Med,No CAL, Multi Language or

later

OS Media Kits: Windows Server 2022

Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not

included)

: Windows Server 2022 Licenses

> Standard Edition, Add License, 16CORE, NO

MEDIA/KEY

Client Access

Licenses

: (3 pcs) 5-pack of Windows Server

2022/2019 Device CALs

(Standard or Datacenter)

Enabled Virtualization : Hyper-V role enabled with pre-installed

Standard or Datacenter Ed OS on incl Virtual

HDD

Rack Rails : Static Rails for 2/4-post

Racks

9-156 Section 9: Contract Forms

		Protect your purchase - View Support offers below Extended Services Installation and configuration		Basic Next Business Day 36 Months, 36 Month(s) ProSupport and Next Business Day Onsite Service, 36 Month(s) a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this			
				procurement and the office.			
2	Network Attached Storage	CPU Model CPU Quantity		AMD Ryzen V1500B or later 1 or greater	Unit	2	
	(NAS) 8 HDD	CPU Architecture		64-bit			
		CPU Frequency	:	4-core 2.2 GHz or greater			
		Hardware Encryption Engine (AES- NI)	:	With			
		System Memory	:	4 GB DDR4 ECC SODIMM or greater			
		Memory Module Pre- installed	:	4 GB (4 GB x 1)			
		Total Memory Slots	:	2			
		Drive Bays	:	8 or greater			
		Hard Drive Installed	:	8 pcs			
		Maximum Drive Bays with Expansion Unit	:	12 (RX418 x 1)			

	T	T -		
		Compatible Drive Type	: 3.5" SATA HDD	
		Hot Swappable Drive	: Yes	
		Total Installed Disk Drives	: 8	
		RJ-45 1GbE LAN Port	: 4 (with Link Aggregation / Failover support)	
		USB 3.2 Gen 1 Port	: 2	
		eSATA Port	: 1	
		Form Factor (RU)	: 2u	
		Warranty	: 2 years	
		Installation and Configuration	Installation, configuration, integration, and network cabling.	
3	Server Rack	Form Factor	: 32U Unit 1	
		Cabinet	: Free Standing Data Cabinet	
		Fans	: 4 Fanslot with Fan	
		Color	: Pure Black	
		Door	: Glass Door	
		Installation and configuration	Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.	
4	48-Port Gigabit Managed	Management interface	: Ethernet In-Band (1) Unit 1 RJ45 Serial port Out-of- Band	
	PoE UniFi Switch	Networking interface	: (48) GbE RJ45 ports	
		PoE interface	: (48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)	
		Total non- blocking throughput	: 70 Gbps	
		Switching capacity	: 140 Gbps	
		Supported voltage range	: 100—240V AC	
		Max. power consumption	: Excluding PoE output: 64W, Including PoE output: 500W	

9-158 Section 9: Contract Forms

		Ethernet		PoE Speed/Link/Activity		
		Management		Can manage existing		
		Ivianagement	•	UniFi Access Point		
		Warranty		2 years		
		Installation and configuration		nstallation and configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)	:	3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	•	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type	:	KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices	:	8-port KVM switch or greater		
		Native Resolution	:	1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments	:	Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution	:	1280 x 1024 @ 75 Hz or higher		

		Connectivity Interfaces	: 8 x KVM, 2 x USB or more		
		Cables Included	: 8 x keyboard / mouse / video / USB cable - 6 ft		
		Rack Mounting Kit	: Included		
		Manufacturer Warranty	: At least 2 years		
		Installation and configuration	Installation, configuration, and integration of hardware under in this procurement.		
7	Firewall (non- licensed and hardware)	CPU	: Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W	Unit	1
		Network Ports	: Dual 1GbE RJ45 LAN via Intel® i350-AM2		
		RAM	: Memory: 8 GB ECC DDR4 RDIMM		
		Network	: Supports 10GBASE-T, 1000BASE-T		
		Storage	: 500 GB M.2 SSD		
		Enclosure	: 19" 1U Rack Mount		
		Form Factor	: 1U		
		Power	: 100-240V, 50-60Hz		
			TAC Lite Included		
			Includes: Basic Set-up and Configuration		
		Warranty:	: 1 year		
		Installation and configuration	Installation, configuration, and integration.		
8	High density wireless	Networking interface	: (2) GbE RJ45 ports or greater	Unit	2
	access point POE (non-	Power method	: PoE+		
	licensed)	Power supply	: Gigabit PoE adapter 48V DC, 0.5A		
		Max. power consumption	: 17W or greater		

9-160 Section 9: Contract Forms

		MIMO	: 2.4 GHz, 5 GHz 4x4 or greater		
		Antenna gain	: 3 dBi or higer		
		Mounting	: Wall/ceiling (Included)		
		WiFi standards	: 802.11a/b/g/n/ac/ac		
		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated	BLGF Regional	Office	Lot	1
	Delivery Cost		elita Building, National Real, Calamba City		

	Lot No.: 24 – Regional Offices Computerization for Region 4B (MIMAROPA)						
Lot Nar	ne: Server for Re	egion 4B (MIMAF	ROPA)				
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Server	Rear Storage	: No Rear Storage	Unit	5		
		Front Storage	: 8x2.5 Front Storage				
		Trusted Platform Module	: Trusted Platform Module 2.0 V3				
		Backplane	: SAS/SATA Backplane				
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU				
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration				
		Memory Configuration Type	: Performance Optimized				

Memory DIMM: 3200MT/s RDIMMs or Type and higher and later Speed Memory : (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more **RAID** : C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more : (3 pcs) 800GB SSD Storage SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more : UEFI BIOS Boot Mode Advanced System with GPT Partition Configurations Power Supply Dual, Hot-plug, Power Supply Fully Redundant (1+1), 800W, Mixed Mode **Power Cords** : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Port 1GbE BASE-T Network Adapters Adapter, OCP NIC 3.0 : No Bezel for x8 and x10 Bezel chassis : Windows Server 2022 Operating System Standard, 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) : Windows Server 2022 Licenses Standard Edition, Add License, 16CORE, NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Windows Server Licenses 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled Virtualization with pre-installed

Standard or Datacenter Ed OS on incl Virtual

HDD

9-162 Section 9: Contract Forms

		Rack Rails	:	Static Rails for 2/4-post Racks		
		Protect your purchase - View Support offers below	:	Basic Next Business Day 36 Months, 36 Month(s)		
		Extended Services	:	ProSupport and Next Business Day Onsite Service, 36 Month(s)		
		Installation and configuration		a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity.		
				b. Installation software not requiring subscription other than provided by this procurement and the office.		
2	Network Attached	CPU Model	:	AMD Ryzen V1500B or later	Unit	2
	Storage (NAS) 8 HDD	CPU Quantity	:	1 or greater		
	(14/10) 0 1100	CPU Architecture	:	64-bit		
		CPU Frequency		4-core 2.2 GHz or greater		
		Hardware Encryption Engine (AES- NI)	:	With		
		System Memory	:	4 GB DDR4 ECC SODIMM or greater		
		Memory Module Pre- installed	:	4 GB (4 GB x 1)		
		Total Memory Slots	:	2		
		Drive Bays	:	8 or greater		
		Hard Drive Installed	:	8 pcs		
		Maximum Drive Bays	:	12 (RX418 x 1)		

		with Expansion Unit				
		Compatible	:	3.5" SATA HDD		
		Drive Type Hot Swappable Drive	:	Yes		
			:	8		
		RJ-45 1GbE LAN Port	:	4 (with Link Aggregation / Failover support)		
		USB 3.2 Gen 1 Port	:	2		
		eSATA Port	:	1		
		Form Factor (RU)	:	2u		
		Warranty	:	2 years		
		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
		Total non- blocking throughput	:	70 Gbps		
		Switching capacity	:	140 Gbps		
		Supported voltage range	:	100—240V AC		

9-164 Section 9: Contract Forms

Max. power consumption 64W, Including PoE output: 60W, Including PoE output: 500W Ethernet : PoE Speed/Link/Activity Management : Can manage existing Unifi- Access Point Varranty Installation and configuration of the device to integrate with the network and ISP. 5 Uninterrupted Power Supply Rating (VAW) : 3000VA/2700W or greater Nominal : 230V Voltage Range : 166 - 278 Without Battery Operation (230V default): Frequency : 55 - 65 Range (Hz): Output : 200/208/220/230/240 Voltage: Waveform (Battery Operation): Recharge Time (Internal batteries, typical): Warranty:		May paula	_	Evoluting DoC suffered		
Management : Can manage existing UniFi Access Point 2 years nstallation and configuration of the device to integrate with the network and ISP. 5 Uninterrupted Power Supply		Max. power consumption	:	64W, Including PoE		
Warranty Installation and configuration Warranty Installation and configuration Sequence of the device to integrate with the network and ISP. Batting (VAW): 3000VA/2700W or greater Nominal: 230V Voltage Range: 166 - 278 Without Battery Operation (230V default): Frequency: 55 - 65 Range (Hz): Output: 200/208/220/230/240 Voltage: Waveform: Sine Wave (Battery Operation): Recharge: 3 hr @ 90% Time (internal batteries, typical): Warranty: 2 Years Installation and configuration Installation, and integration of hardware under in this procurement. KVM Switch with Console KVM Switch with Console Bill-in: 8-port KVM switch or greater Native: 1280 x 1024 at 75 Hz or higher Controls & Adjustments Unit 1 Unit 1 List 1 List 2 Years List 3 Hard 90% Time (internal batteries, typical): Warranty: 1 Years List 2 Years List 2 Years List 3 Hard 90% Time (internal batteries, typical): Warranty: 2 Years List 3 Hard 90% Time (internal batteries, typical): Warranty: 1 Years List 2 Years List 3 Hard 90% List 4 Years List 3 Hard 90% List 4 Years List 3 Hard 90% List 4 Years List 4 Years List 4 Years List 2 Years List 3 Hard 90% List 4 Years List 4 Y		Ethernet	:	PoE Speed/Link/Activity		
Installation and configuration of the device to integrate with the network and ISP. Uninterrupted Power Supply		Management	:			
Installation and configuration configuration of the device to integrate with the network and ISP. 5 Uninterrupted Power Supply Rating (VAW): 3000VA/2700W or greater Nominal: 230V Voltage Range: 166 - 278 Without Battery Operation (230V default): Frequency: 55 - 65 Range (Hz): Output: 200/208/220/230/240 Voltage: Waveform: Sine Wave (Battery Operation): Recharge: 3 hr @ 90% Time (internal batteries, typical): Warranty: 2 Years Installation and configuration of the device to integrate with the network and ISP. 6 KVM Switch with Console RVM Switch with Console Display Type: 1 KVM console / TFT active matrix Diagonal Size: 19" or bigger Built-in: 8-port KVM switch or greater Native: 1280 x 1024 at 75 Hz or higher Controls & Adjustments Adjustments Adjustments Linit		Warranty		2 years		
Power Supply Supply Greater Nominal 230V Voltage Setting:				configuration of the device to integrate with		
Voltage Range : 166 - 278 Without Battery Operation (230V default): Frequency : 55 - 65 Range (Hz): Output : 200/208/220/230/240 Voltage: Waveform : Sine Wave (Battery Operation): Recharge : 3 hr @ 90% Time (internal batteries, typical): Warranty: : 2 Years Installation and configuration and configuration Final Application of hardware under in this procurement. KVM Switch with Console KVM Switch with Console KVM Switch Voltage: Waveform : Sine Wave (Battery Operation): Recharge : 3 hr @ 90% Time (internal batteries, typical): Warranty: : 2 Years Installation, configuration, and integration of hardware under in this procurement. KVM Switch With Console KVM console / TFT active matrix Diagonal Size : 19" or bigger Built-in Devices greater Native : 1280 x 1024 at 75 Hz or higher Controls & Brightness, contrast, H/V position, color temperature, phase, clock	5	Rating (VA/W)	:		Unit	1
Without Battery Operation (230V default): Frequency : 55 - 65 Range (Hz): Output : 200/208/220/230/240 Voltage: Waveform : Sine Wave (Battery Operation): Recharge : 3 hr @ 90% Time (internal batteries, typical): Warranty: : 2 Years Installation and configuration integration of hardware under in this procurement. KVM Switch with Console KVM Switch with Console EXVM Switch with Console Built-in : 8-port KVM switch or greater Native : 1280 x 1024 at 75 Hz or higher Controls & Brightness, contrast, H/V position, color temperature, phase, clock				230V		
Range (Hz): Output : 200/208/220/230/240 Voltage: Waveform : Sine Wave (Battery Operation): Recharge : 3 hr @ 90% Time (internal batteries, typical): Warranty: : 2 Years Installation and configuration integration of hardware under in this procurement. 6 KVM Switch with Console Display Type : KVM console / TFT active matrix Diagonal Size : 19" or bigger Built-in : 8-port KVM switch or greater Native : 1280 x 1024 at 75 Hz or higher Controls & Adjustments H/V position, color temperature, phase, clock		Without Battery Operation	:	166 - 278		
Voltage: Waveform : Sine Wave (Battery Operation): Recharge : 3 hr @ 90% Time (internal batteries, typical): Warranty: : 2 Years Installation and configuration Installation, configuration, and integration of hardware under in this procurement. 6 KVM Switch with Console KVM Switch Display Type : KVM console / TFT active matrix Diagonal Size : 19" or bigger Built-in Devices greater Native : 1280 x 1024 at 75 Hz or Resolution Native Horosole Voltage: Value (Battery Operation): Varranty: 2 Years Installation, configuration, and integration of hardware under in this procurement. Unit 1 1 2 2 Years Installation, configuration of hardware under in this procurement. Voltage: Value (Battery) Variable (Configuration) and integration of hardware under in this procurement. Voltage: Varanty: 2 Years Installation, configuration of hardware under in this procurement. Voltage: Variable (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement. Value (Configuration) and integration of hardware under in this procurement.			:	55 - 65		
(Battery Operation): Recharge : 3 hr @ 90% Time (internal batteries, typical): Warranty: : 2 Years Installation and configuration Instegration of hardware under in this procurement. 6 KVM Switch with Console Bisplay Type : KVM console / TFT active matrix Diagonal Size : 19" or bigger Built-in : 8-port KVM switch or Devices greater Native : 1280 x 1024 at 75 Hz or Resolution higher Controls & Brightness, contrast, H/V position, color temperature, phase, clock			:	200/208/220/230/240		
Time (internal batteries, typical): Warranty: : 2 Years Installation and configuration Installation, configuration, and integration of hardware under in this procurement. 6 KVM Switch with Console Display Type : KVM console / TFT active matrix Diagonal Size : 19" or bigger Built-in : 8-port KVM switch or greater Native : 1280 x 1024 at 75 Hz or higher Controls & : Brightness, contrast, H/V position, color temperature, phase, clock		(Battery	:	Sine Wave		
Installation and configuration Installation, configuration, and integration of hardware under in this procurement. The control of the configuration of hardware under in this procurement.		Time (internal batteries,	:	3 hr @ 90%		
configuration configuration, and integration of hardware under in this procurement. 6 KVM Switch with Console Display Type : KVM console / TFT active matrix Diagonal Size : 19" or bigger Built-in : 8-port KVM switch or greater Native : 1280 x 1024 at 75 Hz or Resolution higher Controls & : Brightness, contrast, H/V position, color temperature, phase, clock		Warranty:	:	2 Years		
with Console active matrix Diagonal Size : 19" or bigger Built-in : 8-port KVM switch or Devices greater Native : 1280 x 1024 at 75 Hz or Resolution higher Controls & : Brightness, contrast, Adjustments H/V position, color temperature, phase, clock				configuration, and integration of hardware under in this		
Built-in : 8-port KVM switch or greater Native : 1280 x 1024 at 75 Hz or Resolution higher Controls & : Brightness, contrast, H/V position, color temperature, phase, clock	6	Display Type	:		Unit	1
Devices greater Native : 1280 x 1024 at 75 Hz or Resolution higher Controls & : Brightness, contrast, H/V position, color temperature, phase, clock		Diagonal Size	:	19" or bigger		
Resolution higher Controls & : Brightness, contrast, Adjustments H/V position, color temperature, phase, clock			:			
Adjustments H/V position, color temperature, phase, clock			:			
Form Factor : 1U			:	H/V position, color temperature, phase,		
		 Form Factor	:	1U		

		Innut	. Kouhaard tauahnad
		Input	: Keyboard, touchpad
		Max Resolution	: 1280 x 1024 @ 75 Hz or higher
		Connectivity Interfaces	: 8 x KVM, 2 x USB or more
		Cables Included	: 8 x keyboard / mouse / video / USB cable - 6 ft
		Rack Mounting Kit	: Included
		Manufacturer Warranty	: At least 2 years
		Installation and configuration	Installation, configuration, and integration of hardware under in this procurement.
7	Firewall (non- licensed and hardware)	CPU	: Intel "Xeon-DE" D-1537, Unit 1 1.7 GHz, Eight Cores, 16 Threads, 35W
		Network Ports	: Dual 1GbE RJ45 LAN via Intel® i350-AM2
		RAM	: Memory: 8 GB ECC DDR4 RDIMM
		Network	: Supports 10GBASE-T, 1000BASE-T
		Storage	: 500 GB M.2 SSD
		Enclosure	: 19" 1U Rack Mount
		Form Factor	: 1U
		Power	: 100-240V, 50-60Hz
			TAC Lite Included
			Includes: Basic Set-up and Configuration
		Warranty:	: 1 year
		Installation and configuration	Installation, configuration, and integration.
8	High density	Networking	: (2) GbE RJ45 ports or Unit 2
0	High density wireless	Networking interface	: (2) GbE RJ45 ports or Unit 2 greater
	access point POE (non-	Power method	: PoE+
	licensed)	Power supply	: Gigabit PoE adapter 48V DC, 0.5A

9-166 Section 9: Contract Forms

		Max. power consumption	: 17W or greater		
		МІМО	: 2.4 GHz, 5 GHz 4x4 or greater		
		Antenna gain	: 3 dBi or higer		
		Mounting	: Wall/ceiling (Included)		
		WiFi standards	: 802.11a/b/g/n/ac/ac		
		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated	BLGF Regional	l Office	Lot	1
	Delivery Cost	3rd Floor, MB B Labac, Batanga	Building, Barangay Gulod as City		

Lot No.	Lot No.: 25 – Regional Offices Computerization for Region 5						
Lot Nar	Lot Name: Server for Region 5						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Server	Rear Storage	: No Rear Storage	Unit	5		
		Front Storage	: 8x2.5 Front Storage				
		Trusted Platform Module	: Trusted Platform Module 2.0 V3				
		Backplane	: SAS/SATA Backplane				
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU				
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration				

9-167 Section 9: Contract Forms

> Memory : Performance Optimized Configuration Type Memory DIMM: 3200MT/s RDIMMs or Type and higher and later Speed

: (2 pcs) 8GB RDIMM, Memory

3200MT/s, Single Rank

or more

RAID : C1, No RAID for

> HDDs/SSDs (Mixed Drive Types Allowed) or

more

: (3 pcs) 800GB SSD Storage

> SAS Mixed Use up to 24Gbps 512e 2.5in Hot-

Plug or more

Advanced System Configurations : UEFI BIOS Boot Mode with GPT Partition

Power Supply : Dual, Hot-plug, Power

> Supply Fully Redundant (1+1), 800W, Mixed

Mode

: (2 pcs) 15 AMP, 10 Power Cords

Feet (3m), Power Cord

OCP 3.0 : Broadcom 5720 Quad Port 1GbE BASE-T Network Adapters Adapter, OCP NIC 3.0

Bezel : No Bezel for x8 and x10

chassis

Operating System

: Windows Server 2022

Standard,

16CORE,FI,No Med,No CAL, Multi Language or

later

OS Media Kits: Windows Server 2022

Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not

included)

Licenses : Windows Server 2022

> Standard Edition, Add License, 16CORE, NO

MEDIA/KEY

Client Access : (3 pcs) 5-pack of Licenses

Windows Server

2022/2019 Device CALs

(Standard or Datacenter)

Enabled Virtualization : Hyper-V role enabled with pre-installed

Standard or Datacenter

9-168 Section 9: Contract Forms

				Ed OS on incl Virtual HDD		
		Rack Rails	:	Static Rails for 2/4-post Racks		
		Protect your purchase - View Support offers below	:	Basic Next Business Day 36 Months, 36 Month(s)		
		Extended Services	:	ProSupport and Next Business Day Onsite Service, 36 Month(s)		
		Installation and configuration		a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity.		
				b. Installation software not requiring subscription other than provided by this procurement and the office.		
2	Network Attached	CPU Model	:	AMD Ryzen V1500B or later	Unit	2
	Storage (NAS) 8 HDD	CPU Quantity	:	1 or greater		
	(IVAS) 8 FIDD	CPU Architecture	:	64-bit		
		CPU Frequency		4-core 2.2 GHz or greater		
		Hardware Encryption Engine (AES- NI)	:	With		
		System Memory	:	4 GB DDR4 ECC SODIMM or greater		
		Memory Module Pre- installed	:	4 GB (4 GB x 1)		
		Total Memory Slots	:	2		
		Drive Bays	:	8 or greater		
		Hard Drive Installed	:	8 pcs		

		Maximum Drive Bays with Expansion Unit		12 (RX418 x 1)		
			:	3.5" SATA HDD		
		Hot Swappable Drive	:	Yes		
		Total Installed Disk Drives	:	8		
				4 (with Link Aggregation / Failover support)		
		USB 3.2 Gen 1 Port	:	2		
		eSATA Port	:	1		
		Form Factor (RU)	:	2u		
		Warranty	:	2 years		
		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
		Total non- blocking throughput	:	70 Gbps		
		Switching capacity	:	140 Gbps		

9-170 Section 9: Contract Forms

			_			
		Supported voltage range	:	100—240V AC		
		Max. power consumption	:	Excluding PoE output: 64W, Including PoE output: 500W		
		Ethernet	:	PoE Speed/Link/Activity		
		Management	:	Can manage existing UniFi Access Point		
		Warranty		2 years		
		Installation and configuration		nstallation and configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)	:	3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type	:	KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices	:	8-port KVM switch or greater		
		Native Resolution	:	1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments	:	Brightness, contrast, H/V position, color temperature, phase, clock		

		Form Fastan	. 411		
			: 1U : Keyboard, touchpad		
		•	: 1280 x 1024 @ 75 Hz		
		Resolution	or higher		
		Connectivity Interfaces	: 8 x KVM, 2 x USB or more		
		Cables Included	: 8 x keyboard / mouse / video / USB cable - 6 ft		
		Rack Mounting Kit	: Included		
		Manufacturer Warranty	: At least 2 years		
		Installation and configuration	Installation, configuration, and integration of hardware under in this procurement.		
7	Firewall (non- licensed and hardware)	CPU	: Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W	Unit	1
		Network Ports	: Dual 1GbE RJ45 LAN via Intel® i350-AM2		
		RAM	: Memory: 8 GB ECC DDR4 RDIMM		
		Network	: Supports 10GBASE-T, 1000BASE-T		
		Storage	: 500 GB M.2 SSD		
		Enclosure	: 19" 1U Rack Mount		
		Form Factor	: 1U		
		Power	: 100-240V, 50-60Hz		
			TAC Lite Included		
			Includes: Basic Set-up and Configuration		
		Warranty: Installation and configuration	: 1 year Installation, configuration, and		
		-	integration.		
8	High density wireless	Networking interface	: (2) GbE RJ45 ports or greater	Unit	2
	access point POE (non- licensed)	Power method	: PoE+		

9-172 Section 9: Contract Forms

		Power supply	: Gigabit PoE adapter 48V DC, 0.5A		
		Max. power consumption	: 17W or greater		
		MIMO	: 2.4 GHz, 5 GHz 4x4 or greater		
		Antenna gain	: 3 dBi or higer		
		Mounting	: Wall/ceiling (Included)		
		WiFi standards	: 802.11a/b/g/n/ac/ac		
		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated	BLGF Regional	Office	Lot	1
	Delivery Cost	Regional Gover Legazpi City, Al	nment Center, Rawis, 4500 bay		

Lot No.	Lot No.: 26 – Regional Offices Computerization for Region 6								
Lot Nar	Lot Name: Server for Region 6								
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity				
1	Server	Rear Storage	: No Rear Storage	Unit	5				
		Front Storage	: 8x2.5 Front Storage						
		Trusted Platform Module	: Trusted Platform Module 2.0 V3						
		Backplane	: SAS/SATA Backplane						
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU						
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666						
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666						

Processor : Heatsink for 2 CPU
Thermal configuration

Configuration

Memory : Performance Optimized

Configuration

Type

Memory DIMM : 3200MT/s RDIMMs or Type and higher and later

Speed

Memory : (2 pcs) 8GB RDIMM,

3200MT/s, Single Rank

or more

RAID : C1, No RAID for

HDDs/SSDs (Mixed Drive Types Allowed) or

more

Storage : (3 pcs) 800GB SSD

SAS Mixed Use up to 24Gbps 512e 2.5in Hot-

Plug or more

Advanced System : UEFI BIOS Boot Mode with GPT Partition

Configurations

Power Supply : Dual, Hot-plug, Power

Supply Fully Redundant (1+1), 800W, Mixed

Mode

Power Cords : (2 pcs) 15 AMP, 10

Feet (3m), Power Cord

OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapters Adapter, OCP NIC 3.0

Bezel : No Bezel for x8 and x10

chassis

Operating : System

: Windows Server 2022

Standard,

16CORE,FI,No Med,No CAL, Multi Language or

later

OS Media Kits: Windows Server 2022

Standard,16CORE,DF Recovery Image, Multi Lang, (Downgrade not

included)

Licenses : Windows Server 2022

Standard Edition, Add License, 16CORE, NO

MEDIA/KEY

Client Access

Licenses

: (3 pcs) 5-pack of Windows Server

2022/2019 Device CALs

9-174 Section 9: Contract Forms

	Γ	T			1	,	
				(Standard or Datacenter)			
		Enabled Virtualization	:	Hyper-V role enabled with pre-installed Standard or Datacenter Ed OS on incl Virtual HDD			
		Rack Rails	:	Static Rails for 2/4-post Racks			
		Protect your purchase - View Support offers below	:	Basic Next Business Day 36 Months, 36 Month(s)			
		Extended Services	:	ProSupport and Next Business Day Onsite Service, 36 Month(s)			
		Installation and configuration		a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity.			
				b. Installation software not requiring subscription other than provided by this procurement and the office.			
2	Network	CPU Model	:	AMD Ryzen V1500B or	Unit		2
	Attached Storage	CPU Quantity		later 1 or greater			
	(NAS) 8 HDD	CPU Architecture		64-bit			
		CPU Frequency	:	4-core 2.2 GHz or greater			
		Hardware Encryption Engine (AES- NI)	:	With			
		System Memory	:	4 GB DDR4 ECC SODIMM or greater			
		Memory Module Pre- installed	:	4 GB (4 GB x 1)			

		Total Memory	•	2		
		Slots	•	-		
		Drive Bays	:	8 or greater		
		Hard Drive Installed	:	8 pcs		
		Maximum Drive Bays with Expansion Unit	:	12 (RX418 x 1)		
		Compatible Drive Type	:	3.5" SATA HDD		
		Hot Swappable Drive	:	Yes		
		Total Installed Disk Drives	:	8		
		RJ-45 1GbE LAN Port	:	4 (with Link Aggregation / Failover support)		
		USB 3.2 Gen 1 Port	:	2		
		eSATA Port	:	1		
		Form Factor (RU)	:	2u		
		Warranty	:	2 years		
		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		

9-176 Section 9: Contract Forms

		Total non- blocking	:	70 Gbps		
		throughput		440.01		
		Switching capacity	:	140 Gbps		
		Supported voltage range	:	100—240V AC		
		Max. power consumption	:	Excluding PoE output: 64W, Including PoE output: 500W		
		Ethernet	:	PoE Speed/Link/Activity		
		Management	:	Can manage existing UniFi Access Point		
		Warranty		2 years		
		Installation and configuration		nstallation and configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)	:	3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type	:	KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices	:	8-port KVM switch or greater		

		Mativa	_	1000 v 1004 at 75 He are		<u> </u>
		Native Resolution		1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments		Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution		1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces		8 x KVM, 2 x USB or more		
		Cables Included		8 x keyboard / mouse / video / USB cable - 6 ft		
		Rack Mounting Kit	:	Included		
		Manufacturer	: .	At least 2 years		
		Warranty Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
7	Firewall (non- licensed and hardware)	CPU		Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W	Unit	1
		Network Ports		Dual 1GbE RJ45 LAN via Intel® i350-AM2		
		RAM		Memory: 8 GB ECC DDR4 RDIMM		
		Network		Supports 10GBASE-T, 1000BASE-T		
		Storage	:	500 GB M.2 SSD		
		Enclosure	:	19" 1U Rack Mount		
		Form Factor	:	1U		
		Power	:	100-240V, 50-60Hz		
				AC Lite Included		
				ncludes: Basic Set-up and Configuration		
		Warranty: Installation and configuration		1 year Installation, configuration, and integration.		

9-178 Section 9: Contract Forms

8	High density wireless access point POE (non- licensed)	interface Power method Power supply Max. power consumption MIMO Antenna gain Mounting WiFi standards Wireless security Concurrent clients	 (2) GbE RJ45 ports or greater PoE+ Gigabit PoE adapter 48V DC, 0.5A 17W or greater 2.4 GHz, 5 GHz 4x4 or greater 3 dBi or higer Wall/ceiling (Included) 802.11a/b/g/n/ac/ac WEP, WPA-PSK, WPA-Enterprise (WPA/WPA2, TKIP/AES) 500+ Can connect to existing UniFi Management Center Installation, configuration, and integration into the network. 	Unit	2
9	Estimated Delivery Cost	BLGF Regional (Nos. 228, Baranç City	Office gay General Hughes, Iloilo	Lot	1

			ization for Region 7		
	ne: Server for Re Name of IT	egion /			
Item No.	Products and Services		Description	Unit of Measurement	Quantity
1	Server	Rear Storage	: No Rear Storage	Unit	5
		Front Storage	: 8x2.5 Front Storage		
		Trusted Platform Module	: Trusted Platform Module 2.0 V3		
		Backplane	: SAS/SATA Backplane		
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU		
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666		
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666		
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration		
		Memory Configuration Type	: Performance Optimized		
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later		
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more		
		RAID	: C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more		
		Storage	: (3 pcs) 800GB SSD SAS Mixed Use up to 24Gbps 512e 2.5in Hot- Plug or more		
		Advanced System Configurations	: UEFI BIOS Boot Mode with GPT Partition		
		Power Supply	: Dual, Hot-plug, Power Supply Fully Redundant (1+1), 800W, Mixed Mode		
		Power Cords	: (2 pcs) 15 AMP, 10 Feet (3m), Power Cord		

9-180 Section 9: Contract Forms

OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapters Adapter, OCP NIC 3.0 Bezel : No Bezel for x8 and x10 chassis : Windows Server 2022 Operating System Standard, 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) : Windows Server 2022 Licenses Standard Edition, Add License,16CORE,NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Windows Server Licenses 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled with pre-installed Virtualization Standard or Datacenter Ed OS on incl Virtual **HDD** Rack Rails : Static Rails for 2/4-post Racks Protect your : Basic Next Business purchase -Day 36 Months, 36 View Support Month(s) offers below Extended : ProSupport and Next Services **Business Day Onsite** Service, 36 Month(s) a. Installation. Installation and configuration, configuration integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this procurement and the office.

2	Network Attached Storage (NAS) 8 HDD	CPU Model CPU Quantity	later	2
		CPU Architecture	: 64-bit	
		CPU Frequency	: 4-core 2.2 GHz or greater	
		Hardware Encryption Engine (AES- NI)	: With	
		System Memory	: 4 GB DDR4 ECC SODIMM or greater	
		Memory Module Pre- installed	: 4 GB (4 GB x 1)	
		Total Memory Slots	: 2	
		Drive Bays	: 8 or greater	
		Hard Drive Installed	: 8 pcs	
		Maximum Drive Bays with Expansion Unit	: 12 (RX418 x 1)	
		Compatible Drive Type	: 3.5" SATA HDD	
		Hot Swappable Drive	: Yes	
		Total Installed Disk Drives	: 8	
		RJ-45 1GbE LAN Port	: 4 (with Link Aggregation / Failover support)	
		USB 3.2 Gen 1 Port	: 2	
		eSATA Port	: 1	
		Form Factor (RU)	: 2u	
		Warranty	: 2 years	

9-182 Section 9: Contract Forms

		Installation and Configuration		Installation, configuration, integration, and network		
	_			cabling.		
3	Server Rack			32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	•	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
		Total non- blocking throughput	:	70 Gbps		
		Switching capacity	:	140 Gbps		
		Supported voltage range	:	100—240V AC		
		Max. power consumption	:	Excluding PoE output: 64W, Including PoE output: 500W		
		Ethernet	:	PoE Speed/Link/Activity		
		Management	:	Can manage existing UniFi Access Point		
		Warranty		2 years		
		Installation and configuration		nstallation and configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)	:	3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery	:	166 - 278		

		Operation			
		(230V default):			
		Frequency Range (Hz):	: 55 - 65		
		Output Voltage:	: 200/208/220/230/240		
		Waveform (Battery Operation):	: Sine Wave		
		Recharge Time (internal batteries, typical):	: 3 hr @ 90%		
		Warranty:	: 2 Years		
		Installation and configuration	Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type	: KVM console / TFT active matrix	Unit	1
		Diagonal Size	: 19" or bigger		
		Built-in Devices	: 8-port KVM switch or greater		
		Native Resolution	: 1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments	 Brightness, contrast, H/V position, color temperature, phase, clock 		
		Form Factor	: 1U		
		Input	: Keyboard, touchpad		
		Max Resolution	: 1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces	: 8 x KVM, 2 x USB or more		
		Cables Included	: 8 x keyboard / mouse / video / USB cable - 6 ft		
		Rack Mounting Kit	: Included		
		Manufacturer Warranty	: At least 2 years Installation,		
		Installation and configuration	configuration, and integration of hardware under in this procurement.		

9-184 Section 9: Contract Forms

7	Firewall (non- licensed and hardware)	CPU	: Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W	Unit	1
		Network Ports	: Dual 1GbE RJ45 LAN via Intel® i350-AM2		
		RAM	: Memory: 8 GB ECC DDR4 RDIMM		
		Network	: Supports 10GBASE-T, 1000BASE-T		
		Storage	: 500 GB M.2 SSD		
		Enclosure	: 19" 1U Rack Mount		
		Form Factor	: 1U		
		Power	: 100-240V, 50-60Hz		
			TAC Lite Included		
			Includes: Basic Set-up and Configuration		
		Warranty:	: 1 year		
		Installation and configuration	Installation, configuration, and integration.		
8	High density wireless	Networking interface	: (2) GbE RJ45 ports or greater	Unit	2
	access point POE (non-	Power method	: PoE+		
	licensed)	Power supply	: Gigabit PoE adapter 48V DC, 0.5A		
		Max. power consumption	: 17W or greater		
		MIMO	: 2.4 GHz, 5 GHz 4x4 or greater		
		Antenna gain	: 3 dBi or higer		
		Mounting	: Wall/ceiling (Included)		
		WiFi standards	: 802.11a/b/g/n/ac/ac		
		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		

		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated Delivery Cost	4th Floor, The M	BLGF Regional Office 4th Floor, The MAXWELL Hotel Annex Building, N. Escario Street, Kamputhaw, Cebu City		1

			ization for Region 8		
Lot Nar	ne: Server for Re	gion 8		I	
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity
1	Server	Rear Storage	: No Rear Storage	Unit	5
		Front Storage	: 8x2.5 Front Storage		
		Trusted Platform Module	: Trusted Platform Module 2.0 V3		
		Backplane	: SAS/SATA Backplane		
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU		
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666		
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666		
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration		
		Memory Configuration Type	: Performance Optimized		
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later		
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more		
		RAID	: C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more		

9-186 Section 9: Contract Forms

Storage : (3 pcs) 800GB SSD SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more Advanced : UEFI BIOS Boot Mode with GPT Partition System Configurations Power Supply : Dual, Hot-plug, Power Supply Fully Redundant (1+1), 800W, Mixed Mode **Power Cords** : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapters Adapter, OCP NIC 3.0 Bezel : No Bezel for x8 and x10 chassis Operating : Windows Server 2022 System Standard, 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) : Windows Server 2022 Licenses Standard Edition, Add License, 16CORE, NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Licenses Windows Server 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled Virtualization with pre-installed Standard or Datacenter Ed OS on incl Virtual **HDD** Rack Rails : Static Rails for 2/4-post Racks Protect your : Basic Next Business purchase -Day 36 Months, 36 View Support Month(s) offers below Extended : ProSupport and Next Services **Business Day Onsite** Service, 36 Month(s) a. Installation, configuration,

		Installation and configuration	integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this procurement and the office.		
2	Network Attached Storage (NAS) 8 HDD	CPU Model CPU Quantity CPU	: AMD Ryzen V1500B or later: 1 or greater: 64-bit	Unit	2
		Architecture	: 64-DIT		
		CPU Frequency	: 4-core 2.2 GHz or greater		
		Hardware Encryption Engine (AES- NI)	: With		
		System Memory	: 4 GB DDR4 ECC SODIMM or greater		
		Memory Module Pre- installed	: 4 GB (4 GB x 1)		
		Total Memory Slots	: 2		
		Drive Bays	: 8 or greater		
		Hard Drive Installed	: 8 pcs		
		Maximum Drive Bays with Expansion Unit	: 12 (RX418 x 1)		
		Compatible Drive Type	: 3.5" SATA HDD		
		Hot Swappable Drive	: Yes		
		Total Installed Disk Drives	: 8		

9-188 Section 9: Contract Forms

		RJ-45 1GbE LAN Port	:	4 (with Link Aggregation / Failover support)		
		USB 3.2 Gen 1	:	• • •		
		Port				
		eSATA Port		1		
		Form Factor (RU)	:	2u		
		Warranty	:	2 years		
		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
		Total non- blocking throughput	:	70 Gbps		
		Switching capacity	:	140 Gbps		
		Supported voltage range	:	100—240V AC		
		Max. power consumption	:	Excluding PoE output: 64W, Including PoE output: 500W		
		Ethernet	:	PoE Speed/Link/Activity		
		Management	:	Can manage existing UniFi Access Point		
		Warranty		2 years		
				nstallation and configuration of the		

		Installation and configuration		device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	_	:	3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type	:	KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices	:	8-port KVM switch or greater		
		Native Resolution	:	1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments	:	Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution	:	1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces	:	8 x KVM, 2 x USB or more		
		Cables Included	:	8 x keyboard / mouse / video / USB cable - 6 ft		
		Rack Mounting Kit	:	Included		

9-190 Section 9: Contract Forms

		Manufacturer Warranty Installation and configuration	: At least 2 years Installation, configuration, and integration of hardware under in this procurement.		
7	Firewall (non- licensed and hardware)	CPU Network Ports RAM Network Storage Enclosure Form Factor Power	 : Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W : Dual 1GbE RJ45 LAN via Intel® i350-AM2 : Memory: 8 GB ECC DDR4 RDIMM : Supports 10GBASE-T, 1000BASE-T : 500 GB M.2 SSD : 19" 1U Rack Mount : 1U : 100-240V, 50-60Hz TAC Lite Included Includes: Basic Set-up and Configuration 	Unit	1
		Warranty: Installation and configuration	: 1 year Installation, configuration, and integration.		
8	High density wireless access point POE (non- licensed)	interface Power method Power supply Max. power consumption MIMO Antenna gain Mounting	 : (2) GbE RJ45 ports or greater : PoE+ : Gigabit PoE adapter 48V DC, 0.5A : 17W or greater : 2.4 GHz, 5 GHz 4x4 or greater : 3 dBi or higer : Wall/ceiling (Included) : 802.11a/b/g/n/ac/ac : WEP, WPA-PSK, WPA-Enterprise 	Unit	2

		clients	(WPA/WPA2, TKIP/AES) : 500+ : Can connect to existing UniFi Management		
		Installation and configuration	Center Installation, configuration, and integration into the network.		
9	Estimated Delivery Cost	· ·	Office ndoza Commercial o. Niño Street, Tacloban	Lot	1

			zation for Region 9		
Lot Nar	ne: Server for Re	egion 9			
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity
1	Server	Rear Storage	: No Rear Storage	Unit	5
		Front Storage	: 8x2.5 Front Storage		
		Trusted Platform Module	: Trusted Platform Module 2.0 V3		
		Backplane	: SAS/SATA Backplane		
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU		
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666		
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666		
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration		
		Memory Configuration Type	: Performance Optimized		
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later		
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more		

9-192 Section 9: Contract Forms

RAID : C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more : (3 pcs) 800GB SSD Storage SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more Advanced : UEFI BIOS Boot Mode System with GPT Partition Configurations : Dual, Hot-plug, Power Power Supply Supply Fully Redundant (1+1), 800W, Mixed Mode Power Cords : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapter, OCP NIC 3.0 Adapters Bezel : No Bezel for x8 and x10 chassis Operating : Windows Server 2022 System Standard. 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) : Windows Server 2022 Licenses Standard Edition, Add License, 16CORE, NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Licenses Windows Server 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled Virtualization with pre-installed Standard or Datacenter Ed OS on incl Virtual HDD Rack Rails : Static Rails for 2/4-post Racks Protect your : Basic Next Business purchase -Day 36 Months, 36 View Support Month(s) offers below

		Extended Services Installation and configuration	: ProSupport and Next Business Day Onsite Service, 36 Month(s) a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this procurement and the office.		
2	Network Attached Storage (NAS) 8 HDD	CPU Model CPU Quantity CPU Architecture CPU Frequency Hardware Encryption Engine (AES-NI) System	: 64-bit : 4-core 2.2 GHz or greater : With	Unit	2
		Memory Memory Module Pre- installed Total Memory Slots Drive Bays Hard Drive Installed Maximum Drive Bays with Expansion Unit Compatible Drive Type Hot Swappable Drive	SODIMM or greater : 4 GB (4 GB x 1) : 2 : 8 or greater : 8 pcs : 12 (RX418 x 1) : 3.5" SATA HDD : Yes		

9-194 Section 9: Contract Forms

		Total Installed Disk Drives	:	8		
		RJ-45 1GbE LAN Port	:	4 (with Link Aggregation / Failover support)		
		USB 3.2 Gen 1 Port	:	2		
		eSATA Port	:	1		
		Form Factor (RU)	:	2u		
		Warranty	:	2 years		
		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
		Total non- blocking throughput	:	70 Gbps		
		Switching capacity	:	140 Gbps		
		Supported voltage range	:	100—240V AC		
		Max. power consumption	:	Excluding PoE output: 64W, Including PoE output: 500W		
		Ethernet	:	PoE Speed/Link/Activity		
		Management	:	Can manage existing UniFi Access Point		
				2 years		
				-		

		Warranty		nstallation and		
		Installation and configuration		configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)		3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type		KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices		8-port KVM switch or greater		
		Native Resolution		1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments		Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution		1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces		8 x KVM, 2 x USB or more		
		Cables Included		8 x keyboard / mouse / video / USB cable - 6 ft		

9-196 Section 9: Contract Forms

7	Firewall (non-licensed and hardware)	Rack Mounting Kit Manufacturer Warranty Installation and configuration CPU Network Ports RAM Network Storage Enclosure Form Factor Power	: At least 2 years Installation,	Unit	1
		Warranty: Installation and configuration	: 1 year Installation, configuration, and integration.		
8	High density wireless access point POE (non- licensed)	Networking interface Power method Power supply Max. power consumption MIMO Antenna gain Mounting WiFi standards	 : (2) GbE RJ45 ports or greater : PoE+ : Gigabit PoE adapter 48V DC, 0.5A : 17W or greater : 2.4 GHz, 5 GHz 4x4 or greater : 3 dBi or higer : Wall/ceiling (Included) : 802.11a/b/g/n/ac/ac 	Unit	2

		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated Delivery Cost	BLGF Regional (Provincial Gover Pagadian City	Office nment Complex, Dao,	Lot	1

	Lot No.: 30 – Regional Offices Computerization for Region 10						
Lot Nar	ne: Server for Re	egion 10		T			
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Server	Rear Storage	: No Rear Storage	Unit	5		
		Front Storage	: 8x2.5 Front Storage				
		Trusted Platform Module	: Trusted Platform Module 2.0 V3				
		Backplane	: SAS/SATA Backplane				
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU				
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration				
		Memory Configuration Type	: Performance Optimized				
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later				
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more				

9-198 Section 9: Contract Forms

RAID : C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more : (3 pcs) 800GB SSD Storage SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more Advanced : UEFI BIOS Boot Mode System with GPT Partition Configurations : Dual, Hot-plug, Power Power Supply Supply Fully Redundant (1+1), 800W, Mixed Mode Power Cords : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapter, OCP NIC 3.0 Adapters Bezel : No Bezel for x8 and x10 chassis Operating : Windows Server 2022 System Standard. 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) : Windows Server 2022 Licenses Standard Edition, Add License, 16CORE, NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Licenses Windows Server 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled Virtualization with pre-installed Standard or Datacenter Ed OS on incl Virtual HDD Rack Rails : Static Rails for 2/4-post Racks Protect your : Basic Next Business purchase -Day 36 Months, 36 View Support Month(s) offers below

		Extended Services Installation and configuration	: ProSupport and Next Business Day Onsite Service, 36 Month(s) a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this procurement and the office.	
2	Network Attached	CPU Model	: AMD Ryzen V1500B or Unit 2 later	
	Storage	CPU Quantity	: 1 or greater	
	(NAS) 8 HDD	CPU Architecture	: 64-bit	
		CPU Frequency	: 4-core 2.2 GHz or greater	
		Hardware Encryption Engine (AES- NI)	: With	
		System Memory	: 4 GB DDR4 ECC SODIMM or greater	
		Memory Module Pre- installed	: 4 GB (4 GB x 1)	
		Total Memory Slots	: 2	
		Drive Bays	: 8 or greater	
		Hard Drive Installed	: 8 pcs	
		Maximum Drive Bays with Expansion Unit	: 12 (RX418 x 1)	
		Compatible Drive Type	: 3.5" SATA HDD	
		Hot Swappable Drive	: Yes	

9-200 Section 9: Contract Forms

		Total Installed Disk Drives	:	8		
		RJ-45 1GbE LAN Port	:	4 (with Link Aggregation / Failover support)		
		USB 3.2 Gen 1 Port	:	2		
		eSATA Port	:	1		
		Form Factor (RU)	:	2u		
		Warranty	:	2 years		
		Installation and Configuration		Installation, configuration, integration, and network cabling.		
3	Server Rack	Form Factor	:	32U	Unit	1
		Cabinet	:	Free Standing Data Cabinet		
		Fans	:	4 Fanslot with Fan		
		Color	:	Pure Black		
		Door	:	Glass Door		
		Installation and configuration		Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.		
4	48-Port Gigabit Managed	Management interface	:	Ethernet In-Band (1) RJ45 Serial port Out-of- Band	Unit	1
	PoE UniFi Switch	Networking interface	:	(48) GbE RJ45 ports		
		PoE interface	:	(48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)		
		Total non- blocking throughput	:	70 Gbps		
		Switching capacity	:	140 Gbps		
		Supported voltage range	:	100—240V AC		
		Max. power consumption	:	Excluding PoE output: 64W, Including PoE output: 500W		
		Ethernet	:	PoE Speed/Link/Activity		
		Management	:	Can manage existing UniFi Access Point		
				2 years		
				-		

		Warranty		nstallation and		
		Installation and configuration		configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)		3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type		KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices		8-port KVM switch or greater		
		Native Resolution		1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments		Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution		1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces		8 x KVM, 2 x USB or more		
		Cables Included		8 x keyboard / mouse / video / USB cable - 6 ft		

9-202 Section 9: Contract Forms

7	Firewall (non- licensed and hardware)	Rack Mounting Kit Manufacturer Warranty Installation and configuration CPU Network Ports RAM	: Included : At least 2 years Installation, configuration, and integration of hardware under in this procurement. : Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W : Dual 1GbE RJ45 LAN via Intel® i350-AM2 : Memory: 8 GB ECC DDR4 RDIMM	Unit	1
		Network Storage Enclosure Form Factor Power	: Supports 10GBASE-T, 1000BASE-T : 500 GB M.2 SSD : 19" 1U Rack Mount : 1U : 100-240V, 50-60Hz TAC Lite Included Includes: Basic Set-up and Configuration		
		Warranty: Installation and configuration	: 1 year Installation, configuration, and integration.		
8	High density wireless access point POE (non- licensed)	Max. power consumption MIMO Antenna gain Mounting	 : (2) GbE RJ45 ports or greater : PoE+ : Gigabit PoE adapter 48V DC, 0.5A : 17W or greater : 2.4 GHz, 5 GHz 4x4 or greater : 3 dBi or higer : Wall/ceiling (Included) : 802.11a/b/g/n/ac/ac 	Unit	2

		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
			: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated Delivery Cost	BLGF Regional 6th Division corn Cagayan de Oro	ner Tejero Street, Patag,	Lot	1

	Lot No.: 31 – Regional Offices Computerization for Region 11						
Lot Nar	ne: Server for Re	egion 11		T			
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Server	Rear Storage	: No Rear Storage	Unit	5		
		Front Storage	: 8x2.5 Front Storage				
		Trusted Platform Module	: Trusted Platform Module 2.0 V3				
		Backplane	: SAS/SATA Backplane				
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU				
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration				
		Memory Configuration Type	: Performance Optimized				
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later				
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more				

9-204 Section 9: Contract Forms

RAID : C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more : (3 pcs) 800GB SSD Storage SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more Advanced : UEFI BIOS Boot Mode System with GPT Partition Configurations : Dual, Hot-plug, Power Power Supply Supply Fully Redundant (1+1), 800W, Mixed Mode Power Cords : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapter, OCP NIC 3.0 Adapters Bezel : No Bezel for x8 and x10 chassis Operating : Windows Server 2022 System Standard. 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) : Windows Server 2022 Licenses Standard Edition, Add License, 16CORE, NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Licenses Windows Server 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled Virtualization with pre-installed Standard or Datacenter Ed OS on incl Virtual HDD Rack Rails : Static Rails for 2/4-post Racks Protect your : Basic Next Business purchase -Day 36 Months, 36 View Support Month(s) offers below

		Extended Services Installation and configuration	: ProSupport and Next Business Day Onsite Service, 36 Month(s) a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this procurement and the office.	
2	Network Attached	CPU Model	: AMD Ryzen V1500B or Unit 2 later	
	Storage	CPU Quantity	: 1 or greater	
	(NAS) 8 HDD	CPU Architecture	: 64-bit	
		CPU Frequency	: 4-core 2.2 GHz or greater	
		Hardware Encryption Engine (AES- NI)	: With	
		System Memory	: 4 GB DDR4 ECC SODIMM or greater	
		Memory Module Pre- installed	: 4 GB (4 GB x 1)	
		Total Memory Slots	: 2	
		Drive Bays	: 8 or greater	
		Hard Drive Installed	: 8 pcs	
		Maximum Drive Bays with Expansion Unit	: 12 (RX418 x 1)	
		Compatible Drive Type	: 3.5" SATA HDD	
		Hot Swappable Drive	: Yes	

9-206 Section 9: Contract Forms

		Total Installed Disk Drives	: 8	
		RJ-45 1GbE LAN Port	: 4 (with Link Aggregation / Failover support)	
		USB 3.2 Gen 1 Port	: 2	
		eSATA Port	: 1	
		Form Factor (RU)	: 2u	
		Warranty	: 2 years	
		Installation and Configuration	Installation, configuration, integration, and network cabling.	
3	Server Rack	Form Factor	: 32U Unit	1
		Cabinet	: Free Standing Data Cabinet	
		Fans	: 4 Fanslot with Fan	
		Color	: Pure Black	
		Door	: Glass Door	
		Installation and configuration	Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.	
4	48-Port Gigabit Managed	Management interface	: Ethernet In-Band (1) Unit RJ45 Serial port Out-of- Band	1
	PoE UniFi Switch	Networking interface	: (48) GbE RJ45 ports	
		PoE interface	: (48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)	
		Total non- blocking throughput	: 70 Gbps	
		Switching capacity	: 140 Gbps	
		Supported voltage range	: 100—240V AC	
		Max. power consumption	: Excluding PoE output: 64W, Including PoE output: 500W	
		Ethernet	: PoE Speed/Link/Activity	
		Management	: Can manage existing UniFi Access Point	
			2 years	
•				

		Warranty		nstallation and		
		Installation and configuration		configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)		3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type		KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices		8-port KVM switch or greater		
		Native Resolution		1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments		Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution		1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces		8 x KVM, 2 x USB or more		
		Cables Included		8 x keyboard / mouse / video / USB cable - 6 ft		

9-208 Section 9: Contract Forms

		Rack Mounting	: Included		
		Kit			
		Manufacturer Warranty	: At least 2 years		
		Installation and	Installation, configuration, and		
		configuration	integration of hardware		
			under in this procurement.		
7	Firewall (non-	CPU	: Intel "Xeon-DE" D-1537,	Unit	1
	licensed and hardware)		1.7 GHz, Eight Cores, 16 Threads, 35W		
		Network Ports	: Dual 1GbE RJ45 LAN via Intel® i350-AM2		
		RAM	: Memory: 8 GB ECC DDR4 RDIMM		
		Network	: Supports 10GBASE-T, 1000BASE-T		
		Storage	: 500 GB M.2 SSD		
		Enclosure	: 19" 1U Rack Mount		
		Form Factor	: 1U		
		Power	: 100-240V, 50-60Hz		
			TAC Lite Included		
			Includes: Basic Set-up and Configuration		
		Warranty: Installation and configuration	: 1 year Installation, configuration, and integration.		
8	High density	Networking	: (2) GbE RJ45 ports or	Unit	2
	wireless access point	interface	greater		
	POE (non-	Power method			
	licensed)	Power supply	: Gigabit PoE adapter 48V DC, 0.5A		
		Max. power consumption	: 17W or greater		
		MIMO	: 2.4 GHz, 5 GHz 4x4 or greater		
		Antenna gain	: 3 dBi or higer		
		Mounting	: Wall/ceiling (Included)		
		WiFi standards	: 802.11a/b/g/n/ac/ac		

		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated Delivery Cost	BLGF Regional (JV'S Peak Realt City	Office y, Roxas Avenue, Davao	Lot	1

Lot No.: 32 – Regional Offices Computerization for Region 12							
Lot Nar	Lot Name: Server for Region 12						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Server	Rear Storage	: No Rear Storage	Unit	5		
		Front Storage	: 8x2.5 Front Storage				
		Trusted Platform Module	: Trusted Platform Module 2.0 V3				
		Backplane	: SAS/SATA Backplane				
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU				
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666				
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration				
		Memory Configuration Type	: Performance Optimized				
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later				
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more				

9-210 Section 9: Contract Forms

RAID : C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more : (3 pcs) 800GB SSD Storage SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more Advanced : UEFI BIOS Boot Mode System with GPT Partition Configurations : Dual, Hot-plug, Power Power Supply Supply Fully Redundant (1+1), 800W, Mixed Mode Power Cords : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapter, OCP NIC 3.0 Adapters Bezel : No Bezel for x8 and x10 chassis Operating : Windows Server 2022 System Standard. 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) : Windows Server 2022 Licenses Standard Edition, Add License,16CORE,NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Licenses Windows Server 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled Virtualization with pre-installed Standard or Datacenter Ed OS on incl Virtual HDD Rack Rails : Static Rails for 2/4-post Racks Protect your : Basic Next Business purchase -Day 36 Months, 36 View Support Month(s) offers below

		Extended Services Installation and configuration	: ProSupport and Next Business Day Onsite Service, 36 Month(s) a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this procurement and the office.	
2	Network Attached	CPU Model	: AMD Ryzen V1500B or Unit 2 later	
	Storage	CPU Quantity	: 1 or greater	
	(NAS) 8 HDD	CPU Architecture	: 64-bit	
		CPU Frequency	: 4-core 2.2 GHz or greater	
		Hardware Encryption Engine (AES- NI)	: With	
		System Memory	: 4 GB DDR4 ECC SODIMM or greater	
		Memory Module Pre- installed	: 4 GB (4 GB x 1)	
		Total Memory Slots	: 2	
		Drive Bays	: 8 or greater	
		Hard Drive Installed	: 8 pcs	
		Maximum Drive Bays with Expansion Unit	: 12 (RX418 x 1)	
		Compatible Drive Type	: 3.5" SATA HDD	
		Hot Swappable Drive	: Yes	

9-212 Section 9: Contract Forms

			.
		Total Installed Disk Drives	: 8
		RJ-45 1GbE LAN Port	: 4 (with Link Aggregation / Failover support)
		USB 3.2 Gen 1 Port	: 2
		eSATA Port	: 1
		Form Factor (RU)	: 2u
		Warranty	: 2 years
		Installation and Configuration	Installation, configuration, integration, and network cabling.
3	Server Rack	Form Factor	: 32U Unit 1
		Cabinet	: Free Standing Data Cabinet
		Fans	: 4 Fanslot with Fan
		Color	: Pure Black
		Door	: Glass Door
		Installation and configuration	Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.
4	48-Port Gigabit Managed	Management interface	: Ethernet In-Band (1) Unit 1 RJ45 Serial port Out-of- Band
	PoE UniFi Switch	Networking interface	: (48) GbE RJ45 ports
		PoE interface	: (48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)
		Total non- blocking throughput	: 70 Gbps
		Switching capacity	: 140 Gbps
		Supported voltage range	: 100—240V AC
		Max. power consumption	: Excluding PoE output: 64W, Including PoE output: 500W
		Ethernet	: PoE Speed/Link/Activity
		Management	: Can manage existing UniFi Access Point
			2 years

		Warranty		nstallation and		
		Installation and configuration		configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)		3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type		KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices		8-port KVM switch or greater		
		Native Resolution		1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments		Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution		1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces		8 x KVM, 2 x USB or more		
		Cables Included		8 x keyboard / mouse / video / USB cable - 6 ft		

9-214 Section 9: Contract Forms

		Rack Mounting	: Included		
		Kit			
		Manufacturer Warranty	: At least 2 years		
		Installation and	Installation, configuration, and		
		configuration	integration of hardware		
			under in this procurement.		
7	Firewall (non-	CPU	: Intel "Xeon-DE" D-1537,	Unit	1
	licensed and hardware)		1.7 GHz, Eight Cores, 16 Threads, 35W		
		Network Ports	: Dual 1GbE RJ45 LAN via Intel® i350-AM2		
		RAM	: Memory: 8 GB ECC DDR4 RDIMM		
		Network	: Supports 10GBASE-T, 1000BASE-T		
		Storage	: 500 GB M.2 SSD		
		Enclosure	: 19" 1U Rack Mount		
		Form Factor	: 1U		
		Power	: 100-240V, 50-60Hz		
			TAC Lite Included		
			Includes: Basic Set-up and Configuration		
		Warranty: Installation and configuration	: 1 year Installation, configuration, and integration.		
8	High density	Networking	: (2) GbE RJ45 ports or	Unit	2
	wireless access point	interface	greater		
	POE (non-	Power method			
	licensed)	Power supply	: Gigabit PoE adapter 48V DC, 0.5A		
		Max. power consumption	: 17W or greater		
		MIMO	: 2.4 GHz, 5 GHz 4x4 or greater		
		Antenna gain	: 3 dBi or higer		
		Mounting	: Wall/ceiling (Included)		
		WiFi standards	: 802.11a/b/g/n/ac/ac		

		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated Delivery Cost	BLGF Regional (Prime Regional (Carpenter Hill, K	Government Center, Brgy.	Lot	1

Lot No.: 33 – Regional Offices Computerization for Region 13 (CARAGA)						
Lot Nar	Lot Name: Server for Region 13 (CARAGA)					
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity	
1	Server	Rear Storage	: No Rear Storage	Unit	5	
		Front Storage	: 8x2.5 Front Storage			
		Trusted Platform Module	: Trusted Platform Module 2.0 V3			
		Backplane	: SAS/SATA Backplane			
		Chassis	: 2.5" Chassis with up to 8 Hard Drives (SAS/SATA), 2 CPU			
		Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666			
		Additional Processor	: Intel® Xeon® Silver 4310 2.1G, 12C 18M Cache, Turbo, HT (120W) DDR4-2666			
		Processor Thermal Configuration	: Heatsink for 2 CPU configuration			
		Memory Configuration Type	: Performance Optimized			
		Memory DIMM Type and Speed	: 3200MT/s RDIMMs or higher and later			
		Memory	: (2 pcs) 8GB RDIMM, 3200MT/s, Single Rank or more			

9-216 Section 9: Contract Forms

RAID : C1, No RAID for HDDs/SSDs (Mixed Drive Types Allowed) or more : (3 pcs) 800GB SSD Storage SAS Mixed Use up to 24Gbps 512e 2.5in Hot-Plug or more Advanced : UEFI BIOS Boot Mode System with GPT Partition Configurations : Dual, Hot-plug, Power Power Supply Supply Fully Redundant (1+1), 800W, Mixed Mode Power Cords : (2 pcs) 15 AMP, 10 Feet (3m), Power Cord OCP 3.0 : Broadcom 5720 Quad Network Port 1GbE BASE-T Adapter, OCP NIC 3.0 Adapters Bezel : No Bezel for x8 and x10 chassis Operating : Windows Server 2022 System Standard. 16CORE,FI,No Med,No CAL, Multi Language or later OS Media Kits: Windows Server 2022 Standard, 16CORE, DF Recovery Image, Multi Lang, (Downgrade not included) : Windows Server 2022 Licenses Standard Edition, Add License,16CORE,NO MEDIA/KEY Client Access : (3 pcs) 5-pack of Licenses Windows Server 2022/2019 Device CALs (Standard or Datacenter) Enabled : Hyper-V role enabled Virtualization with pre-installed Standard or Datacenter Ed OS on incl Virtual HDD Rack Rails : Static Rails for 2/4-post Racks Protect your : Basic Next Business purchase -Day 36 Months, 36 View Support Month(s) offers below

		Extended Services Installation and configuration	: ProSupport and Next Business Day Onsite Service, 36 Month(s) a. Installation, configuration, integration of Microsoft Windows Server, DHCP Server, DNS, Domain Controller, and Group Policy including softwares included in this procurement activity. b. Installation software not requiring subscription other than provided by this procurement and the office.	
2	Network Attached	CPU Model	: AMD Ryzen V1500B or Unit 2 later	
	Storage	CPU Quantity	: 1 or greater	
	(NAS) 8 HDD	CPU Architecture	: 64-bit	
		CPU Frequency	: 4-core 2.2 GHz or greater	
		Hardware Encryption Engine (AES- NI)	: With	
		System Memory	: 4 GB DDR4 ECC SODIMM or greater	
		Memory Module Pre- installed	: 4 GB (4 GB x 1)	
		Total Memory Slots	: 2	
		Drive Bays	: 8 or greater	
		Hard Drive Installed	: 8 pcs	
		Maximum Drive Bays with Expansion Unit	: 12 (RX418 x 1)	
		Compatible Drive Type	: 3.5" SATA HDD	
		Hot Swappable Drive	: Yes	

9-218 Section 9: Contract Forms

			.
		Total Installed Disk Drives	: 8
		RJ-45 1GbE LAN Port	: 4 (with Link Aggregation / Failover support)
		USB 3.2 Gen 1 Port	: 2
		eSATA Port	: 1
		Form Factor (RU)	: 2u
		Warranty	: 2 years
		Installation and Configuration	Installation, configuration, integration, and network cabling.
3	Server Rack	Form Factor	: 32U Unit 1
		Cabinet	: Free Standing Data Cabinet
		Fans	: 4 Fanslot with Fan
		Color	: Pure Black
		Door	: Glass Door
		Installation and configuration	Installation of server rack, network cabling inside the server rack, and integration to the ISP's physical network.
4	48-Port Gigabit Managed	Management interface	: Ethernet In-Band (1) Unit 1 RJ45 Serial port Out-of- Band
	PoE UniFi Switch	Networking interface	: (48) GbE RJ45 ports
		PoE interface	: (48) PoE/PoE+ (Pins 1, 2+; 3, 6-), 24V DC passive PoE (Pins 4, 5+; 7, 8-)
		Total non- blocking throughput	: 70 Gbps
		Switching capacity	: 140 Gbps
		Supported voltage range	: 100—240V AC
		Max. power consumption	: Excluding PoE output: 64W, Including PoE output: 500W
		Ethernet	: PoE Speed/Link/Activity
		Management	: Can manage existing UniFi Access Point
			2 years

		Warranty		nstallation and		
		Installation and configuration		configuration of the device to integrate with the network and ISP.		
5	Uninterrupted Power Supply	Rating (VA/W)		3000VA/2700W or greater	Unit	1
		Nominal Voltage Setting:		230V		
		Voltage Range Without Battery Operation (230V default):	:	166 - 278		
		Frequency Range (Hz):	:	55 - 65		
		Output Voltage:	:	200/208/220/230/240		
		Waveform (Battery Operation):	:	Sine Wave		
		Recharge Time (internal batteries, typical):	:	3 hr @ 90%		
		Warranty:	:	2 Years		
		Installation and configuration		Installation, configuration, and integration of hardware under in this procurement.		
6	KVM Switch with Console	Display Type		KVM console / TFT active matrix	Unit	1
		Diagonal Size	:	19" or bigger		
		Built-in Devices		8-port KVM switch or greater		
		Native Resolution		1280 x 1024 at 75 Hz or higher		
		Controls & Adjustments		Brightness, contrast, H/V position, color temperature, phase, clock		
		Form Factor	:	1U		
		Input	:	Keyboard, touchpad		
		Max Resolution		1280 x 1024 @ 75 Hz or higher		
		Connectivity Interfaces		8 x KVM, 2 x USB or more		
		Cables Included		8 x keyboard / mouse / video / USB cable - 6 ft		

9-220 Section 9: Contract Forms

		Rack Mounting Kit Manufacturer Warranty Installation and configuration	: Included : At least 2 years Installation, configuration, and integration of hardware under in this procurement.		
7	Firewall (non- licensed and hardware)	Network Ports RAM Network Storage Enclosure	: Intel "Xeon-DE" D-1537, 1.7 GHz, Eight Cores, 16 Threads, 35W : Dual 1GbE RJ45 LAN via Intel® i350-AM2 : Memory: 8 GB ECC DDR4 RDIMM : Supports 10GBASE-T, 1000BASE-T : 500 GB M.2 SSD : 19" 1U Rack Mount : 1U : 100-240V, 50-60Hz TAC Lite Included Includes: Basic Set-up and Configuration	Unit	1
		Warranty: Installation and configuration	: 1 year Installation, configuration, and integration.		
8	High density wireless access point POE (non- licensed)	interface Power method Power supply Max. power consumption MIMO Antenna gain Mounting	 : (2) GbE RJ45 ports or greater : PoE+ : Gigabit PoE adapter 48V DC, 0.5A : 17W or greater : 2.4 GHz, 5 GHz 4x4 or greater : 3 dBi or higer : Wall/ceiling (Included) : 802.11a/b/g/n/ac/ac 	Unit	2

		Wireless security	: WEP, WPA-PSK, WPA- Enterprise (WPA/WPA2, TKIP/AES)		
		Concurrent clients	: 500+		
		Management	: Can connect to existing UniFi Management Center		
		Installation and configuration	Installation, configuration, and integration into the network.		
9	Estimated	BLGF Regional (BLGF Regional Office		1
	Delivery Cost	2nd Floor, P.S. A Butuan City	Arcade, J. P. Rosales Ave.,		

Lot No.: 34 – Regional Offices Computerization for Cordillera Administrative Region (CAR)							
Lot Nar	Lot Name: Printer Copier Monochrome						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Printer Copier Monochrome		B/W Digital Copier, Network vork Colour Scanner	Unit	1		
		Engine Speed	: 28 pages/min (copy & print)				
		Document Feeder	100-sheets Reversing Single Pass				
		Paper Capacity	: Two (2) 500-sheets Paper cassette trays				
		Multi bypass tray	s 100 sheets				
		Paper size	: Short, A4, legal & Max A3 (11' x 17")				
		Memory	: 4GB 120GB SSD				
		Userr Authentica- tion	: up to 1,000 users				
		Document Filing Capacity	s User Authentication				
		Features	: Duplex Printing/Copying, Electronic Sorting,				
		Display	7.0-inch colour LCD touchscreenWarranty (1) year				

9-222 Section 9: Contract Forms

		Conti- : nuous copy	9,999 copies		
		Zoom : range	25% to 400% in 1% increment		
		Scanning : Speed	60 originals/min (colour & B/W)		
		Scan : Destina- tion	SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
		Resolution :	1200 x 600 dpi 600 x 600 dpi		
		Supported : OS	Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost		Home Builders Building No. Road, Guisad, Baguio City		

			uterization for Region 1			
Lot Nar	Lot Name: Printer Copier Monochrome Name of IT					
Item No.	Name of II Products and Services		Description	Unit of Measurement	Quantity	
1	Printer Copier Monochrome		B/W Digital Copier, Network work Colour Scanner	Unit	1	
		Engine Speed	: 28 pages/min (copy & print)			
		Document Feeder	100-sheets Reversing Single Pass			
		Paper Capacity	: Two (2) 500-sheets Paper cassette trays			
		Multi bypass tray	s 100 sheets			
		Paper size	: Short, A4, legal & Max A3 (11' x 17")			
			:			
		Memory	: 4GB 120GB SSD			
		Userr Authentica- tion	: up to 1,000 users			
		Document Filing Capacity	s User Authentication			
		Features	: Duplex Printing/Copying, Electronic Sorting,			

		Display	7.0-inch colour LCD touchscreen Warranty (1) year		
		Conti- nuous copy	9,999 copies		
		Zoom : range	25% to 400% in 1% increment		
		Scanning : Speed	60 originals/min (colour & B/W)		
		Scan : Destina- tion	SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
		Resolution :	1200 x 600 dpi 600 x 600 dpi		
		Supported : OS	Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated	BLGF Region	al Office	Lot	1
	Delivery Cost		nny Plaza Building, South ue, San Fernando City, La		

	Lot No.: 36 – Regional Offices Computerization for Region 2						
Lot Nar	Lot Name: Printer Copier Monochrome						
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity		
1	Printer Copier Monochrome		/W Digital Copier, Network ork Colour Scanner	Unit	1		
		Engine Speed	: 28 pages/min (copy & print)				
		Document Feeder	100-sheets Reversing Single Pass				
		Paper Capacity	: Two (2) 500-sheets Paper cassette trays				
		Multi bypass tray	100 sheets				
		Paper size	: Short, A4, legal & Max A3 (11' x 17")				
			:				
		Memory	: 4GB 120GB SSD				
		Userr Authentica- tion	: up to 1,000 users				

9-224 Section 9: Contract Forms

		Document s Filing Capacity	S User Authentication		
		Features	: Duplex Printing/Copying, Electronic Sorting,		
		Display	7.0-inch colour LCD touchscreen Warranty (1) year		
		Conti- nuous copy	: 9,999 copies		
		Zoom range	: 25% to 400% in 1% increment		
		Scanning Speed	: 60 originals/min (colour & B/W)		
		Scan Destina- tion	: SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
		Resolution	: 1200 x 600 dpi 600 x 600 dpi		
		Supported OS	: Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated	BLGF Region	nal Office	Lot	1
	Delivery Cost	Government	na Pavvuluran, Regional, Center, Carig Sur, City, Cagayan		

Lot No.	Lot No.: 37 – Regional Offices Computerization for Region 3							
Lot Nar	Lot Name: Printer Copier Monochrome							
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity			
1	Printer Copier Monochrome		/W Digital Copier, Network ork Colour Scanner	Unit	1			
		Engine Speed	: 28 pages/min (copy & print)					
		Document Feeder	100-sheets Reversing Single Pass					
		Paper Capacity	: Two (2) 500-sheets Paper cassette trays					
		Multi bypass tray	100 sheets					
		Paper size	: Short, A4, legal & Max A3 (11' x 17")					
		Memory	: : 4GB 120GB SSD					

		Userr : Authentica- tion	up to 1,000 users		
		Document s Filing Capacity	User Authentication		
		Features :	Duplex Printing/Copying, Electronic Sorting,		
		Display	7.0-inch colour LCD touchscreen Warranty (1) year		
		Conti- nuous copy	9,999 copies		
		Zoom : range	25% to 400% in 1% increment		
		Scanning : Speed	60 originals/min (colour & B/W)		
		Scan : Destina- tion	SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
		Resolution :	1200 x 600 dpi 600 x 600 dpi		
		Supported : OS	Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated	BLGF Region	al Office	Lot	1
	Delivery Cost		capagal Government Center, eet, San Fernando City,		

			erization for Region 4A (CALAE	BARZON)	
Lot Nar	ne: Printer Copie	r Monochrome		T	
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity
1	Printer Copier Monochrome		W Digital Copier, Network ork Colour Scanner	Unit	1
		Engine : Speed	28 pages/min (copy & print)		
		Document Feeder	100-sheets Reversing Single Pass		
		Paper : Capacity	Two (2) 500-sheets Paper cassette trays		
		Multi bypass tray	100 sheets		

9-226 Section 9: Contract Forms

	Paper size : Short, A4, legal & Max A3 (11' x 17")
	Memory : 4GB 120GB SSD
	Userr : up to 1,000 users Authentica- tion
	Document s User Authentication Filing Capacity
	Features : Duplex Printing/Copying, Electronic Sorting,
	Display 7.0-inch colour LCD touchscreen Warranty (1) year
	Conti- : 9,999 copies nuous copy
	Zoom : 25% to 400% in 1% range increment
	Scanning : 60 originals/min (colour & Speed B/W)
	Scan : SCAN to email, FTP server, Destina- Network folder, Desktop, tion SSD, USB drive
	Resolution: 1200 x 600 dpi 600 x 600 dpi
	Supported: Windows Server 2012, OS Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10
2 Estimated	BLGF Regional Office Lot 1
Delivery Cost	3rd Floor, Marcelita Building, National Highway, Brgy. Real, Calamba City

Lot No.	: 39 – Regional C	Offices Computerization for Region 4B (MIMAF	ROPA)	
Lot Nar	ne: Printer Copie	r Monochrome		
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Printer Copier Monochrome	Brand New B/W Digital Copier, Network Printer, Network Colour Scanner	Unit	1
		Engine : 28 pages/min (copy & print) Speed		
		Document Feeder 100-sheets Reversing Single Pass		
		Paper : Two (2) 500-sheets Paper Capacity cassette trays		

	Multi bypass		
	tray 100 sheets		
	Paper size : Short, A4, legal & Max A3 (11' x 17")		
	: Marrage : 40D 4200D CCD		
	Memory : 4GB 120GB SSD		
	Userr : up to 1,000 users Authentication		
	Document subser Authentication Filing Capacity		
	Features : Duplex Printing/Copying, Electronic Sorting,		
	Display 7.0-inch colour LCD touchscreen Warranty (1) year		
	Conti- : 9,999 copies nuous copy		
	Zoom : 25% to 400% in 1% range increment		
	Scanning : 60 originals/min (colour & Speed B/W)		
	Scan : SCAN to email, FTP server, Destination SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
	Resolution : 1200 x 600 dpi 600 x 600 dpi		
	Supported: Windows Server 2012, OS Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2 Estimated	BLGF Regional Office	Lot	1
Delivery Cost	3rd Floor, MB Building, Barangay Gulod Labac, Batangas City		

Lot No.	: 40 – Regional C	Offices Comput	erization for Region 5		
Lot Nar	ne: Printer Copie	r Monochrome	r		
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity
1	Printer Copier Monochrome		/W Digital Copier, Network ork Colour Scanner	Unit	1
		Engine Speed	: 28 pages/min (copy & print)		
		Document Feeder	100-sheets Reversing Single Pass		

D. I. I. D		0: 1 0: 0 = 1
Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-228 Section 9: Contract Forms

	Paper : Two (2) 500-sheets Paper Capacity cassette trays	
	Multi bypass tray 100 sheets	
	Paper size : Short, A4, legal & Max A3 (11' x 17")	
	: Memory : 4GB 120GB SSD	
	Userr : up to 1,000 users Authentica- tion	
	Document s User Authentication Filing Capacity	
	Features : Duplex Printing/Copying, Electronic Sorting,	
	Display 7.0-inch colour LCD touchscreen Warranty (1) year	
	Conti- : 9,999 copies nuous copy	
	Zoom : 25% to 400% in 1% range increment	
	Scanning : 60 originals/min (colour & Speed B/W)	
	Scan : SCAN to email, FTP server, Destina- Network folder, Desktop, tion SSD, USB drive	
	Resolution : 1200 x 600 dpi 600 x 600 dpi	
	Supported: Windows Server 2012, OS Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10	
2 Estimated Delivery Cost	BLGF Regional Office Lot 1	
Zonvory Good	Regional Government Center, Rawis, 4500 Legazpi City, Albay	

Lot No.	: 41 – Regional C	Offices Computerization for Region 6		
Lot Nar	ne: Printer Copie	r Monochrome		
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Printer Copier Monochrome	Brand New B/W Digital Copier, Network Printer, Network Colour Scanner	Unit	1
		Engine : 28 pages/min (copy & print) Speed		

		Document Feeder	100-sheets Reversing Single Pass		
			Two (2) 500-sheets Paper cassette trays		
		Multi bypass tray	100 sheets		
		Paper size :	Short, A4, legal & Max A3 (11' x 17")		
		: Memory :	4GB 120GB SSD		
		Userr : Authentica- tion	up to 1,000 users		
		Document s Filing Capacity	User Authentication		
		Features :	Duplex Printing/Copying, Electronic Sorting,		
		Display	7.0-inch colour LCD touchscreen Warranty (1) year		
		Conti- : nuous copy	9,999 copies		
		Zoom : range	25% to 400% in 1% increment		
		Scanning : Speed	60 originals/min (colour & B/W)		
		Scan : Destina- tion	SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
		Resolution :	1200 x 600 dpi 600 x 600 dpi		
		Supported : OS	Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost	Nos. 228, Bara City	angay General Hughes, Iloilo		

Lot No.	Lot No.: 42 – Regional Offices Computerization for Region 7				
Lot Nar	ne: Printer Copie	r Monochrome			
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity	
1	Printer Copier Monochrome	Brand New B/W Digital Copier, Network Printer, Network Colour Scanner	Unit	1	

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-230 Section 9: Contract Forms

	T			Г	
		Engine Speed	: 28 pages/min (copy & print)		
		Document Feeder	100-sheets Reversing Single Pass		
			: Two (2) 500-sheets Paper cassette trays		
		Multi bypass tray	100 sheets		
		Paper size	: Short, A4, legal & Max A3 (11' x 17")		
			:		
		Memory	: 4GB 120GB SSD		
		Userr Authentica- tion	: up to 1,000 users		
		Document s Filing Capacity	s User Authentication		
		Features	: Duplex Printing/Copying, Electronic Sorting,		
		Display	7.0-inch colour LCD touchscreen Warranty (1) year		
		Conti- nuous copy	: 9,999 copies		
		Zoom range	: 25% to 400% in 1% increment		
		Scanning Speed	: 60 originals/min (colour & B/W)		
		Scan Destina- tion	: SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
		Resolution	: 1200 x 600 dpi 600 x 600 dpi		
		Supported OS	: Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated	BLGF Region	nal Office	Lot	1
	Delivery Cost		e MAXWELL Hotel Annex Escario Street, Kamputhaw,		

			erization for Region 8		
Lot Nar	me: Printer Copie	r Monochrome		Γ	
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity
1	Printer Copier Monochrome		W Digital Copier, Network ork Colour Scanner	Unit	1
		Engine : Speed	28 pages/min (copy & print)		
		Document Feeder	100-sheets Reversing Single Pass		
		Paper : Capacity	Two (2) 500-sheets Paper cassette trays		
		Multi bypass tray	100 sheets		
		Paper size :	Short, A4, legal & Max A3 (11' x 17")		
		:			
		Memory :	4GB 120GB SSD		
		Userr : Authentica- tion	up to 1,000 users		
		Document s Filing Capacity	User Authentication		
		Features :	Duplex Printing/Copying, Electronic Sorting,		
		Display	7.0-inch colour LCD touchscreen Warranty (1) year		
		Conti- : nuous copy	9,999 copies		
		Zoom : range	25% to 400% in 1% increment		
		Scanning : Speed	60 originals/min (colour & B/W)		
		Scan : Destina- tion	SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
		Resolution :	1200 x 600 dpi 600 x 600 dpi		
		Supported : OS	Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated	BLGF Regiona	al Office	Lot	1
	Delivery Cost	3rd Floor, F. M	Mendoza Commercial		

9-232 Section 9: Contract Forms

Complex, 141 Sto. Niño Street, Tacloban City
--

Lot No.	: 44 – Regional C	Offices Compute	erization for Region 9		
	ne: Printer Copie				I
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity
1	Printer Copier Monochrome		W Digital Copier, Network ork Colour Scanner	Unit	1
		Engine : Speed	28 pages/min (copy & print)		
		Document Feeder	100-sheets Reversing Single Pass		
		Paper : Capacity	Two (2) 500-sheets Paper cassette trays		
		Multi bypass tray	100 sheets		
		Paper size :	Short, A4, legal & Max A3 (11' x 17")		
		:			
		Memory :	4GB 120GB SSD		
		Userr : Authentica- tion	up to 1,000 users		
		Document so Filing Capacity	User Authentication		
		Features :	Duplex Printing/Copying, Electronic Sorting,		
		Display	7.0-inch colour LCD touchscreen Warranty (1) year		
		Conti- : nuous copy	9,999 copies		
		Zoom : range	25% to 400% in 1% increment		
		Scanning : Speed	60 originals/min (colour & B/W)		
		Scan : Destina- tion	SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
		Resolution :	1200 x 600 dpi 600 x 600 dpi		
		Supported : OS	Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows 8.1,		

		Windows 10		
2	Estimated Delivery Cost	BLGF Regional Office Provincial Government Complex, Dao, Pagadian City	Lot	1

Lot No.: 45 – Regional Offices Computerization for Region 10								
Lot Nar	ne: Printer Copie	r Monochrome	e					
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity			
1	Printer Copier Monochrome		B/W Digital Copier, Network vork Colour Scanner	Unit	1			
		Engine Speed	: 28 pages/min (copy & print)					
		Document Feeder	100-sheets Reversing Single Pass					
		Paper Capacity	: Two (2) 500-sheets Paper cassette trays					
		Multi bypass tray	100 sheets					
		Paper size	: Short, A4, legal & Max A3 (11' x 17")					
		Memory	: 4GB 120GB SSD					
		Userr Authentica- tion	: up to 1,000 users					
		Document Filing Capacity	s User Authentication					
		Features	: Duplex Printing/Copying, Electronic Sorting,					
		Display	7.0-inch colour LCD touchscreen Warranty (1) year					
		Conti- nuous copy	: 9,999 copies					
		Zoom range	: 25% to 400% in 1% increment					
		Scanning Speed	: 60 originals/min (colour & B/W)					
		Scan Destina- tion	: SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive					
		Resolution	: 1200 x 600 dpi 600 x 600 dpi					

9-234 Section 9: Contract Forms

		Supported: Windows Server 2012, OS Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated Delivery Cost	BLGF Regional Office 6th Division corner Tejero Street, Patag, Cagayan de Oro City	Lot	1

Lot No.	: 46 – Regional C	Offices Compu	ıte	erization for Region 11		
	ne: Printer Copie					
Item No.	Name of IT Products and Services			Description	Unit of Measurement	Quantity
1	Printer Copier Monochrome			W Digital Copier, Network rk Colour Scanner	Unit	1
		Engine Speed	:	28 pages/min (copy & print)		
		Document Feeder		100-sheets Reversing Single Pass		
		Paper Capacity		Two (2) 500-sheets Paper cassette trays		
		Multi bypass tray	3	100 sheets		
		Paper size	:	Short, A4, legal & Max A3 (11' x 17")		
			:			
		Memory	:	4GB 120GB SSD		
		Userr Authentica- tion	:	up to 1,000 users		
		Document Filing Capacity	S	User Authentication		
		Features	:	Duplex Printing/Copying, Electronic Sorting,		
		Display		7.0-inch colour LCD touchscreen Warranty (1) year		
		Conti- nuous copy	:	9,999 copies		
		Zoom range	:	25% to 400% in 1% increment		
		Scanning Speed	:	60 originals/min (colour & B/W)		
		Scan Destina- tion	:	SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		

		Resolution: 1200 x 600 dpi 600 x 600 dpi		
		Supported: Windows Server 2012, OS Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated Delivery Cost	BLGF Regional Office JV'S Peak Realty, Roxas Avenue, Davao City	Lot	1

Lot No.	: 47 – Regional C	Offices Compu	ute	rization for Region 12		
Lot Nar	ne: Printer Copie	r Monochrom	ıe			
Item No.	Name of IT Products and Services			Description	Unit of Measurement	Quantity
1	Printer Copier Monochrome			W Digital Copier, Network rk Colour Scanner	Unit	1
		Engine Speed	:	28 pages/min (copy & print)		
		Document Feeder		100-sheets Reversing Single Pass		
		Paper Capacity		Two (2) 500-sheets Paper cassette trays		
		Multi bypass tray	5	100 sheets		
		Paper size	:	Short, A4, legal & Max A3 (11' x 17")		
			:			
		Memory	:	4GB 120GB SSD		
		Userr Authentica- tion	:	up to 1,000 users		
		Document Filing Capacity	S	User Authentication		
		Features	:	Duplex Printing/Copying, Electronic Sorting,		
		Display		7.0-inch colour LCD touchscreen Warranty (1) year		
		Conti- nuous copy	:	9,999 copies		
		Zoom range	:	25% to 400% in 1% increment		
		Scanning Speed	:	60 originals/min (colour & B/W)		

9-236 Section 9: Contract Forms

	Scan : Destina- tion	SCAN to email, FTP server, Network folder, Desktop, SSD, USB drive		
	Resolution :	1200 x 600 dpi 600 x 600 dpi		
	Supported : OS	Windows Server 2012, Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
Estimated Delivery Cost	BLGF Regional Office Prime Regional Government Center, Brgy. Carpenter Hill, Koronadal City		Lot	1

	Lot No.: 48 – Regional Offices Computerization for Region 13 (CARAGA)								
Lot Nar	ne: Printer Copie	r Monochrom	e	1					
Item No.	Name of IT Products and Services		Description	Unit of Measurement	Quantity				
1	Printer Copier Monochrome		B/W Digital Copier, Network work Colour Scanner	Unit	1				
		Engine Speed	: 28 pages/min (copy & print)						
		Document Feeder	100-sheets Reversing Single Pass						
		Paper Capacity	: Two (2) 500-sheets Paper cassette trays						
		Multi bypass tray	s 100 sheets						
		Paper size	: Short, A4, legal & Max A3 (11' x 17")						
			:						
		Memory	: 4GB 120GB SSD						
		Userr Authentica- tion	: up to 1,000 users						
		Document Filing Capacity	s User Authentication						
		Features	: Duplex Printing/Copying, Electronic Sorting,						
		Display	7.0-inch colour LCD touchscreen Warranty (1) year						
		Conti- nuous copy	: 9,999 copies						
		Zoom range	: 25% to 400% in 1% increment						

		Scanning : 60 originals/min (colour & Speed B/W)		
		Scan : SCAN to email, FTP server, Destina- Network folder, Desktop, tion SSD, USB drive	,	
		Resolution : 1200 x 600 dpi 600 x 600 dpi		
		Supported: Windows Server 2012, OS Windows Server 2016, Windows Server 2019, Windows 8.1, Windows 10		
2	Estimated Delivery Cost	BLGF Regional Office 2nd Floor, P.S. Arcade, J. P. Rosales Ave. Butuan City	Lot	1

Lot No.	Lot No.: 49 – Regional Offices Computerization for Cordillera Administrative Region (CAR)			
Lot Nar	Lot Name: Internet Subscription for Cordillera Administrative Region (CAR)			
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1

Lot No.	Lot No.: 50 – Regional Offices Computerization for Region 1			
Lot Nar	ne: Internet Subs	scription for Region 1		
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1

9-238 Section 9: Contract Forms

Lot No.	Lot No.: 51 – Regional Offices Computerization for Region 2			
Lot Nar	ne: Internet Subs	scription for Region 2		
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1

Lot No.	Lot No.: 52 – Regional Offices Computerization for Region 3			
Lot Nar	ne: Internet Subs	scription for Region 3		
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1

Lot No.	Lot No.: 53 – Regional Offices Computerization for Region 4A (CALABARZON)				
Lot Nar	Lot Name: Internet Subscription for Region 4A (CALABARZON)				
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity	
V	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1	

Lot No.	Lot No.: 54 – Regional Offices Computerization for Region 4B (MIMAROPA)			
Lot Nar	ne: Internet Subs	scription for Region 4B (MIMAROPA)		
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Internet subscription (1 year)	Speed 10 mbps or greater	Unit	1

Ridding	Document for	
Diddilla	DOCUMENT IO	

Line type: Lease line (fiber if Available) / Business / Enterprise	
CIR 95% or greater	
Customer Services :24/7 customer service and stringent service level agreements	
Installation and configuration included	

Lot No.	Lot No.: 55 – Regional Offices Computerization for Region 5			
Lot Nar	Lot Name: Internet Subscription for Region 5			
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1

Lot No.	Lot No.: 56 – Regional Offices Computerization for Region 6			
Lot Nar	Lot Name: Internet Subscription for Region 6			
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1

Lot No.	Lot No.: 57 – Regional Offices Computerization for Region 7				
Lot Nar	Lot Name: Internet Subscription for Region 7				
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity	
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements	Unit	1	

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelop
	FIOCULEILIEUL OL GOOGS	

9-240 Section 9: Contract Forms

	Installation and configuration included		
--	---	--	--

Lot No.	Lot No.: 58 – Regional Offices Computerization for Region 8				
Lot Nar	Lot Name: Internet Subscription for Region 8				
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity	
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1	

Lot No.	Lot No.: 59 – Regional Offices Computerization for Region 9				
Lot Nar	Lot Name: Internet Subscription for Region 9				
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity	
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1	

Lot No.	: 60 – Regional C	Offices Computerization for Region 10			
Lot Nar	Lot Name: Internet Subscription for Region 10				
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity	
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1	

Lot No.	Lot No.: 61 – Regional Offices Computerization for Region 11				
Lot Nar	Lot Name: Internet Subscription for Region 11				
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity	
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1	

Lot No.	Lot No.: 62 – Regional Offices Computerization for Region 12				
Lot Nar	Lot Name: Internet Subscription for Region 12				
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity	
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1	

Lot No.	Lot No.: 63 – Regional Offices Computerization for Region 13 (CARAGA)				
Lot Nar	Lot Name: Internet Subscription for Region 13 (CARAGA)				
Item No.	Name of IT Products and Services	Description	Unit of Measurement	Quantity	
1	Internet subscription (1 year)	Speed 10 mbps or greater Line type: Lease line (fiber if Available) / Business / Enterprise CIR 95% or greater Customer Services :24/7 customer service and stringent service level agreements Installation and configuration included	Unit	1	

9-242 Section 9: Contract Forms

Delivery and Completion Schedule

The delivery period shall start as of 1September 2024or máximum 120 working days after receipt of Notice of Award and Contract.

BLGF Central Office

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop- Mid Performance	máximum 120 working days	BLGF Office, 8th Floor, EDPC Building,	
2	Laptop-Mid performance		Bangko Sentral	
3	Printer Copier Monochrome			
4	Projector			
5	Conference Equipment, including installation and configuration			

CAR

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office 3rd Floor, TG	
2	Laptop		Home Builders Building No. 75, Fergusan Road,	
3	Printer Copier Monochrome		Guisad, Baguio City	
4	Projector			
5	All in 1 printer			
6	Biometrics			

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		2nd Floor, Kenny Plaza Building, South Quezon Avenue, San	
3	Printer Copier Monochrome		Fernando City, La Union	
4	Projector			
5	All in 1 printer			
6	Biometrics			

Bidding Document for	Droouroment of Coods	Cinalo Ctago, Ono Envolone
Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-244 Section 9: Contract Forms

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Region 2 Office, Dalan na Pavvurulun,	
2	Laptop		Regional Government Center, Carig	
3	Printer Copier Monochrome		Sur, Tuguegarao City, Cagayan	
4	Projector			
5	All in 1 printer			
6	Biometrics			

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		Diosdado Macapagal Government Center, Mahusay	
3	Printer Copier Monochrome		Street, San Fernando City, Pampanga	
4	Projector		. 0	
5	All in 1 printer			
6	Biometrics			

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-246 Section 9: Contract Forms

7	Server			
8	Network Attached			
	Storage (NAS) 8 HD			
9	Server Rack			
10	48-Port Gigabit			
	Managed PoE UniFi			
	Switch			
11	Uninterrupted Power			
	Supply (UPS			
12	KVM Switch with			
	Console			
13	Firewall (non-licensed			
	and hardware			
14	High density Wireless			
	Access point POE (non-			
	licensed)			
15	Internet subscription (1			
	year)			
L	1	I	l .	

Region 4-A (CALABARZON)

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		3rd Floor, Marcelita Building, National Highway, Brgy.	
3	Printer Copier Monochrome		Real, Calamba City	
4	Projector			
5	All in 1 printer			
6	Biometrics			

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Region 4-B (MIMAROPA)

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		3rd Floor, MB Building, Barangay Gulod Labac, Batangas	
3	Printer Copier Monochrome		City	
4	Projector			
5	All in 1 printer			
6	Biometrics			

Bidding Document for	Droouroment of Coods	Cinalo Ctago, Ono Envolone
Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-248 Section 9: Contract Forms

7	Server			
8	Network Attached			
	Storage (NAS) 8 HD			
9	Server Rack			
10	48-Port Gigabit			
	Managed PoE UniFi			
	Switch			
11	Uninterrupted Power			
	Supply (UPS			
12	KVM Switch with			
	Console			
13	Firewall (non-licensed			
	and hardware			
14	High density Wireless			
	Access point POE (non-			
	licensed)			
15	Internet subscription (1			
	year)			
L	1	I	l .	

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		Regional Government Center, Rawis, 4500 Legazpi	
3	Printer Copier Monochrome		City, Albay	
4	Projector			
5	All in 1 printer			
6	Biometrics			

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		Nos. 228, Barangay General Hughes, Iloilo City	
3	Printer Copier Monochrome		nono oity	
4	Projector			
5	All in 1 printer			
6	Biometrics			

Bidding Document for	Droouroment of Coods	Cinalo Ctago, Ono Envolone
Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-250 Section 9: Contract Forms

7	Server			
8	Network Attached			
	Storage (NAS) 8 HD			
9	Server Rack			
10	48-Port Gigabit			
	Managed PoE UniFi			
	Switch			
11	Uninterrupted Power			
	Supply (UPS			
12	KVM Switch with			
	Console			
13	Firewall (non-licensed			
	and hardware			
14	High density Wireless			
	Access point POE (non-			
4.5	licensed)			
15	Internet subscription (1			
	year)			
	1	I .	1	

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		4th Floor, The MAXWELL Hotel Annex Building, N. Escario Street,	
3	Printer Copier Monochrome		Kamputhaw, Cebu City	
4	Projector			
5	All in 1 printer			
6	Biometrics			

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		3rd Floor, F. Mendoza Commercial Complex, 141	
3	Printer Copier Monochrome		Sto. Niño Street, Tacloban City	
4	Projector			
5	All in 1 printer			
6	Biometrics			

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-252 Section 9: Contract Forms

7	Server		
8	Network Attached Storage (NAS) 8 HD		
	Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi		
	Switch		
11	Uninterrupted Power Supply (UPS		
	Supply (OFS		
12	KVM Switch with Console		
	Console		
13	Firewall (non-licensed and hardware		
	and nardware		
14	High density Wireless		
	Access point POE (non- licensed)		
15	Internet subscription (1		
	year)		

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		Provincial Government Complex, Dao, Pagadian City	
3	Printer Copier Monochrome		r agadian City	
4	Projector			
5	All in 1 printer			
6	Biometrics			

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Region 10

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		6th Division corner Tejero Street, Patag, Cagayan de Oro	
3	Printer Copier Monochrome		Cagayan de Olo	
4	Projector			
5	All in 1 printer			
6	Biometrics			

Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-254 Section 9: Contract Forms

7	Server			
8	Network Attached			
	Storage (NAS) 8 HD			
9	Server Rack			
10	48-Port Gigabit			
	Managed PoE UniFi			
	Switch			
11	Uninterrupted Power			
	Supply (UPS			
12	KVM Switch with			
	Console			
13	Firewall (non-licensed			
	and hardware			
14	High density Wireless			
	Access point POE (non-			
	licensed)			
15	Internet subscription (1			
	year)			
L	1	I	l .	

Region 11

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		JV'S Peak Realty, Roxas Avenue, Davao City	
3	Printer Copier Monochrome		City	
4	Projector			
5	All in 1 printer			
6	Biometrics			

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Region 12

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		Prime Regional Government Center, Brgy. Carpenter Hill,	
3	Printer Copier Monochrome		Koronadal City	
4	Projector			
5	All in 1 printer			
6	Biometrics			

Bidding Document for	Dragurament of Coods	Cinalo Ctago, Ono Envolone
Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-256 Section 9: Contract Forms

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Region 13 (CARAGA)

Item No.	Description of IT Products and Services	Delivery Schedule (Duration)	Location	Required Arrival Date of IT Products or Completion Date for Services
1	Desktop	máximum 120 working days	BLGF Regional Office	
2	Laptop		2nd Floor, P.S. Arcade, J. P. Rosales Ave., Butuan City	
3	Printer Copier Monochrome		Butuan City	
4	Projector			
5	All in 1 printer			
6	Biometrics			

7	Server		
8	Network Attached Storage (NAS) 8 HD		
9	Server Rack		
10	48-Port Gigabit Managed PoE UniFi Switch		
11	Uninterrupted Power Supply (UPS		
12	KVM Switch with Console		
13	Firewall (non-licensed and hardware		
14	High density Wireless Access point POE (non- licensed)		
15	Internet subscription (1 year)		

Technical Specifications

For CO computerization

Item No.	Name of Goods or Related Services	Technical Description, Specifications, and Standards
1	Desktop- Mid Performance	
2	Laptop-Mid performance	
3	Printer Copier Monochrome	
4	Projector	
6	Conference Equipment, including installation and configuration	

9-258 Section 9: Contract Forms

For RO computerization

Item No.	Name of Goods or Related Services	Technical Description, Specifications, and Standards
1	Desktop	
2	Laptop	
3	Printer Copier Monochrome	
4	Projector	
5	All in 1 printer	
6	Biometrics	
7	Server	
8	Network Attached Storage (NAS) 8 HD	
9	Server Rack	
10	48-Port Gigabit Managed PoE UniFi Switch	
11	Uninterrupted Power Supply (UPS	
12	KVM Switch with Console	
13	Firewall (non-licensed and hardware	
14	High density Wireless Access point POE (non- licensed)	
15	Internet subscription (1 year)	

Drawings Not Applicable

9-260 Section 9: Contract Forms

Section 7: General Conditions of Contract

Table of Clauses

Ι.	Definitions	/ -20
2.	Contract Documents	7-3
3.	Fraud and Corruption	7-3
4.	Interpretation	7-264
5.	Language	7-265
6.	Joint Venture	7-7
7.	Eligibility	7-7
8.	Notices	7-266
9.	Governing Law	7-266
10.	Settlement of Disputes	7-266
11.	Scope of Supply	7-7
12.	Delivery	7-8
13.	Supplier's Responsibilities	7-8
14.	Purchaser's Responsibilities	7-8
15.	Contract Price	7-266
16.	Terms of Payment	7-8
17.	Taxes and Duties	7-8
18.	Performance Security	7-9
19.	Copyright	7-9
20.	Confidential Information	7-9
21.	Subcontracting	7-10
22.	Specifications and Standards	7-10
23.	Packing and Documents	
24.	Insurance	7-11
25.	Transportation	7-11
26.	Inspections and Tests	7-11
27.	Liquidated Damages	7-12
28.	Warranty	7-12
29.	Patent Indemnity	7-13
30.	Limitation of Liability	7-14
31.	Change in Laws and Regulations	
32.	Force Majeure	
33.	Change Orders and Contract Amendments	
34.	Extensions of Time	
35.	Termination	
36.	Assignment	
37.	Respectful Work Environment	

1. Definitions

- 46.2 The following words and expressions shall have the meanings hereby assigned to them:
 - (a) "Contract" means the Agreement entered into between the Purchaser and the Supplier, together with the Contract Documents referred to therein, including all attachments, appendixes, and all documents incorporated by reference therein.
 - (b) "Contract Documents" means the documents listed in the Agreement, including any amendments thereto.
 - (c) "Contract Price" means the price payable to the Supplier as specified in the Agreement, subject to such additions and adjustments thereto or deductions therefrom, as may be made pursuant to the Contract.
 - (d) "Day" means calendar day.
 - (e) "Delivery" means the transfer of the Goods from the Supplier to the Purchaser in accordance with the terms and conditions set forth in the Contract.
 - (f) "Completion" means the fulfillment of the Related Services by the Supplier in accordance with the terms and conditions set forth in the Contract.
 - (g) "Eligible Countries" means the countries and territories eligible as listed in Section 5.
 - (h) "GCC" means the General Conditions of Contract.
 - (i) "Goods" means all of the commodities, raw material, machinery and equipment, and/or other materials that the Supplier is required to supply to the Purchaser under the Contract.
 - (j) "Purchaser's Country" is the country specified in the Special Conditions of Contract (SCC).
 - (k) "Purchaser" means the entity purchasing the Goods and Related Services, as specified in the SCC.
 - (I) "Related Services" means the services incidental to the supply of the goods, such as insurance, installation, training and initial maintenance and other similar obligations of the Supplier under the Contract.
 - (m) "SCC" means the Special Conditions of Contract.
 - (n) "Subcontractor" means any natural person, private or government entity, or a combination of the above, including its legal successors or permitted assigns, to whom any part of the Goods to be supplied or execution of any part of the Related Services is subcontracted by the Supplier.
 - (o) "Supplier" means the natural person, private or government entity, or a combination of the above, whose bid to perform the Contract has been accepted by the Purchaser and is named as such in the Agreement, and includes the legal successors or permitted assigns of the Supplier.
 - (p) "ADB" is the Asian Development Bank.

9-262 Section 9: Contract Forms

(q) "The Site," where applicable, means the place named in the SCC.

2. Contract Documents

2.1 Subject to the order of precedence set forth in the Agreement, all documents forming the Contract (and all parts thereof) are intended to be correlative, complementary, and mutually explanatory.

3. Fraud and Corruption

- 3.1 If the Purchaser determines, based on reasonable evidence, that the Supplier has engaged in corrupt, fraudulent, collusive or coercive practices, or other integrity violations, including the failure to disclose any required information which constitutes a fraudulent practice, in competing for or in executing the Contract, then the Purchaser may, after giving 14 days' notice to the Supplier, terminate the Contract and expel him from the Site, and the provisions of Clause 35 shall apply as if such termination had been made under Sub-Clause 35.1(a) (iii) [Termination].
- 3.2 ADBrequires Borrowers (including beneficiaries of ADB-financed activity) and their personnel, as well as firms and individuals participating in an ADB-financed activity, including but not limited to, Bidders, Suppliers, and Contractors, agents, subcontractors, subconsultants, service providers, subsuppliers, manufacturers (including their respective officers, directors, employees and personnel) under ADB-financed contracts to observe the highest standard of ethics during the procurement and execution of such contractsin accordance with ADB's Anticorruption Policy (1998, as amended from time to time). In pursuance of this policy, ADB
 - (a) defines, for the purposes of this provision, the terms set forth below as follows:
 - (viii) "corrupt practice" means the offering, giving, receiving, or soliciting, directly or indirectly, anything of value to influence improperly the actions of another party;
 - (ix) "fraudulent practice" means any act or omission, including a misrepresentation, that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial or other benefit or to avoid an obligation;
 - (x) "coercive practice" means impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party:
 - (xi) "collusive practice" means an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party;
 - (xii) "abuse" means theft, waste, or improper use of assets related to ADB-related activity, either committed intentionally or through reckless disregard;
 - (xiii) "conflict of interest" means any situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations; and
 - (xiv) "integrity violation" is any act, as defined under ADB's Integrity Principles and Guidelines (2015, as amended from time to time), which violates ADB's Anticorruption Policy, including (i) to (vi) above and the following: obstructive practice, violations of ADB sanctions, retaliation against whistleblowers or witnesses, and other violations of ADB's

Anticorruption Policy, including failure to adhere to the highest ethical standard.

- (b) will reject a proposal for award if it determines that the Bidder recommended for award or any of its officers, directors, employees, personnel, subconsultants, subcontractors, service providers, suppliers or manufacturers has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations in competing for the Contract;
- (c) will cancel the portion of the financing allocated to a contract if it determines at any time that representatives of the Borrower or of a beneficiary of ADB-financing engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations during the procurement or the execution of that contract, without the Borrower having taken timely and appropriate action satisfactory to ADB to remedy the situation,including by failing to inform ADB in a timely manner at the time they knew of the integrity violations;
- (d) will impose remedial actions on a firm or an individual, at any time, in accordance with ADB's Anticorruption Policy and Integrity Principles and Guidelines, including declaring ineligible, either indefinitely or for a stated period of time, to participate¹⁰ in ADB-financed,-administered, or -supported activities or to benefit from an ADB-financed,-administered,or -supported contract, financially or otherwise, if it at any time determines that the firm or individual has, directly or through an agent, engaged in corrupt, fraudulent, collusive, coercive, or obstructive practices or other integrity violations; and
- (e) will have the right to require that a provision be included in bidding documents and in contracts financed, administered, or supported by ADB, requiring Bidders, suppliers and contractors, consultants, manufacturers, service providers and other third parties engaged or involved in ADB-related activities, and their respective officers, directors, employees and personnel, to permit ADB or its representative to inspect the site and their assets, accounts and records and other documents relating to the bid submission and contract performance and to have them audited by auditors appointed by ADB.
- 3.3 All Bidders, consultants, contractors, suppliers, manufacturers, service providers, and other third parties engaged or involved in ADB-related activities and their respective officers, directors, employees and personnel, are obliged to cooperate fully in any investigation when requested by ADB to do so. As determined on a case by case basis by ADB, such cooperation includes, but is not limited to, the following:
 - (a) being available to be interviewed and replying fully and truthfully to all questions asked;
 - (b) providing ADB with any items requested that are within the party's control including, but not limited to, documents and other physical objects;

$^{10} Whether as a Contractor, Subcontractor, Consultant, Manufacturer or Supplier, or Service Provider; or in any other consultant, and the contractor of the contractor of$
apacity (differentnamesareuseddependingontheparticularBiddingDocument).

9-264 Section 9: Contract Forms

(c) upon written request by ADB, authorizing other related entities to release directly to ADB such information that is specifically and materially related, directly or indirectly, to the said entities or issues which are the subject of the investigation;

- (d) cooperating with all reasonable requests to search or physically inspect their person and/or work areas, including files, electronic databases, and personal property used on ADB activities, or that utilizes ADB's Information and Communication Technology (ICT) resources or systems (including mobile phones, personal electronic devices, and electronic storage devices such as external disk drives);
- (e) cooperating in any testing requested by ADB, including but not limited to, fingerprint identification, handwriting analysis, and physical examination and analysis; and
- (f) preserving and protecting confidentiality of all information discussed with, and as required by, ADB.
- 3.4 All Bidders, consultants, contractors and suppliers shall require their officers, directors, employees, personnel, agents to ensure that, in its contracts with its subconsultants, Subcontractors and other third parties engaged or involved in ADB-related activities, such subconsultants, Subcontractors and other third parties similarly are obliged to cooperate fully in any investigation when requested by ADB to do so.
- 3.5 The Supplier shall permit ADB or its representative to inspect the Supplier's site, assets, accounts and records and other documents relating to the bid submission and contract performance of the Supplier and to have them audited by auditors appointed by ADB, if so required by ADB.
- 3.6 The Supplier undertakes that no fees, gratuities, rebates, gifts, commissions or other payments, other than those shown in the bid, have been given or received in connection with the procurement process or in the contract execution.¹¹

4. Interpretation

4.1 If the context so requires it, singular means plural and vice versa.

4.2 Incoterms

- (g) The meaning of any trade term and the rights and obligations of parties thereunder shall be as prescribed by Incoterms.
- (h) EXW, CIF, CIP, and other similar terms, shall be governed by the rules prescribed in the current edition of Incoterms, published by the International Chamber of Commerce at the date of the Invitation for Bids or as specified in the SCC.

4.3 Entire Agreement

The Contract constitutes the entire agreement between the Purchaser and the Supplier and supersedes all communications, negotiations, and agreements (whether written or oral) of parties with respect thereto made prior to the date of Contract.

11The undertaking al	so annlies durin	a the period of	performance of	f the contract
THE UNIVERSALITY AND	30 abbii c 3 uui ii	u liie bellou ol	Delibiliance of	I LIIC COILLAC

4.4 Amendment

No amendment or other variation of the Contract shall be valid unless it is in writing, is dated, expressly refers to the Contract, and is signed by a duly authorized representative of each party thereto.

4.5 Nonwaiver

- (i) Subject to GCC Subclause 4.5(b) below, no relaxation, forbearance, delay, or indulgence by either party in enforcing any of the terms and conditions of the Contract or the granting of time by either party to the other shall prejudice, affect, or restrict the rights of that party under the Contract, neither shall any waiver by either party of any breach of Contract operate as waiver of any subsequent or continuing breach of Contract.
- (j) Any waiver of a party's rights, powers, or remedies under the Contract must be in writing, dated, and signed by an authorized representative of the party granting such waiver, and must specify the right and the extent to which it is being waived.

4.6 Severability

If any provision or condition of the Contract is prohibited or rendered invalid or unenforceable, such prohibition, invalidity, or unenforceability shall not affect the validity or enforceability of any other provisions and conditions of the Contract.

5. Language

- 5.1 The Contract as well as all correspondence and documents relating to the Contract exchanged by the Supplier and the Purchaser, shall be written in the language specified in the SCC. Supporting documents and printed literature that are part of the Contract may be in another language provided they are accompanied by an accurate translation of the relevant passages in the language specified in the SCC, in which case, for purposes of interpretation of the Contract, this translation shall govern.
- 5.2 The Supplier shall bear all costs of translation to the governing language and all risks of the accuracy of such translation.

6. Joint Venture

6.1 If the Supplier is a Joint Venture all of the parties shall be jointly and severally liable to the Purchaser for the fulfillment of the provisions of the Contract and shall designate one party to act as a leader with authority to bind the Joint Venture. The composition or the constitution of the Joint Venture shall not be altered without the prior consent of the Purchaser.

7. Eligibility

- 7.1 The Supplier and its Subcontractors shall have the nationality of an eligible country. A Supplier or Subcontractor shall be deemed to have the nationality of a country if it is a citizen or constituted, incorporated, or registered, and operates in conformity with the provisions of the laws of that country.
- 7.2 All Goods and Related Services to be supplied under the Contract and financed by ADB shall have their origin in Eligible Countries. For the purpose of this clause, "country of origin" means the country where the goods have been grown, mined, cultivated, produced, manufactured, or processed; or through manufacture, processing, or assembly,

9-266 Section 9: Contract Forms

another commercially recognized article results that differs substantially in its basic characteristics from its imported components.

8. Notices

- 8.1 Any Notice given by one party to the other pursuant to the Contract shall be in writing to the address specified in the SCC. The term "in writing" means communicated in written form with proof of receipt.
- 8.2 A Notice shall be effective when delivered or on the Notice's effective date, whichever is later.

9. Governing Law

9.1 The Contract shall be governed by and interpreted in accordance with the laws of the Purchaser's country, unless otherwise specified in the SCC.

10. Settlement of Disputes

- 10.1 The Purchaser and the Supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the Contract.
- 10.2 If the parties fail to resolve such a dispute or difference by mutual consultation within 28 days from the commencement of such consultation, either party may require that the dispute be referred for resolution to the formal mechanisms specified in the SCC.

11. Scope of Supply

- 11.1 Subject to the SCC, the Goods and Related Services to be supplied shall be as specified in Section 6(Schedule of Supply).
- 11.2 Unless otherwise stipulated in the Contract, the Scope of Supply shall include all such items not specifically mentioned in the Contract but that can be reasonably inferred from the Contract as being required for attaining Delivery and Completion of the Goods and Related Services as if such items were expressly mentioned in the Contract.

12. Delivery

12.1 Subject to GCC Subclause 33.1, the Delivery of the Goods and Completion of the Related Services shall be in accordance with the Delivery and Completion Schedule specified in the Section 6(Schedule of Supply). The details of shipping and other documents to be furnished by the Supplier are specified in the SCC.

13. Supplier's Responsibilities

13.1 The Supplier shall supply all the Goods and Related Services included in the Scope of Supply in accordance with GCC Clause 11, and the Delivery and Completion Schedule, as per GCC Clause 12.

14. Purchaser's Responsibilities

- 14.1 Whenever the supply of Goods and Related Services requires that the Supplier obtain permits, approvals, and import and other licenses from local public authorities, the Purchaser shall, if so required by the Supplier, make its best effort to assist the Supplier in complying with such requirements in a timely and expeditious manner.
- 14.2 The Purchaser shall pay all costs involved in the performance of its responsibilities, in accordance with GCC Subclause 14.1.

15. Contract Price

- 15.1 The Contract Price shall be as specified in the Agreement subject to any additions and adjustments thereto, or deductions therefrom, as may be made pursuant to the Contract.
- 15.2 Prices charged by the Supplier for the Goods delivered and the Related Services performed under the Contract shall not vary from

the prices quoted by the Supplier in its bid, with the exception of any price adjustments authorized in the SCC.

16. Terms of Payment

- 16.1 The Contract Price shall be paid as specified in the SCC.
- 16.2 The Supplier's request for payment shall be made to the Purchaser in writing, accompanied by invoices describing, as appropriate, the Goods delivered and Related Services performed, and by the documents submitted pursuant to GCC Clause 12 and upon fulfillment of all the obligations stipulated in the Contract.
- 16.3 Payments shall be made promptly by the Purchaser, no later than 60 days after submission of an invoice or request for payment by the Supplier, and the Purchaser has accepted it.
- 16.4 The currency or currencies in which payments shall be made to the Supplier under this Contract shall be specified in the SCC.

17. Taxes and Duties

- 17.1 For goods supplied from outside the Purchaser's country, the Supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the Purchaser's country.
- 17.2 For goods supplied from within the Purchaser's country, the Supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted Goods to the Purchaser.
- 17.3 If any tax exemptions, reductions, allowances or privileges may be available to the Supplier in the Purchaser's Country, the Purchaser shall use its best efforts to enable the Supplier to benefit from any such tax savings to the maximum allowable extent.

18. Performance Security

- 18.1 The Supplier shall, within 28 days of the notification of Contract award, provide a Performance Security for the due performance of the Contract in the amounts and currencies specified in the SCC.
- 18.2 The proceeds of the Performance Security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- 18.3 The Performance Security shall be denominated in the currencies of the Contract, or in a freely convertible currency acceptable to the Purchaser, and shall be in one of the forms stipulated by the Purchaser in the SCC, or in another form acceptable to the Purchaser.
- 18.4 The Performance Security shall be discharged by the Purchaser and returned to the Supplier not later than 28 days following the date of completion of the Supplier's performance obligations under the Contract, including any warranty obligations, unless specified otherwise in the SCC.

19. Copyright

19.1 The copyright in all drawings, documents, and other materials containing data and information furnished to the Purchaser by the Supplier herein shall remain vested in the Supplier, or, if they are furnished to the Purchaser directly or through the Supplier by any third party, including suppliers of materials, the copyright in such materials shall remain vested in such third party.

20. Confidential Information

20.1 The Purchaser and the Supplier shall keep confidential and shall not, without the written consent of the other party hereto, divulge to any third party any documents, data, or other information furnished directly

9-268 Section 9: Contract Forms

or indirectly by the other party hereto in connection with the Contract, whether such information has been furnished prior to, during or following completion or termination of the Contract. Notwithstanding the above, the Supplier may furnish to its Subcontractor such documents, data, and other information it receives from the Purchaser to the extent required for the Subcontractor to perform its work under the Contract, in which event the Supplier shall obtain from such Subcontractor an undertaking of confidentiality similar to that imposed on the Supplier under GCC Clause 20.

- 20.2 The Purchaser shall not use such documents, data, and other information received from the Supplier for any purposes unrelated to the Contract. Similarly, the Supplier shall not use such documents, data, and other information received from the Purchaser for any purpose other than the design, procurement, or other work and services required for the performance of the Contract.
- 20.3 The obligation of a party under GCC Subclauses 20.1 and 20.2 above, however, shall not apply to information that
 - (k) the Purchaser or Supplier needs to share with ADB or other institutions participating in the financing of the Contract;
 - now or hereafter enters the public domain through no fault of that party;
 - (m) can be proven to have been possessed by that party at the time of disclosure and which was not previously obtained, directly or indirectly, from the other party; or
 - (n) otherwise lawfully becomes available to that party from a third party that has no obligation of confidentiality.
- 20.4 The above provisions of GCC Clause 20 shall not in any way modify any undertaking of confidentiality given by either of the parties hereto prior to the date of the Contract in respect of the Supply or any part thereof.
- 20.5 The provisions of GCC Clause 20 shall survive completion or termination, for whatever reason, of the Contract.

21. Subcontracting

- 21.1 The Supplier shall notify the Purchaser in writing of all subcontracts awarded under the Contract if not already specified in the Bid. Subcontracting shall in no event relieve the Supplier from any of its obligations, duties, responsibilities, or liability under the Contract.
- 21.2 Subcontracts shall comply with the provisions of GCC Clauses 3 and 7.

22. Specifications and Standards

- 22.1 Technical Specifications and Drawings
 - (o) The Supplier shall ensure that the Goods and Related Services comply with the technical specifications and other provisions of the Contract.
 - (p) The Supplier shall be entitled to disclaim responsibility for any design, data, drawing, specification or other document, or any

- modification thereof provided or designed by or on behalf of the Purchaser, by giving a notice of such disclaimer to the Purchaser.
- (q) The Goods and Related Services supplied under this Contract shall conform to the standards mentioned in Section 6(Schedule of Supply) and, when no applicable standard is mentioned, the standard shall be equivalent or superior to the official standards whose application is appropriate to the country of origin of the Goods.
- 22.2 Wherever references are made in the Contract to codes and standards in accordance with which it shall be executed, the edition or the revised version of such codes and standards shall be those specified in the Section 6(Schedule of Supply). During Contract execution, any changes in any such codes and standards shall be applied only after approval by the Purchaser and shall be treated in accordance with GCC Clause 33.

23. Packing and Documents

- 23.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract. During transit, the packing shall be sufficient to withstand, without limitation, rough handling and exposure to extreme temperatures, salt and precipitation, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the final destination of the Goods and the absence of heavy handling facilities at all points in transit.
- 23.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified in the SCC, and in any other instructions ordered by the Purchaser.

24. Insurance

24.1 Unless otherwise specified in the SCC, the Goods supplied under the Contract shall be fully insured, in a freely convertible currency from an eligible country, against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery, in accordance with the applicable Incoterms or in the manner specified in the SCC.

25. Transportation

25.1 Unless otherwise specified in the SCC, obligations for transportation of the Goods shall be in accordance with the Incoterms specified in Section 6(Schedule of Supply).

26. Inspections and Tests

- 26.1 The Supplier shall at its own expense and at no cost to the Purchaser carry out all such tests and/or inspections of the Goods and Related Services as are specified in Section 6(Schedule of Supply).
- 26.2 The inspections and tests may be conducted on the premises of the Supplier or its Subcontractor, at point of delivery, and/or at the final destination of the Goods, or in another place in the Purchaser's country as specified in the SCC. Subject to GCC Subclause 26.3, if conducted on the premises of the Supplier or its Subcontractor, all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Purchaser.
- 26.3 The Purchaser or its designated representative shall be entitled to attend the tests and/or inspections referred to in GCC Subclause

9-270 Section 9: Contract Forms

- 26.2, provided that the Purchaser bear all of its own costs and expenses incurred in connection with such attendance including, but not limited to, all traveling and board and lodging expenses.
- 26.4 Whenever the Supplier is ready to carry out any such test and inspection, it shall give a reasonable advance notice, including the place and time, to the Purchaser. The Supplier shall obtain from any relevant third party or manufacturer any necessary permission or consent to enable the Purchaser or its designated representative to attend the test and/or inspection.
- 26.5 The Purchaser may require the Supplier to carry out any test and/or inspection not required by the Contract but deemed necessary to verify that the characteristics and performance of the Goods comply with the technical specifications, codes, and standards under the Contract, provided that the Supplier's reasonable costs and expenses incurred in the carrying out of such test and/or inspection shall be added to the Contract Price. Further, if such test and/or inspection impedes the progress of manufacturing and/or the Supplier's performance of its other obligations under the Contract, due allowance will be made in respect of the Delivery Dates and Completion Dates and the other obligations so affected.
- 26.6 The Supplier shall provide the Purchaser with a report of the results of any such test and/or inspection.
- 26.7 The Purchaser may reject any Goods or any part thereof that fail to pass any test and/or inspection or do not conform to the specifications. The Supplier shall either rectify or replace such rejected Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Purchaser, and shall repeat the test and/or inspection, at no cost to the Purchaser, upon giving a notice pursuant to GCC Subclause 26.4.
- 26.8 The Supplier agrees that neither the execution of a test and/or inspection of the Goods or any part thereof, nor the attendance by the Purchaser or its representative, nor the issue of any report pursuant to GCC Subclause 26.6, shall release the Supplier from any warranties or other obligations under the Contract.

27. Liquidated Damages

27.1 Except as provided under GCC Clause 32, if the Supplier fails to deliver any or all of the Goods or perform the Related Services within the period specified in the Contract, the Purchaser may without prejudice to all its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in the SCC of the Contract Price for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the percentage specified in the SCC. Once the maximum is reached, the Purchaser may terminate the Contract pursuant to GCC Clause 35.

28. Warranty

- 28.1 The Supplier warrants that all the Goods are new, unused, and of the most recent or current models, and that they incorporate all recent improvements in design and materials, unless provided otherwise in the Contract.
- 28.2 Subject to GCC Subclause 22.1, the Supplier further warrants that the Goods shall be free from defects arising from any act or omission of the Supplier or arising from design, materials, and workmanship, under normal use in the conditions prevailing in the country of final destination.

28.3 Unless otherwise specified in the SCC, the warranty shall remain valid for 12 months after the Goods, or any portion thereof as the case may be, have been delivered to and accepted at the final destination indicated in the SCC, or for 18 months after the date of shipment or loading in the country of origin, whichever period concludes earlier.

- 28.4 The Purchaser shall give Notice to the Supplier, stating the nature of any such defects together with all available evidence thereof, promptly following the discovery thereof. The Purchaser shall afford all reasonable opportunity for the Supplier to inspect such defects.
- 28.5 Upon receipt of such Notice, the Supplier shall, within the period specified in the SCC, expeditiously repair or replace the defective Goods or parts thereof, at no cost to the Purchaser.
- 28.6 If having been notified, the Supplier fails to remedy the defect within the period specified in the SCC, the Purchaser may proceed to take within a reasonable period such remedial action as may be necessary, at the Supplier's risk and expense and without prejudice to any other rights which the Purchaser may have against the Supplier under the Contract.

29. Patent Indemnity

- 29.1 The Supplier shall, subject to the Purchaser's compliance with GCC Subclause 29.2, indemnify and hold harmless the Purchaser and its employees and officers from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Purchaser may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract by reason of
 - (r) the installation of the Goods by the Supplier or the use of the Goods in the country where the Site is located; and
 - (s) the sale in any country of the products produced by the Goods.

Such indemnity shall not cover any use of the Goods or any part thereof other than for the purpose indicated by or to be reasonably inferred from the Contract, neither any infringement resulting from the use of the Goods or any part thereof, or any products produced thereby in association or combination with any other equipment, plant, or materials not supplied by the Supplier, pursuant to the Contract.

- 29.2 If any proceedings are brought or any claim is made against the Purchaser arising out of the matters referred to in GCC Subclause 29.1, the Purchaser shall promptly give the Supplier a notice thereof, and the Supplier may at its own expense and in the Purchaser's name conduct such proceedings or claim and any negotiations for the settlement of any such proceedings or claim.
- 29.3 If the Supplier fails to notify the Purchaser within 28 days after receipt of such notice that it intends to conduct any such proceedings or claim, then the Purchaser shall be free to conduct the same on its own behalf.
- 29.4 The Purchaser shall, at the Supplier's request, afford all available assistance to the Supplier in conducting such proceedings or claim,

9-272 Section 9: Contract Forms

and shall be reimbursed by the Supplier for all reasonable expenses incurred in so doing.

29.5 The Purchaser shall indemnify and hold harmless the Supplier and its employees, officers, and Subcontractors from and against any and all suits, actions or administrative proceedings, claims, demands, losses, damages, costs, and expenses of any nature, including attorney's fees and expenses, which the Supplier may suffer as a result of any infringement or alleged infringement of any patent, utility model, registered design, trademark, copyright, or other intellectual property right registered or otherwise existing at the date of the Contract arising out of or in connection with any design, data, drawing, specification, or other documents or materials provided or designed by or on behalf of the Purchaser.

30. Limitation of Liability

- 30.1 Except in cases of gross negligence or willful misconduct,
 - (t) neither party shall be liable to the other party for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Purchaser; and
 - (u) the aggregate liability of the Supplier to the Purchaser, whether under the Contract, in tort, or otherwise, shall not exceed the amount specified in the SCC, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment, or to any obligation of the Supplier to indemnify the Purchaser with respect to patent infringement.

31. Change in Laws and Regulations

31.1 Unless otherwise specified in the Contract, if after the date of the Invitation for Bids, any law, regulation, ordinance, order or bylaw having the force of law is enacted, promulgated, abrogated, or changed in the place of the Purchaser's country where the Site is located (which shall be deemed to include any change in interpretation or application by the competent authorities) that subsequently affects the Delivery Date and/or the Contract Price, then such Delivery Date and/or Contract Price shall be correspondingly increased or decreased, to the extent that the Supplier has thereby been affected in the performance of any of its obligations under the Contract. Notwithstanding the foregoing, such additional or reduced cost shall not be separately paid or credited if the same has already been accounted for in the price adjustment provisions where applicable, in accordance with GCC Clause 15.

32. Force Majeure

- 32.1 The Supplier shall not be liable for forfeiture of its Performance Security, liquidated damages, or termination for default if and to the extent that its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- 32.2 For purposes of this clause, "Force Majeure" means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, acts of the Purchaser in its sovereign capacity, wars or

revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.

32.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

33. Change Orders and Contract Amendments

- 33.1 The Purchaser may at any time order the Supplier through Notice in accordance GCC Clause 8, to make changes within the general scope of the Contract in any one or more of the following:
- drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
- (w) the method of shipment or packing;
- (x) the place of delivery; and
- (y) the Related Services to be provided by the Supplier.
- 33.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or in the Delivery and Completion Schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this Clause must be asserted within 28 days from the date of the Supplier's receipt of the Purchaser's change order.
- 33.3 Prices to be charged by the Supplier for any Related Services that might be needed but which were not included in the Contract shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

34. Extensions of Time

- 34.1 If at any time during performance of the Contract, the Supplier or its Subcontractors should encounter conditions impeding timely delivery of the Goods or completion of Related Services pursuant to GCC Clause 12, the Supplier shall promptly notify the Purchaser in writing of the delay, its likely duration, and its cause. As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may at its discretion extend the Supplier's time for performance, in which case the extension shall be ratified by the parties by amendment of the Contract.
- 34.2 Except in case of Force Majeure, as provided under GCC Clause 32, a delay by the Supplier in the performance of its Delivery and Completion obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 27, unless an extension of time is agreed upon, pursuant to GCC Subclause 34.1.

35. Termination

35.1 Termination for Default

9-274 Section 9: Contract Forms

(z) The Purchaser, without prejudice to any other remedy for breach of Contract, by Notice of default sent to the Supplier, may terminate the Contract in whole or in part,

- (i) if the Supplier fails to deliver any or all of the Goods within the period specified in the Contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 34; or
- (ii) if the Supplier fails to perform any other obligation under the Contract.
- (iii) if the Supplier, in the judgment of the Purchaser has engaged in integrity violations, as defined in GCC Clause 3, in competing for or in executing the Contract.
- (aa) In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 35.1(a), the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Related Services similar to those undelivered or not performed, and the Supplier shall be liable to the Purchaser for any additional costs for such similar Goods or Related Services. However, the Supplier shall continue performance of the Contract to the extent not terminated.

35.2 Termination for Insolvency

The Purchaser may at any time terminate the Contract by giving Notice to the Supplier if the Supplier becomes bankrupt or otherwise insolvent. In such event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy that has accrued or will accrue thereafter to the Purchaser.

35.3 Termination for Convenience

- (bb) The Purchaser, by Notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The Notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.
- (cc) The Goods that are complete and ready for shipment within 28 days after the Supplier's receipt of the Notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect
 - (i) to have any portion completed and delivered at the Contract terms and prices; and/or
 - (ii) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and Related Services and for materials and parts previously procured by the Supplier.

36. Assignment

36.1 Neither the Purchaser nor the Supplier shall assign, in whole or in part, their obligations under this Contract, except with prior written consent of the other party.

37. Respectful Work Environment

- 37.1 The Contractor shall ensure that its employees and Subcontractors observe the highest ethical standards and refrain from any form of bullying, discrimination, misconduct and harassment, including sexual harassment and shall, at all times, behave in a manner that creates an environment free of unethical behavior, bullying, misconduct and harassment, including sexual harassment. The Contractor shall take appropriate action against any employees or Subcontractors, including suspension or termination of employment or sub-contract, if any form of unethical or inappropriate behavior is identified.
- 37.2 The Contractor shall conduct training programs for its employees and Subcontractors to raise awareness on and prevent any form of bullying, discrimination, misconduct, and harassment including sexual harassment, and to promote a respectful work environment. The Contractor shall keep an up to date record of its employees and subcontractors who have attended and completed such training programs and provide such records to the Purchaser at their first written request.

Section 8: Special Conditions of Contract

The following Special Conditions of Contract (SCC) shall supplement the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail over those in the GCC.

GCC 1.1(j)	The Purchaser's country is: Philippines
GCC 1.1(k)	The Purchaser is: Bureau of Local Government Finance (BLGF)
GCC 1.1 (q)	The Sitesare: BLGF Central Office andRegions CAR, I, II, III. IV-A (CALABARZON), IV-B,(MIMAROPA) V, VI,VII, VIII, IX, X, XI,XII and XIII (CARAGA)
GCC 4.2 (b)	The version of Incoterms shall be: Incoterms 2020

9-276 Section 9: Contract Forms

GCC 5.1	The language shall be: <u>English</u>			
300 3.1	The language for translation of supporting documents and printed literature is:			
	English			
GCC 8.1	For <u>notices</u> , the Purchaser's address shall be:			
	Attention: RICARDO I. BOBIS, JR./GRACE LOUIE M. BOONGALING			
	Director / Acting Chief, Admin Division Address: 8 th Floor, EDPC Bldg., BSP Complex, Roxas Blvd., Manila			
	Telephone: (63 2) 5318 2506, 5318 2507 5318 2520			
	Email: <u>rl.bobis@blgf.gov.ph/gm.boongaling@blgf.gov.ph</u>			
	Street address: Roxas Boulevard			
	Floor/ Room number: 8th Floor, EDPC Building, Central Bank Complex			
	City: Manila			
	ZIP code: <u>1004</u>			
	Country: Philippines			
GCC 9.1	The governing law shall be: Republic of the Philippines			
GCC 10.2	The formal mechanism for the resolution of disputes shall be:			
	For a contract with a Foreign Supplier: In the case of a dispute between the Purchaser and the Supplier, the dispute shall be settled by arbitration in accordance with the provisions of the United Nations Commission on International Trade Law (UNCITRAL) Arbitration Rules.			
	Place of arbitration: Singapore			
	For a contract with a Local Supplier: In the case of a dispute between the Purchaser and the Supplier, the dispute shall be settled by arbitration in accordance with the provisions of the local arbitration procedures in the Purchaser's country.			
	Place of arbitration: Republic of the Philippines			
GCC 11.1	The Scope of Requirements shall be defined in: Section 6 (Schedule of Requirements).			
GCC 12.1	Details of shipping and documents to be furnished by the Supplier shall be: a) Commercial invoice b) Packing list			
	c) Airway Bill (signed draft AWB 3-5 days prior to shipment, and confirmed AWB to be submitted on the day of shipment) or Waybill (if sea)			
GCC 15.2	The price adjustment shall be: <u>Not allowed</u>			
GCC 16.1	Payment of the Contract Price shall be made in the following manner: Philipine Peso for local suppliers; US Dollar for international suppliers			
GCC 16.4	The currencies for payments shall be: Philipine Peso for local suppliers; US Dollar for international suppliers			

1	
GCC 18.1	The Supplier shall provide a Performance Security of ten percent (10%) percent of the Contract Price. The Performance Security shall be denominated in the following amounts and currencies: Philipine Peso for local suppliers; US Dollar for international suppliers
GCC 18.3	The forms of acceptable Performance Security are: Bank Guarantee (using the template in Section 9), manager's cheque, certified cashier's cheque
GCC 18.4	Discharge of the Performance Security shall take place: not later than twenty eight (28) days following the date of completion of the Supplier's performance obligations under the Contract.
GCC 23.2	The packing, marking, and documentation within and outside the packages shall be: Manufacturer's packaging
GCC 24.1	The insurance coverage shall be in accordance with: DPU Incoterms 2020 (Supplier)
GCC 25.1	Obligations for transportation of the IT products shall be in accordance with: DPU Incoterms 2020 (Supplier)
GCC 26.2	Tests and Inspections specified in Section 6(Schedule of Supply), shall be carried out at the following times or milestones, and places:
	Goods:
	Type of Test:
	Time or Milestone:
	Place:
	Address:
	Country:
GCC 27.1	The applicable rate for liquidated damages for delay shall be: zero-pointfive percent (0.5 %) per week or part thereof
GCC 27.1	The maximum amount of liquidated damages shall be: ten percent (10%) of contract value
GCC 28.3	The period of validity of the Warranty shall be: One (1) year
	The place of final destination shall be: BLGF Central Office andRegions CAR, I, II, III. IV-A (CALABARZON), IV-B,(MIMAROPA) V, VI,VII, VIII, IX, X, XI,XII and XIII (CARAGA)
GCC 28.5	The Supplier shall correct any defects covered by the Warranty within seven (7)days of being notified by the Purchaser of the occurrence of such defects.
GCC 30.1 (b)	The amount of aggregate liability shall be: Full value of the contract

9-278 Section 9: Contract Forms

Section 9: Contract Forms

Table of Forms

Notice of Intention for Award of Contract	9-2
Notification of Award	9-3
Contract Agreement	9-4
Performance Security	9-6
Advance Payment Security	9-7

Notice of Intention for Award of Contract

[on letterhead paper of the Purchaser]

[date of notification]

To: [name of the Bidder] Attention: [insert name of the Bidder's authorized representative] Address: [insert address of the Bidder's authorized representative] Telephone/Fax numbers: [insert telephone/fax numbers of the Bidder's authorized representative] E-mail Address: [insert e-mail address of the Bidder's authorized representative] This is to notify you of our intention to award the contract [insert name of the contract and identification number, as given in the Bid Data Sheet]. You have [insert number of days as specified in ITB 40.1 of the BDS] days from the date of this notification to (i) request for a debriefing in relation to the evaluation of your Bid; and/or (ii) submit a bidding-related complaint in relation to the intention for award of contract, in accordance with the procedures specified in ITB 46.1.					
The summary of the evaluation a	are as follows:				
1. List of Bidders					
Name of Bidder	Bid Price as Read Out at Opening	Evaluated Bid Price			
2. Reason/s Why Your Bid Was Unsuccessful					
3. The Successful Bidder					
Name of Bidder:					
Address:					
Contract Price: Duration of Contract:					
Scope of the Contract Awarded					
Amount Performance Security Required:					
Authorized Signature: Name and Title of Signatory: Name of Agency:					

9-280 Section 9: Contract Forms

Notification of Award

[on letterhead of the Purchaser]

Letter of Acceptance

				[date]
To: [na	nme and address of the supplier	r]		
Subject: C	ontract No. [please specify]			
This is to notify you that your Bid dated [date] for execution of the [name of the contract and identification number, as given in the Bid Data Sheet] for the Accepted Contract Amount of the equivalent of [amount in words and figures and name of currency], as corrected and modified in accordance with the Instructions to Bidders is hereby accepted by our Agency.				
You are requested to furnish the Performance Security within 28 days in accordance with the Conditions of Contractand any additional security required as a result of the evaluation of your bid, using for that purpose the Performance Security Form included in Section 9 (Contract Forms) of the Bidding Document.				
Authorized	l 			Signature:
Name	and	Title	of	Signatory:
Name		of		Agency:
Attachmen	nt: Contract Agreement			

Contract Agreement

THIS AGREEMENT made on the [insert date]day of [insert month], [insert year], between [insert complete name of the purchaser]of [insert complete address of the Purchaser] (hereinafter "the Purchaser"), of the one part, and [insert complete name of the supplier] of [insert complete address of the supplier](hereinafter "the Supplier"), of the other part:

WHEREAS the Purchaser invited Bids for certain Goods and Related Services, viz., [insert brief description of the goods and related services] and has accepted a Bid by the Supplier for the supply of those Goods and Related Services in the sum of [insert currency or currencies and amount of contract price in words and figures] (hereinafter "the Contract Price").

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Contract referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
 - (a) Letter of Acceptance;
 - (b) Bid Submission Sheet and the Price Schedules submitted by the Supplier;
 - (c) Addenda Nos. [insert addenda numbers if any]¹²
 - (d) Special Conditions of Contract;
 - (e) List of Eligible Countries that was specified in Section 5 of the Bidding Document;
 - (f) General Conditions of Contract;
 - (g) Schedule of Supply; and

Bidding Document for

(h) any other documents shall be added here.

This Contract shall prevail over all other Contract documents. In the event of any discrepancy or inconsistency within the Contract documents, then the documents shall prevail in the order listed above.

- 3. In consideration of the payments to be made by the Purchaser to the Supplier as indicated in this Agreement, the Supplier hereby covenants with the Purchaser to provide the Goods and Related Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the Goods and Related Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of <code>[indicated name of country]</code> on the day, month, and year indicated above.

¹² Information contained in the addenda and or addendum should preferably be included in the contract documents to avoid potential ambiguities during contract implementation. If however, unavoidable priority should be decided depending on the nature of information provided in the addenda/addendum.

Procurement of Goods

Single-Stage: One-Envelope

9-282 Section 9: Contract Forms

Signed by [insert authorized signatur	re for the Purchaser](f0	r the Purchaser)				
Signed by [insert authorized signature for the supplier] (for the Supplier)						

Performance Security

[Bank's name, and address of issuing branch or office]

Beneficiary:	[Name and address of the Pu	rchaser]
Date:	[Insert date (as day, month, and	year)]
Performance Guarantee No.:	····	
into Contract No. [reference num	ame of the supplier](hereinafter calle ber of the contract]dated [date]with y goods and related services](hereinaft	you, for the execution of [name
Furthermore, we understand the guarantee is required.	nat, according to the conditions of	f the Contract, a performance
any sum or sums not exceed words [13 [amount in figures]] such so which the Contract Price is praccompanied by a written state	, we [name of the bank]hereby irreveding in total an amount of [name um being payable in the types and payable, upon receipt by us of ement stating that the Supplier is ur needing to prove or to show ground in the stating that the supplier is ur needing to prove or to show ground in the stating that the supplier is ur needing to prove or to show ground in the supplier is the supplier in the supplier is the supplier in the supp	e of the currency and amount in d proportions of currencies in your first demand in writing in breach of its obligation(s)
	later than the [date] dayof [month] ived by us at this office on or before	
	the Uniform Rules for Demand . 758, except that the supporting :	
	ture(s) and seal of bank (where appropr security is located outside the Purchase	
	mount representing the percentage or in the currency(ies) of the contract	
Insert the date 28 days after the of an extension of the time for extension of this guarantee from to the expiration date establish consider adding the following to agrees to a one-time extension response to the Purchaser's with Guarantor before the expiry of the or the purchaser may use "Un"	e expected completion date. The Pur- r completion of the contract, the Pur- n the guarantor. Such request must be ned in the guarantee. In preparing the ext to the form, at the end of the pen- n of this guarantee for a period not to ritten request for such extension, so he guarantee." iform Rules for Demand Guarantees Sub-article 20(a) is hereby excluded	archaser would need to request an be in writing and must be made prior his guarantee, the Purchaser might ultimate paragraph: "The Guarantor of exceed [six months] [one year], in such request to be presented to the structure (URDG), ICC Publication No. 458,
Bidding Document for	Procurement of Goods	Single-Stage: One-Envelope

9-284 Section 9: Contract Forms

Advance Payment Security

[insert complete name and number of contract]

To: [insert complete name of the Purchaser]

In accordance with the payment provision included in the Contract, in relation to advance payments, [insert complete name of the supplier] (hereinafter called "the Supplier") shall deposit with the Purchaser a security consisting of [indicate type of security], to guarantee its proper and faithful performance of the obligations imposed by said Clause of the Contract, in the amount of [insert currency and amount of guarantee in words and figures].

We, the undersigned [insert complete name of the guarantor], legally domiciled in [insert full address of the guarantor] (hereinafter "the Guarantor"), as instructed by the Supplier, agree unconditionally and irrevocably to guarantee as primary obligor and not as surety merely, the payment to the Purchaser on its first demand without whatsoever right of objection on our part and without its first claim to the Supplier, in the amount not exceeding [insert currency and amount of guarantee in words and figures].

This security shall remain valid and in full effect from the date of the advance payment being received by the Supplier under the Contract until [insert date (as day, month, year)].

This guarantee is subject to the Uniform Rules for Demand Guarantees (URDG) 2010 Revisions, ICC Publication No. 758, except that the supporting statement under Article 15(a) is hereby excluded.¹

Name: [insert complete name of person signing the Security]

In the capacity of [insert legal capacity of person signing the Security]

Signed: [insert signature of person whose name and capacity are shown above]

Duly authorized to sign the security for and on behalf of [insert seal (where appropriate) and complete name of the guarantor]

Date: [insert date of signing]

-- Note to Bidder --

If the bank issuing advance payment security is located outside the Purchaser's country, it shall be counter-guaranteed or encashable by a bank in the Purchaser's country.

¹ Or the purchaser may use "Uniform Rules for Demand Guarantees (URDG), ICC Publication No. 458, except that subparagraph (ii) of Sub-article 20(a) is hereby excluded" as appropriate.